

North Dakota Weekly Influenza Update 2015-16 Influenza Season



Through week **201607**, the week ending **2/20/2016**

Edited by: Jill K Baber, MPH


All data are preliminary and based on reports received at the time of publication.

Published 2/25/2016

Influenza Cases by Type	
A, unspecified	264
2009 A H1N1	57
A H3	2
B, unspecified	41
B Yamagata	3
B Victoria	2
Total	369

Weekly Narrative Influenza activity continues to increase across North Dakota. All indicators are above seasonal baselines, as more counties continue to be affected. Geographic activity this week is being reported as **Widespread**. Sentinel site surveillance indicates Respiratory Syncytial Virus (RSV) activity is also circulating at high levels.


Number of Reported Laboratory-Identified Influenza Cases by Week




All laboratory-identified cases of influenza (including identification via rapid test) are reportable in North Dakota. Statistics do not include data from people who did not seek medical care for their illness, or who sought medical care but were diagnosed based on symptoms, not with a laboratory test.

Demographic Data


Case Count for Lab-Confirmed Cases by Age Group




Case Count for Lab-Confirmed Cases by Gender



Lab-Confirmed Cases by County



Reported Influenza Deaths and Hospitalizations*



*Data obtained from ad-hoc reports and state Vital Statistics. Hospitalizations and deaths are not required to be reported in North Dakota, although pediatric flu deaths are nationally reportable. Due to the increase in electronic lab reporting, which does not include hospitalization status, hospitalization numbers are likely lower than and--not comparable to--previous seasons.

Outbreaks and Multi-season Comparison

Outbreaks There have been 5 reported outbreaks of influenza-like illness in long term and basic care setting so far this season. One outbreak was attributed to influenza A, one attributed to rhinovirus, and for three no agent was identified via lab test.

We also received reports for outbreaks in other community settings. For this season, 1 outbreak of influenza A 2009 H1N1 has been confirmed in a daycare.


Outbreaks in schools, assisted living facilities, workplaces, and in the general community are common during the influenza season.

Season	Total Cases	Peak Week (week ending)	Predominant Strain
2011-12	1487	3/24/2012	A H3N2
2012-13	4831	12/29/2012	A H3N2
2013-14	2923	1/4/2014	2009 A H1N1
2014-15	6443	12/27/2014	A H3N2
2015-16	369	TBD	TBD

Multi-Season Comparison So far, the 2015-16 influenza season is shaping up to be a later season than the previous three seasons. It is still too early to tell if the season will be mild overall, and also too early to tell what the

predominant circulating strain will be. However, reported cases of influenza A 2009 H1N1 have continued to increase over the past few weeks in North Dakota, and the current age distribution for our cases (see page 2) is indicative of A 2009 H1N1 circulation, with fewer cases in the elderly, and larger percentage of cases in children.

North Dakota Lab-Confirmed Influenza Cases by Week, 2011-
Current



Sentinel Surveillance: Outpatient Influenza-like Illness


Outpatient Surveillance The North Dakota Department of Health (NDDoH) participates with other states and jurisdictions in the U.S. Outpatient Influenza-like Illness Surveillance Network (ILINET). Participating outpatient clinics send data on the number of patients in each of five age groups experiencing ILI, and the number of patients seen for any reason each week. ILI is defined as:

Fever of 100°F or greater
with
A cough AND/OR sore throat

Data for all providers is pooled, and a state-wide statistic for percent of visits for ILI is produced. In North Dakota, a percent ILI of **1.4%** or greater is considered season-level activity.


Current Activity This week ILI is **1.73%**, above the seasonal baseline. ILI has been increasing steadily for the past several weeks.

Week Number	2015-16 Percent ILI	# ILI 0-4 age group	# ILI 5-24 age group	# ILI 25-49 age group	# ILI 50-64 age group	# ILI 65+ age group
201605	0.67%	1	2	4	0	0
201606	1.28%	2	1	1	0	0
201607	1.76%	3	2	4	1	1




Sentinel Surveillance: Laboratory Data

Laboratory Surveillance: Influenza The NDDoH receives influenza testing data from participating sentinel laboratories across North Dakota. The total number of influenza tests (all testing methodologies) and the total number of those tests that are positive are reported each week. Data for all labs is pooled, and a state-wide percent positivity statistic is produced. Percent positivity for influenza tests of **10%** or greater is considered a general indicator for season-level influenza activity. **This week percent positivity for influenza is 10.89%.**



Laboratory Surveillance: Respiratory Syncytial Virus (RSV) The NDDoH receives similar testing data for RSV. RSV is a common respiratory virus best known for affecting children, however a person in any age group can become ill and people can get RSV multiple times. RSV also occurs seasonally, over a time period similar to influenza. **This week percent positivity for RSV is 38.17%.**




Other Surveillance Methods

Other Surveillance Methods: Syndromic Surveillance The NDDoH receives data from emergency departments, hospitals, and clinics across the state participating in the NDDoH's Syndromic Surveillance program. Syndromic surveillance is the receipt of near-real time reason-for-visit data for all visits at participating locations. Visits are automatically sorted into "syndromes" (gastrointestinal, neurologic, rash, ILI, etc.). Because it is based off of data such as chief complaints or diagnosis codes, the ILI syndrome has a lower specificity than the traditional outpatient ILI definition. Nonetheless, syndromic data is well correlated with our other influenza indicators.

Current Activity This week ILI in our syndromic surveillance system is **0.39%**. Similar to other indicators, we are below the activity level we were seeing last year at this time.


Percent of Outpatient, Emergency Department, and Hospital Visits Due to Influenza-like Illness by Week, Current and Previous Season



Other Surveillance Methods

Other Surveillance Methods: Influenza and Respiratory Viral Pathogen Testing The NDDoH's Division of Laboratory Services conducts testing for influenza and a variety of respiratory viruses. Influenza samples come from providers across the state. Most of respiratory viral pathogen the samples tested come from sentinel sites participating in the Influenza Incidence Surveillance Project (IISP), which is like an extended version of ILINet.

State Lab Influenza Respiratory Viral Pathogen Testing



National Influenza Surveillance National influenza activity and surveillance information is available from the CDC FluView website at: www.cdc.gov/flu/weekly/, and is updated every Friday.

Contact Information For information on influenza surveillance, contact the North Dakota Department of Health Division of Disease Control at 701.328.2378 or visit www.ndflu.com.

