

North Dakota Immunization Information System: Doses Administered Report

The Doses Administered Report provides a printable PDF document of all doses of vaccine administered by a provider site.

How To Run a Doses Administered Report:

1.) The Doses Administered Report is located under the Provider Inventory Reports Report Type in the NDIIS Reports Module.

Please select a report type to view the detailed report criteria selection menu.

Report Type: ▼

- SELECT ONE --
- Coverage Rate Reports
- Pandemic Preparedness Reports
- Patient Management Reports
- Provider Inventory Reports**
- Smallpox Response Reports

Report Type: ▼

Report: ▼

Enter Selection

- Borrow and Return Lots - Balance
- Borrow and Return Lots - Balance
- Borrow and Return Lots - Detailed
- Doses Administered**
- Lot Distribution by Lot
- Lot Inventory Expiring
- Provider Inventory
- Vaccine Shipped Report
- Wastage Return

* Provider

Run Now

- 2.) Select **Begin Date** and **End Date** to define a time range for doses administered.
 - a.) The beginning and ending date fields are required fields.
- 3.) Select your VFC Type(s) from the **VFC Type(s)** drop down menu.
 - a.) All doses or specific VFC types are available to chose from.
- 4.) Select your provider site from the **Provider** drop down menu.
 - a.) The report can only be run for one provider site at a time.
 - b.) Users will only be able to run the report for the provider site they are currently logged in under. To run the report for a different provider site, the user will need to change their provider site on their NDIIS home page.
- 5.) Select your Vaccine Type from the **VFC Type** drop down menu.
 - a.) All vaccine type or state or private supplied doses are available to chose from.

Saved Reports | New Request

Report Type:

Report:

Enter Selection Criteria & Values | Fields Appearing with an Asterisk (*) Are Required.

* Begin Date

* End Date

VFC Type(s)

* Provider

Vaccine Type

6.) After all fields have been selected, click **Run Now** or **Run Later** to run the report.

7.) Return to the Saved Reports tab to check the status of your report. You may need to hit the **Refresh** button to update the Reports listed. When the status column lists your report as *Completed*, click the **View** button to open your report PDF.

Saved Reports [New Request](#)

| Report Name | Status | Request Date | Request By | Seq # |
|--------------------|-----------|--------------|----------------|-------|
| Doses Administered | Completed | 1/8/2021 | M. Woinarowicz | 31863 |

[Refresh](#)

| Selection Criteria | Value(s) |
|--------------------|---------------------------------|
| Provider | 04933 - NDIIS TRAINING PROVIDER |
| Begin Date | 1/1/2020 |
| End Date | 1/31/2020 |
| VFC Type(s) | ALL DOSES |
| Validity | ALL DOSES |
| Vaccine Type | ALL |

[View](#) [Delete](#)

Sample Doses Administered Report

Evaluating unlicensed DynamicPDF feature. Click here for details. [1:0:s2:v7.0]

Doses Administered Report by Age Group

Printed on 11/24/2021 11:54:37 AM

Provider: 04933 - NDIIS TRAINING PROVIDER
Begin Date: 01/01/2020
End Date: 01/31/2020
VFC Type(s): ALL DOSES
Validity: ALL DOSES
Vaccine Type: ALL

| Vaccine Series | <1 | 1 | 2 | 3-4 | 5-6 | 7-9 | 10-14 | 15-18 | 19-24 | 25-44 | 45-64 | 65+ | Unknown | Total |
|--------------------------|----|---|---|-----|-----|-----|-------|-------|-------|-------|-------|-----|---------|-------|
| DTaP-Hib-IPV (Pentacel) | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 |
| DTaP/IPV | 0 | 0 | 0 | 5 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 11 |
| HAV (2 dose) | 2 | 1 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 6 |
| HBV Pediatric | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| HIB (PRP-T) ACTHib | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| HPV-9 | 0 | 0 | 0 | 0 | 0 | 0 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 11 |
| INFL (IIV4 P/F) | 8 | 2 | 2 | 5 | 6 | 5 | 16 | 9 | 1 | 5 | 1 | 0 | 0 | 60 |
| MCV4 Menactra | 0 | 0 | 1 | 1 | 1 | 1 | 10 | 6 | 0 | 0 | 0 | 0 | 0 | 20 |
| Men B Trumenba | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 | 0 | 0 | 0 | 0 | 0 | 7 |
| MMR | 2 | 6 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 11 |
| MMRV | 0 | 0 | 2 | 6 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 14 |
| PCV13 (pneumococcal) | 8 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 14 |
| PPSV23 (pneumococcal) | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 4 | 1 | 0 | 0 | 0 | 0 | 8 |
| ROTAVIRUS (3 dose) | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 |
| TDaP | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| TYPHOID VICP (im) | 0 | 0 | 3 | 5 | 2 | 5 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 18 |
| VARICELLA (CHICKENPOX) | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| Yellow Fever (alternate) | 0 | 1 | 2 | 2 | 4 | 6 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 17 |