



FALL 2020: SCHOOL, FLU AND COVID  
VACCINE PLANNING

Abbi Berg, MPH, Division of Disease Control

NORTH  
**Dakota**  
Be Legendary.™

1

---

---

---

---

---

---

---

---

BACK TO SCHOOL



2

---

---

---

---

---

---

---

---

**WHAT WE KNOW**

- Regardless of classroom style immunization requirements are the same.
- Students should be up to date prior to school entry
  - Excluded after October 1
  - INCREDIBLY important to eliminate outbreaks/ VPDs circulating during flu and COVID

3

---

---

---

---


---

---

---


---

## SCHOOL IMMUNIZATION RATES ALSO IMPACTED



4

## EXEMPTION RATES INCREASE SLIGHTLY



5

## Influenza Vaccine



6

- To begin **THIS WEEK!**
  - This is not a drill!
  - Providers will receive automated emails from NDHHS when an order has been placed on their behalf.
- All prebooks will be sent out automatically, this includes spring and summer, pediatric and adult prebooks.
  - Additional doses have been ordered on top of prebooks and those doses will be available after all prebooks have been sent out.
- **PLENTY** of flu vaccine this year. Once available, order more doses if need be.

7

**Percent of ND residents in the selected age group up-to-date with  $\geq 1$  dose of influenza vaccine for the flu season**

Age Group	2016 - 2017 flu season	2017 - 2018 flu season	2018 - 2019 flu season	2019 - 2020 flu season
6 months - 4 years	47.9%	45.4%	48.9%	52.0%
5 - 12 years	34.9%	34.3%	36.6%	40.0%
13 - 17 years	27.7%	31.3%	31.6%	35.4%
18 - 49 years	18.4%	17.8%	20.1%	21.8%
50 - 64 years	36.7%	34.3%	36.3%	37.1%
65 years and older	50.1%	52.8%	54.6%	54.4%

8

- Pediatric deaths from flu were cut in half for children with underlying high-risk medical conditions and by two-thirds for healthy children
- Influenza hospitalizations were cut in half for all adults (including those 65+ years of age)
- Influenza hospitalizations dropped dramatically among people with chronic health conditions – by 79% for people with diabetes and 52% for those with chronic lung disease

[illegible]

9



## ADDITIONAL CONSIDERATIONS FOR INFLUENZA VACCINE

- ***Persons at high risk for influenza complications:*** Including infants and young children, children with neurologic conditions, pregnant women, adults age 65 years and older, and other persons with certain underlying medical conditions

13

13

---

---

---

---

---

---

---

---

## COVID VACCINE



14

14

---

---

---

---

---

---

---

---

## VACCINE ASSUMPTIONS

- Doses (in small quantities) could be available as early as October 2020
  - Prioritized for frontline health care workers and LTC staff/residents
- There will be different brands/presentations
  - Some may require ultra cold storage (<-70 degrees)
    - Providers will not be required to maintain these temperatures

15

---

---

---

---

---

---

---

---

## VACCINE ASSUMPTIONS, CONT.

- Different distribution methods
  - Some federal entities will receive their own allocations sent directly to them.
  - Most providers will receive allocations through NDDoH/McKesson
  - Some chain pharmacies will receive allocations that are controlled by NDDoH but will go directly to pharmacies
- Vaccine allocations in 100-dose increments will go through McKesson.
  - Smaller orders will be organized and distributed through EPR
  - Much like H1N1

16

## PREPMod – MASS VACCINATION SOFTWARE



- NDDoH is in the process of purchasing a mass vaccination software system that will be available to all ND facilities.
- Currently working on customizing system and final purchase requirements.
- More information on setting up access and users to come!
- Piloting with a few LPHUs and hope to use for flu and COVID vaccine!

17

## CONT.

- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li>▪ System capabilities               <ul style="list-style-type: none"> <li>▪ Online preregistration                   <ul style="list-style-type: none"> <li>▪ Consent</li> <li>▪ VISs</li> </ul> </li> <li>▪ Patient sign up for notifications                   <ul style="list-style-type: none"> <li>▪ Nearby clinics</li> <li>▪ Second dose reminders</li> </ul> </li> <li>▪ Capture billing information</li> <li>▪ Employer notifications of vaccinations</li> </ul> </li> </ul> | <ul style="list-style-type: none"> <li>▪ System Capabilities               <ul style="list-style-type: none"> <li>▪ Capture priority groups</li> <li>▪ Vaccine administration documentation                   <ul style="list-style-type: none"> <li>▪ Inventory management</li> </ul> </li> <li>▪ Paperless mass vaccination clinics</li> <li>▪ Social distancing and GIS notifications of patient arrival</li> <li>▪ Emails vaccination documentation to recipient</li> </ul> </li> </ul> |
|---|---|

18

### COVID-19 in High-Risk Groups

- Comorbidity and advanced age increase risk for severe illness and death
  - Cardiovascular disease, diabetes, chronic respiratory disease
- Immunocompromised (medical, acquired) – emerging data reassuring
  - For persons with HIV, risk likely greatest at low CD4 cell counts or not virally suppressed
  - No definitive evidence that cancer therapy worsens outcomes (incl. immunosuppressives)



Zhang 2020, China CDC Weekly Report; 2181-113-122; Ramussen 2020, Am J Obstet Gynecol; <https://doi.org/10.1016/j.ajog.2020.02.017>  
Lee 2020, Lancet; [https://doi.org/10.1016/S0140-6736\(20\)31173-9](https://doi.org/10.1016/S0140-6736(20)31173-9)

Valid as of June 20, 2020

19

---

---

---

---

---


---

---

---

### SARS-CoV-2 and Influenza Coinfection, Coinfection with Influenza B More Deadly

- Patients from a single hospital outbreak in Wuhan during Jan-Feb 2020
- Diagnoses made by assaying SARS-CoV-2 RNA and influenza IgM
- No significant differences in age (median 50's-60's), sex (M:F, 1:1), illness severity



Yue 2020, J Med Virol; doi:10.1002/jmv.26163

Valid as of June 20, 2020

20

---

---

---

---

---

---

---

---

### Vaccinating During a Pandemic



21

---

---

---


---

---

---

---

---



22

---

---

---


---

---

---

---

---



23

---

---

---


---

---

---

---

---



24

---

---

---

---

---


---

---

---



## Recent Decreases in Infant Immunization Rates by County



25

---

---

---

---

---

---


---

---

---

---

## Adolescent Rates Continue to Increase



26

---

---

---

---

---

---


---

---

---

---

## Adult Rates Hold Steady



27

---

---

---

---

---

---

---

---

---

---

## CONSIDERATIONS FOR ROUTINE VACCINATION

- **Children and adolescents:** Healthcare providers should identify children who have missed well-child visits and/or recommended vaccinations and contact parents to schedule in-person appointments, starting with newborns, infants and children up to 24 months, young children, and extending through adolescence.

28

---

---

---

---

---

---

---

---

## CONSIDERATIONS FOR ROUTINE VACCINATION

- **Pregnant women:** If administration of the recommended maternal vaccines (tetanus toxoid, reduced diphtheria toxoid, and acellular pertussis (Tdap) and influenza) has been delayed because of reduced or deferred in-person prenatal care visits, pregnant women should be scheduled for follow-up and receive vaccination during the next in-person appointment.

29

---

---

---

---

---

---

---

---

## CONSIDERATIONS FOR ROUTINE VACCINATION

- **Adults:** Healthcare providers, whether they administer vaccines or not, should take steps to ensure that their patients continue to receive vaccines according to the Standards for Adult Immunization Practice. Older adults and adults with underlying medical conditions are particularly at increased risk for preventable disease and complications if vaccination is deferred.

30

---

---

---

---

---

---

---

---

## VACCINATION OF PERSONS WITH SUSPECTED OR CONFIRMED COVID-19

- Routine vaccination should be deferred for persons with suspected or confirmed COVID-19, regardless of symptoms, until **criteria** have been met for them to discontinue isolation. While mild illness is not a contraindication to vaccination, vaccination visits for these individuals should be postponed to avoid exposing healthcare personnel and other patients to the virus that causes COVID-19. When scheduling or confirming appointments for vaccination, patients should be instructed to notify the provider's office in advance if they currently have or develop any symptoms of COVID-19.

31

31

---

---

---

---

---

---

---

---

## WAYS TO INCREASE VACCINATION RATES

- Relying on parents to bring children in for vaccinations won't work.
- Standard reminder/ recall efforts probably won't work either
- Pediatric practices seeing 50% reduction in appointments
  - Capitalize on this time and have available staff CALL families to get them in for vaccination
- Vaccinate at EVERY opportunity, including mild illness or injury visits.
- Offer vaccination in non-traditional settings including voting stations, COVID testing, school/community, drive thru events, etc.

32

32

---

---

---

---

---

---

---

---

NDIIS –  
REMINDER  
RECALL



33

---

---

---

---

---


---

---

---

## REMINDER RECALL

- A Reminder is communication to an individual that he/she is due now or on a future date for immunization(s).
- A Recall is communication to an individual that he/she is past due for immunization(s).
- The primary benefit of reminder/recall is to improve the timeliness and completion of immunizations recommended by the Advisory Committee on Immunization Practices (ACIP) to prevent disease. The reminder/recall report is generated from the North Dakota Immunization Information System (NDIIS) based on the immunization forecast.
- 1. To run the reminder/recall report, log in to the NDIIS
- 2. Click the Create Reminder-Recall hyperlink from your home screen



34

## REMINDER RECALL

These two fields will only have searchable options for local public health units.

Provider:

County:

Health District/Region:

- The NDDoH recommends that providers always choose to "exclude influenza from last provider visited." This is the default setting in the NDIIS reminder/recall report.
- Select your provider from the Provider field drop-down box. Clients pulled onto report will be based off of the patient's "last provider visited" without influenza vaccine.
- The NDDoH recommends running reports for all genders, all races, and including air force base clients.

Include Patients Due for Vaccinations (Reminders) ☐ Yes ☒ No  
Maximum number of days until due date to include (if Yes is Selected)

Include Patients Overdue for Vaccinations (Recalls) ☐ Yes ☒ No  
Minimum number of days past due to include (if Yes is Selected)

NDDoH recommends running reminders for between 14 and 28 days

NDDoH recommends running recalls for between 30 days past due

Click Run Reminder Recall button to obtain the list of desired patients

Run Reminder Recall

35

## REMINDER RECALL

Once report results are displayed, you can choose to download the list of patients, convert the report into an excel document, print labels to place on postcards or print mailing and return address directly onto postcards.

Every 75142 label must be used

Print Labels

Print PostCards

Download List

Every 8 1/2 x 4 1/2 postcards must be used

When viewing the report, the user can choose to remove certain clients from printing for example, if the address is not complete.

If using the Post card method, a return address must be entered.

Return Address for Post Cards:

Provider Name: 9999 - TEST

Address 1: 100 Main

Address 2:

City, State, Zip: Bismarck, ND, 58501

The information will be automatically populated only when a specific provider is selected.

Not required when postcard printing is selected

36

### DOSE SPECIFIC REMINDER RECALL

**Vaccine Families:** *(if no vaccine is selected then all forecast vaccines will be used.)*

<input checked="" type="checkbox"/> DTAP	<input type="text" value="4"/>	<input type="checkbox"/> PCV	<input type="text" value=""/>
<input type="checkbox"/> HIB	<input type="text" value=""/>	<input type="checkbox"/> PPSV	<input type="text" value=""/>
<input type="checkbox"/> POLIO	<input type="text" value=""/>	<input type="checkbox"/> TD-TDAP	<input type="text" value=""/>
<input type="checkbox"/> HEP B	<input type="text" value=""/>	<input type="checkbox"/> HPV	<input type="text" value=""/>
<input type="checkbox"/> MMR	<input type="text" value=""/>	<input type="checkbox"/> ROTAVIRUS	<input type="text" value=""/>
<input type="checkbox"/> VARICELLA	<input type="text" value=""/>	<input type="checkbox"/> MCV4	<input type="text" value=""/>
<input type="checkbox"/> HEP A	<input type="text" value=""/>	<input type="checkbox"/> ZOSTER	<input type="text" value=""/>
<input type="checkbox"/> INFLUENZA	<input type="text" value=""/>	<input type="checkbox"/> MENINGOCOCCAL-B	<input type="text" value=""/>

37

---

---

---

---

---

---

---

---

### Example of Downloaded List from NDIIS Reminder/ Recall

ClientID	First Name	Last Name	BirthDate	Address1	Address2	Apartment	City	State	Zip	Phone	Vaccines Due/Overdue
1347430											Hep A  MMR  PCV  Varicella
1427280											Influenza
1430294											Hep A
1430393											Hep A
1361771											Influenza

38

---

---

---

---

---


---

---


---

## RESOURCES


- CDC's Vaccination Guidance During a Pandemic
  - [https://www.cdc.gov/vaccines/pandemic-guidance/index.html?deliveryName=USCDC\\_7\\_3-DM34944](https://www.cdc.gov/vaccines/pandemic-guidance/index.html?deliveryName=USCDC_7_3-DM34944)
- Sanofi's Adaptive Vaccination Solutions
  - <https://www.vaccineshoppe.com/index.cfm?fa=resources.tools>



One-Stop Shot  
Walk-Thru  
Flu Clinic



One-Stop Shot  
Drive-Thru  
Flu Clinic



Influenza  
Action Plan  
Worksheet

39

---

---

---

---

---

---

---

---



40

---

---

---

---

---

---

---

## POST-TEST

- Post-test
  - Nurses interested in continuing education credit, visit <http://www.ndhealth.gov/disease/post/default.aspx?PostID=220>
  - Successfully complete the five-question post-test to receive your certificate
  - Credit for this session will not expire until September 8, 2020.
- This presentation will be posted to our website: [www.health.nd.gov/immunize](http://www.health.nd.gov/immunize)

41

---

---

---

---

---

---

---

## NORTH DAKOTA IMMUNIZATION PROGRAM

### North Dakota Immunization Program Staff

Molly Howell, MPH Program Manager	Phone: 701.328.4556 Email: <a href="mailto:mahowell@nd.gov">mahowell@nd.gov</a>	Mary Woinarowicz, MA NDIIS Manager	Phone: 701.328.2404 Email: <a href="mailto:marywoinarowicz@nd.gov">marywoinarowicz@nd.gov</a>
Abbi Berg, MPH VFC/Quality Improvement Manager	Phone: 701.328.3324 Email: <a href="mailto:alberg@nd.gov">alberg@nd.gov</a>	Rachel Goebel, MPH NDIIS Coordinator	Phone: 701.214.7322 Email: <a href="mailto:rgoebel@nd.gov">rgoebel@nd.gov</a>
Miranda Baumgartner VFC/QI Coordinator (West)	Phone: 701.328.2035 Email: <a href="mailto:mibaumgartner@nd.gov">mibaumgartner@nd.gov</a>	Jennifer Galbraith Immunization Surveillance Coordinator	Phone: 701.328.2335 Email: <a href="mailto:jgalbraith@nd.gov">jgalbraith@nd.gov</a>
Sherrie Meixner VFC/QI Coordinator (East)	Phone: 701.541.7226 Email: <a href="mailto:smeixner@nd.gov">smeixner@nd.gov</a>	Carmen Cardenas, MPH NDIIS Data Quality Coordinator	Phone: 701.328.4169 Email: <a href="mailto:ccardenas@nd.gov">ccardenas@nd.gov</a>
Vacant CDC Public Health Advisor	Phone: Email:		

42

---

---

---

---

---

---

---



43

---

---

---

---

---

---

---

---