

NORTH DAKOTA

2008 Calculated Variables Report

Behavioral Risk Factor Surveillance System

March 4, 2009



SECTION 1: HEALTH STATUS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5019	489,684	4208	86.6	85.4-87.8	811	13.4	12.2-14.6
Male	2031	244,496	1711	86.7	84.9-88.5	320	13.3	11.5-15.1
Female	2988	245,188	2497	86.5	84.9-88.1	491	13.5	11.9-15.1
Non-Native	4848	464,038	4076	87.1	85.9-88.3	772	12.9	11.7-14.1
18-24	163	79,652	150	91.3	86.4-96.2	13	8.7	03.8-13.6
25-34	503	77,593	471	94.1	91.9-96.3	32	5.9	03.7-08.1
35-44	697	75,893	635	92.2	90.2-94.2	62	7.8	05.8-09.8
45-54	1072	91,926	951	89.3	87.3-91.3	121	10.7	08.7-12.7
55-64	995	67,682	826	82.3	79.6-85.0	169	17.7	15.0-20.4
65+	1539	93,649	1135	72.8	70.3-75.3	404	27.2	24.7-29.7
Less Than H.S.	381	36,499	248	72.5	66.4-78.6	133	27.5	21.4-33.6
H.S. or G.E.D.	1521	144,381	1218	82.6	80.1-85.1	303	17.4	14.9-19.9
Some Post-H.S.	1555	159,372	1306	87.0	84.8-89.2	249	13.0	10.8-15.2
College Graduate	1553	148,532	1430	93.6	92.4-94.8	123	6.4	05.2-07.6
Less than \$15,000	372	29,733	220	62.7	54.1-71.3	152	37.3	28.7-45.9
\$15,000- 24,999	740	67,814	544	78.4	74.5-82.3	196	21.6	17.7-25.5
\$25,000- 34,999	602	54,155	497	84.4	80.9-87.9	105	15.6	12.1-19.1
\$35,000- 49,999	821	79,856	707	88.2	85.8-90.6	114	11.8	09.4-14.2
\$50,000- 74,999	847	89,557	790	93.6	91.6-95.6	57	6.4	04.4-08.4
\$75,000+	1013	111,636	950	94.1	92.3-95.9	63	5.9	04.1-07.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2031	244,496	1711	86.7	84.9-88.5	320	13.3	11.5-15.1
Non-Native	1972	233,534	1666	87.0	85.2-88.8	306	13.0	11.2-14.8
18-24	81	42,146	73	89.6	82.2-97.0	8	10.4	03.0-17.8
25-34	213	41,254	201	94.9	92.0-97.8	12	5.1	02.2-08.0
35-44	315	38,756	291	93.2	90.3-96.1	24	6.8	03.9-09.7
45-54	464	45,992	402	88.1	85.2-91.0	62	11.9	09.0-14.8
55-64	436	35,588	354	79.8	75.7-83.9	82	20.2	16.1-24.3
65+	512	39,723	382	73.7	69.6-77.8	130	26.3	22.2-30.4
Less Than H.S.	163	18,801	108	70.9	61.7-80.1	55	29.1	19.9-38.3
H.S. or G.E.D.	648	79,403	522	82.9	78.8-87.0	126	17.1	13.0-21.2
Some Post-H.S.	559	70,462	475	88.1	85.2-91.0	84	11.9	09.0-14.8
College Graduate	659	75,192	604	93.3	91.3-95.3	55	6.7	04.7-08.7
\$15,000- 24,999	252	30,707	185	79.7	73.8-85.6	67	20.3	14.4-26.2
\$25,000- 34,999	229	27,724	182	84.7	79.8-89.6	47	15.3	10.4-20.2
\$35,000- 49,999	383	43,050	316	85.4	81.7-89.1	67	14.6	10.9-18.3
\$50,000- 74,999	414	50,222	385	92.9	90.0-95.8	29	7.1	04.2-10.0
\$75,000+	490	59,975	454	92.5	89.4-95.6	36	7.5	04.4-10.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2988	245,188	2497	86.5	84.9-88.1	491	13.5	11.9-15.1
Non-Native	2876	230,504	2410	87.3	85.9-88.7	466	12.7	11.3-14.1
18-24	82	37,506	77	93.2	87.1-99.3	5	6.8	00.7-12.9
25-34	290	36,339	270	93.1	90.0-96.2	20	6.9	03.8-10.0
35-44	382	37,137	344	91.1	88.2-94.0	38	8.9	06.0-11.8
45-54	608	45,934	549	90.4	87.9-92.9	59	9.6	07.1-12.1
55-64	559	32,094	472	85.1	82.0-88.2	87	14.9	11.8-18.0
65+	1027	53,926	753	72.1	69.0-75.2	274	27.9	24.8-31.0
Less Than H.S.	218	17,698	140	74.1	66.7-81.5	78	25.9	18.5-33.3
H.S. or G.E.D.	873	64,977	696	82.2	79.1-85.3	177	17.8	14.7-20.9
Some Post-H.S.	996	88,910	831	86.2	83.3-89.1	165	13.8	10.9-16.7
College Graduate	894	73,340	826	93.9	92.3-95.5	68	6.1	04.5-07.7
Less than \$15,000	265	18,132	160	64.6	55.4-73.8	105	35.4	26.2-44.6
\$15,000- 24,999	488	37,107	359	77.4	72.3-82.5	129	22.6	17.5-27.7
\$25,000- 34,999	373	26,430	315	84.1	79.0-89.2	58	15.9	10.8-21.0
\$35,000- 49,999	438	36,806	391	91.5	88.8-94.2	47	8.5	05.8-11.2
\$50,000- 74,999	433	39,336	405	94.5	92.3-96.7	28	5.5	03.3-07.7
\$75,000+	523	51,661	496	96.0	94.4-97.6	27	4.0	02.4-05.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU65)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU65)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3418	384,442	3031	86.0	84.2-87.8	387	14.0	12.2-15.8
Male	1496	196,831	1308	85.3	82.6-88.0	188	14.7	12.0-17.4
Female	1922	187,611	1723	86.8	84.3-89.3	199	13.2	10.7-15.7
Non-Native	3297	364,179	2953	88.0	86.4-89.6	344	12.0	10.4-13.6
18-24	148	70,852	110	72.0	64.0-80.0	38	28.0	20.0-36.0
25-34	504	77,737	438	86.2	82.9-89.5	66	13.8	10.5-17.1
35-44	697	75,985	615	88.6	86.1-91.1	82	11.4	08.9-13.9
45-54	1074	92,227	967	91.2	89.4-93.0	107	8.8	07.0-10.6
55-64	995	67,641	901	90.7	88.7-92.7	94	9.3	07.3-11.3
H.S. or G.E.D.	913	103,329	760	80.9	77.0-84.8	153	19.1	15.2-23.0
Some Post-H.S.	1150	134,661	1013	84.4	80.9-87.9	137	15.6	12.1-19.1
College Graduate	1228	127,821	1166	94.4	92.4-96.4	62	5.6	03.6-07.6
\$15,000- 24,999	393	47,372	273	62.4	54.8-70.0	120	37.6	30.0-45.2
\$25,000- 34,999	358	37,887	306	82.3	76.6-88.0	52	17.7	12.0-23.4
\$35,000- 49,999	599	64,344	549	88.7	84.8-92.6	50	11.3	07.4-15.2
\$50,000- 74,999	709	79,920	672	92.6	89.7-95.5	37	7.4	04.5-10.3
\$75,000+	900	103,515	873	96.0	93.8-98.2	27	4.0	01.8-06.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU65)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1496	196,831	1308	85.3	82.6-88.0	188	14.7	12.0-17.4
Non-Native	1457	189,618	1281	86.2	83.7-88.7	176	13.8	11.3-16.3
25-34	214	41,398	186	86.7	81.8-91.6	28	13.3	08.4-18.2
35-44	316	38,947	278	88.6	84.9-92.3	38	11.4	07.7-15.1
45-54	463	45,992	415	90.8	88.1-93.5	48	9.2	06.5-11.9
55-64	434	35,388	379	88.6	85.7-91.5	55	11.4	08.5-14.3
H.S. or G.E.D.	461	60,691	385	80.5	75.0-86.0	76	19.5	14.0-25.0
Some Post-H.S.	452	61,922	390	84.0	78.9-89.1	62	16.0	10.9-21.1
College Graduate	519	64,003	487	93.6	90.5-96.7	32	6.4	03.3-09.5
\$25,000- 34,999	143	19,763	116	79.8	71.2-88.4	27	20.2	11.6-28.8
\$35,000- 49,999	285	34,869	255	86.0	79.7-92.3	30	14.0	07.7-20.3
\$50,000- 74,999	339	44,159	319	91.6	87.1-96.1	20	8.4	03.9-12.9
\$75,000+	422	54,875	407	94.6	90.7-98.5	15	5.4	01.5-09.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU65)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1922	187,611	1723	86.8	84.3-89.3	199	13.2	10.7-15.7
Non-Native	1840	174,560	1672	89.9	87.9-91.9	168	10.1	08.1-12.1
25-34	290	36,339	252	85.6	80.9-90.3	38	14.4	09.7-19.1
35-44	381	37,038	337	88.6	85.1-92.1	44	11.4	07.9-14.9
45-54	611	46,235	552	91.5	89.1-93.9	59	8.5	06.1-10.9
55-64	561	32,253	522	93.1	90.7-95.5	39	6.9	04.5-09.3
H.S. or G.E.D.	452	42,639	375	81.5	76.6-86.4	77	18.5	13.6-23.4
Some Post-H.S.	698	72,740	623	84.8	80.1-89.5	75	15.2	10.5-19.9
College Graduate	709	63,818	679	95.1	92.9-97.3	30	4.9	02.7-07.1
\$25,000- 34,999	215	18,125	190	85.0	77.9-92.1	25	15.0	07.9-22.1
\$35,000- 49,999	314	29,475	294	91.9	87.6-96.2	20	8.1	03.8-12.4
\$50,000- 74,999	370	35,761	353	93.7	90.4-97.0	17	6.3	03.0-09.6
\$75,000+	478	48,639	466	97.6	96.2-99.0	12	2.4	01.0-03.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008

SECTION 5: EXERCISE CONTENTS

* NOTE * * * * *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.
* * * * *

TABLE		PAGE
	ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	11
2	MALES ONLY	12
3	FEMALES ONLY	13

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 5: EXERCISE**

**TABLE 1: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5020	489,052	3602	74.4	72.8-76.0	1418	25.6	24.0-27.2
Male	2030	243,763	1476	75.0	72.6-77.4	554	25.0	22.6-27.4
Female	2990	245,288	2126	73.9	71.7-76.1	864	26.1	23.9-28.3
Non-Native	4848	463,330	3497	75.4	73.8-77.0	1351	24.6	23.0-26.2
18-24	162	78,829	133	81.9	75.2-88.6	29	18.1	11.4-24.8
25-34	504	77,737	402	77.9	73.8-82.0	102	22.1	18.0-26.2
35-44	696	75,788	529	75.7	72.2-79.2	167	24.3	20.8-27.8
45-54	1076	92,382	797	75.2	72.5-77.9	279	24.8	22.1-27.5
55-64	995	67,654	708	72.4	69.5-75.3	287	27.6	24.7-30.5
65+	1537	93,444	999	65.2	62.7-67.7	538	34.8	32.3-37.3
Less Than H.S.	383	36,739	217	60.3	52.7-67.9	166	39.7	32.1-47.3
H.S. or G.E.D.	1521	143,659	975	67.7	64.6-70.8	546	32.3	29.2-35.4
Some Post-H.S.	1554	159,206	1139	76.4	73.7-79.1	415	23.6	20.9-26.3
College Graduate	1553	148,546	1266	82.6	80.4-84.8	287	17.4	15.2-19.6
Less than \$15,000	372	29,777	207	57.4	48.6-66.2	165	42.6	33.8-51.4
\$15,000- 24,999	742	67,990	457	65.0	59.7-70.3	285	35.0	29.7-40.3
\$25,000- 34,999		53,297	419	71.5	66.8-76.2	182	28.5	23.8-33.2
\$35,000- 49,999	822	80,019	600	74.7	71.0-78.4	222	25.3	21.6-29.0
\$50,000- 74,999	846	89,341	665	79.5	76.4-82.6	181	20.5	17.4-23.6
\$75,000+	1012	111,547	828	82.0	79.1-84.9	184	18.0	15.1-20.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 5: EXERCISE**

TABLE 2: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2030	243,763	1476	75.0	72.6-77.4	554	25.0	22.6-27.4
Non-Native	1971	232,802	1441	75.5	73.1-77.9	530	24.5	22.1-26.9
18-24	80	41,323	65	81.6	72.6-90.6	15	18.4	09.4-27.4
25-34	214	41,398	167	77.5	71.4-83.6	47	22.5	16.4-28.6
35-44	316	38,947	241	75.5	70.4-80.6	75	24.5	19.4-29.6
45-54	465	46,147	335	73.5	69.2-77.8	130	26.5	22.2-30.8
55-64	434	35,432	312	73.0	68.7-77.3	122	27.0	22.7-31.3
65+	512	39,583	350	68.9	64.6-73.2	162	31.1	26.8-35.4
Less Than H.S.	164	18,956	99	65.1	55.3-74.9	65	34.9	25.1-44.7
H.S. or G.E.D.	645	78,526	428	68.7	63.8-73.6	217	31.3	26.4-36.2
Some Post-H.S.	559	70,341	410	76.9	72.8-81.0	149	23.1	19.0-27.2
College Graduate	660	75,302	538	82.8	79.5-86.1	122	17.2	13.9-20.5
\$15,000- 24,999	254	30,928	164	70.0	62.6-77.4	90	30.0	22.6-37.4
\$25,000- 34,999	227	26,835	151	68.6	60.6-76.6	76	31.4	23.4-39.4
\$35,000- 49,999	383	43,137	269	72.7	67.2-78.2	114	27.3	21.8-32.8
\$50,000- 74,999	414	50,154	329	80.9	76.6-85.2	85	19.1	14.8-23.4
\$75,000+	489	59,886	383	77.5	72.8-82.2	106	22.5	17.8-27.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 5: EXERCISE**

TABLE 3: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2990	245,288	2126	73.9	71.7-76.1	864	26.1	23.9-28.3	
Non-Native	2877	230,528	2056	75.4	73.4-77.4	821	24.6	22.6-26.6	
18-24	82	37,506	68	82.2	72.6-91.8	14	17.8	08.2-27.4	
25-34	290	36,339	235	78.4	73.1-83.7	55	21.6	16.3-26.9	
35-44	380	36,841	288	76.0	71.3-80.7	92	24.0	19.3-28.7	
45-54	611	46,235	462	76.9	73.4-80.4	149	23.1	19.6-26.6	
55-64	561	32,222	396	71.7	67.8-75.6	165	28.3	24.4-32.2	
65+	1025	53,861	649	62.6	59.5-65.7	376	37.4	34.3-40.5	
H.S. or G.E.D.	876	65,133	547	66.5	62.6-70.4	329	33.5	29.6-37.4	
Some Post-H.S.	995	88,865	729	76.1	72.2-80.0	266	23.9	20.0-27.8	
College Graduate	893	73,244	728	82.3	79.4-85.2	165	17.7	14.8-20.6	
Less than \$15,000	264	18,088	144	55.0	45.4-64.6	120	45.0	35.4-54.6	
\$15,000- 24,999	488	37,061	293	60.9	53.6-68.2	195	39.1	31.8-46.4	
\$25,000- 34,999	374	26,462	268	74.5	69.4-79.6	106	25.5	20.4-30.6	
\$35,000- 49,999	439	36,882	331	76.9	71.6-82.2	108	23.1	17.8-28.4	
\$50,000- 74,999	432	39,187	336	77.8	73.3-82.3	96	22.2	17.7-26.7	
\$75,000+	523	51,661	445	87.3	84.4-90.2	78	12.7	09.8-15.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008

SECTION 7: ORAL HEALTH CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS AGED 18+ THAT HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)	
1	MALES AND FEMALES	15
2	MALES ONLY	16
3	FEMALES ONLY	17
	ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)	
4	MALES AND FEMALES	18
5	MALES ONLY	19
6	FEMALES ONLY	20
	ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST1)	
7	MALES AND FEMALES	21
8	MALES ONLY	22
9	FEMALES ONLY	23

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 7: ORAL HEALTH**

**TABLE 1: ADULTS AGED 18+ THAT HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4966	486,842	2111	54.3	52.5-56.1	2855	45.7	43.9-47.5
Male	2015	243,602	877	55.8	53.1-58.5	1138	44.2	41.5-46.9
Female	2951	243,241	1234	52.8	50.3-55.3	1717	47.2	44.7-49.7
Non-Native	4796	461,211	2049	54.7	52.9-56.5	2747	45.3	43.5-47.1
18-24	163	79,652	142	86.1	80.0-92.2	21	13.9	07.8-20.0
25-34	503	77,614	404	79.2	75.3-83.1	99	20.8	16.9-24.7
35-44	695	75,759	456	66.7	63.0-70.4	239	33.3	29.6-37.0
45-54	1068	91,824	500	47.7	44.4-51.0	568	52.3	49.0-55.6
55-64	991	67,475	312	32.1	29.0-35.2	679	67.9	64.8-71.0
65+	1498	91,324	276	18.5	16.3-20.7	1222	81.5	79.3-83.7
Less Than H.S.	372	35,928	66	31.2	22.6-39.8	306	68.8	60.2-77.4
H.S. or G.E.D.	1501	143,484	469	44.5	40.8-48.2	1032	55.5	51.8-59.2
Some Post-H.S.	1534	158,205	688	58.7	55.4-62.0	846	41.3	38.0-44.6
College Graduate	1551	148,356	886	64.6	61.9-67.3	665	35.4	32.7-38.1
\$15,000- 24,999	733	67,436	213	41.8	36.1-47.5	520	58.2	52.5-63.9
\$25,000- 34,999	599	53,937	203	47.0	41.1-52.9	396	53.0	47.1-58.9
\$35,000- 49,999	815	79,612	338	51.1	46.4-55.8	477	48.9	44.2-53.6
\$50,000- 74,999	841	89,100	440	61.1	57.4-64.8	401	38.9	35.2-42.6
\$75,000+	1010	111,387	628	68.5	65.4-71.6	382	31.5	28.4-34.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 7: ORAL HEALTH**

TABLE 2: ADULTS AGED 18+ THAT HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2015	243,602	877	55.8	53.1-58.5	1138	44.2	41.5-46.9
Non-Native	1956	232,640	854	55.9	53.2-58.6	1102	44.1	41.4-46.8
18-24	81	42,146	73	89.8	82.5-97.1	8	10.2	02.9-17.5
25-34	214	41,398	164	76.5	70.4-82.6	50	23.5	17.4-29.6
35-44	315	38,820	208	66.7	61.2-72.2	107	33.3	27.8-38.8
45-54	461	45,966	204	45.9	41.0-50.8	257	54.1	49.2-59.0
55-64	433	35,365	135	32.7	28.0-37.4	298	67.3	62.6-72.0
65+	501	38,870	88	18.4	14.7-22.1	413	81.6	77.9-85.3
H.S. or G.E.D.	645	79,321	220	48.4	42.9-53.9	425	51.6	46.1-57.1
Some Post-H.S.	551	70,030	258	61.3	56.4-66.2	293	38.7	33.8-43.6
College Graduate	660	75,281	366	63.4	59.3-67.5	294	36.6	32.5-40.7
\$15,000- 24,999	250	30,619	75	47.6	38.6-56.6	175	52.4	43.4-61.4
\$25,000- 34,999	228	27,649	77	51.3	42.1-60.5	151	48.7	39.5-57.9
\$35,000- 49,999	383	43,203	153	49.0	42.7-55.3	230	51.0	44.7-57.3
\$50,000- 74,999	411	49,965	198	58.0	52.5-63.5	213	42.0	36.5-47.5
\$75,000+	488	59,839	283	65.1	60.4-69.8	205	34.9	30.2-39.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 7: ORAL HEALTH**

TABLE 3: ADULTS AGED 18+ THAT HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2951	243,241	1234	52.8	50.3-55.3	1717	47.2	44.7-49.7
Non-Native	2840	228,572	1195	53.5	51.1-55.9	1645	46.5	44.1-48.9
18-24	82	37,506	69	81.9	72.1-91.7	13	18.1	08.3-27.9
25-34	289	36,216	240	82.2	77.3-87.1	49	17.8	12.9-22.7
35-44	380	36,940	248	66.6	61.5-71.7	132	33.4	28.3-38.5
45-54	607	45,858	296	49.6	45.3-53.9	311	50.4	46.1-54.7
55-64	558	32,110	177	31.4	27.3-35.5	381	68.6	64.5-72.7
65+	997	52,454	188	18.6	16.1-21.1	809	81.4	78.9-83.9
H.S. or G.E.D.	856	64,162	249	39.8	35.1-44.5	607	60.2	55.5-64.9
Some Post-H.S.	983	88,175	430	56.6	52.3-60.9	553	43.4	39.1-47.7
College Graduate	891	73,075	520	65.8	62.3-69.3	371	34.2	30.7-37.7
\$15,000- 24,999	483	36,817	138	36.9	30.0-43.8	345	63.1	56.2-70.0
\$25,000- 34,999	371	26,288	126	42.5	35.6-49.4	245	57.5	50.6-64.4
\$35,000- 49,999	432	36,409	185	53.5	46.8-60.2	247	46.5	39.8-53.2
\$50,000- 74,999	430	39,136	242	65.1	60.2-70.0	188	34.9	30.0-39.8
\$75,000+	522	51,548	345	72.4	68.1-76.7	177	27.6	23.3-31.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 7: ORAL HEALTH**

**TABLE 4: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1498	91,324	1196	79.9	77.7-82.1	302	20.1	17.9-22.3
Male	501	38,870	409	80.4	76.5-84.3	92	19.6	15.7-23.5
Female	997	52,454	787	79.5	76.8-82.2	210	20.5	17.8-23.2
Non-Native	1460	88,909	1172	80.3	78.1-82.5	288	19.7	17.5-21.9
65+	1498	91,324	1196	79.9	77.7-82.1	302	20.1	17.9-22.3
Less Than H.S.	243	15,424	144	59.0	52.1-65.9	99	41.0	34.1-47.9
H.S. or G.E.D.	566	33,833	444	78.9	75.2-82.6	122	21.1	17.4-24.8
Some Post-H.S.	376	22,332	315	84.1	80.0-88.2	61	15.9	11.8-20.0
College Graduate	311	19,663	291	93.3	90.4-96.2	20	6.7	03.8-09.6
Less than \$15,000	184	9,019	112	60.8	53.0-68.6	72	39.2	31.4-47.0
\$15,000- 24,999	336	19,067	249	73.8	68.5-79.1	87	26.2	20.9-31.5
\$25,000- 34,999	237	14,478	197	81.8	76.3-87.3	40	18.2	12.7-23.7
\$35,000- 49,999	210	14,467	182	84.2	78.3-90.1	28	15.8	09.9-21.7
\$50,000- 74,999	133	9,297	121	89.8	84.1-95.5	12	10.2	04.5-15.9
\$75,000+	104	6,745	96	90.8	84.7-96.9	8	9.2	03.1-15.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 7: ORAL HEALTH**

TABLE 5: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	501	38,870	409	80.4	76.5-84.3	92	19.6	15.7-23.5
Non-Native	487	37,769	398	80.5	76.6-84.4	89	19.5	15.6-23.4
65+	501	38,870	409	80.4	76.5-84.3	92	19.6	15.7-23.5
H.S. or G.E.D.	170	12,720	137	79.6	72.9-86.3	33	20.4	13.7-27.1
Some Post-H.S.	101	7,883	84	81.3	72.9-89.7	17	18.7	10.3-27.1
College Graduate	136	10,760	127	93.4	89.1-97.7	9	6.6	02.3-10.9
\$15,000- 24,999	99	7,646	73	74.4	65.2-83.6	26	25.6	16.4-34.8
\$25,000- 34,999	82	6,266	66	79.6	70.2-89.0	16	20.4	11.0-29.8
\$35,000- 49,999	97	8,230	83	83.1	74.5-91.7	14	16.9	08.3-25.5
\$50,000- 74,999	73	5,888	64	86.1	77.5-94.7	9	13.9	05.3-22.5
\$75,000+	63	4,523	56	87.6	79.0-96.2	7	12.4	03.8-21.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 7: ORAL HEALTH**

TABLE 6: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	997	52,454	787	79.5	76.8-82.2	210	20.5	17.8-23.2
Non-Native	973	51,139	774	80.1	77.4-82.8	199	19.9	17.2-22.6
65+	997	52,454	787	79.5	76.8-82.2	210	20.5	17.8-23.2
Less Than H.S.	149	7,917	83	56.0	47.6-64.4	66	44.0	35.6-52.4
H.S. or G.E.D.	396	21,113	307	78.4	74.1-82.7	89	21.6	17.3-25.9
Some Post-H.S.	275	14,448	231	85.6	81.3-89.9	44	14.4	10.1-18.7
College Graduate	175	8,904	164	93.2	89.1-97.3	11	6.8	02.7-10.9
Less than \$15,000	150	6,775	91	62.1	53.9-70.3	59	37.9	29.7-46.1
\$15,000- 24,999	237	11,421	176	73.5	67.4-79.6	61	26.5	20.4-32.6
\$25,000- 34,999	155	8,212	131	83.5	77.0-90.0	24	16.5	10.0-23.0
\$35,000- 49,999	113	6,237	99	85.5	78.2-92.8	14	14.5	07.2-21.8
\$50,000- 74,999	60	3,409	57	96.3	92.2-0100	3	3.7	00.0-07.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 7: ORAL HEALTH**

**TABLE 7: ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST1)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5017	488,972	3672	74.1	72.5-75.7	1345	25.9	24.3-27.5
Male	2028	243,465	1433	70.9	68.2-73.6	595	29.1	26.4-31.8
Female	2989	245,508	2239	77.2	75.2-79.2	750	22.8	20.8-24.8
Non-Native	4847	463,336	3556	74.6	73.0-76.2	1291	25.4	23.8-27.0
18-24	162	78,829	128	78.6	71.5-85.7	34	21.4	14.3-28.5
25-34	501	77,257	369	73.3	69.2-77.4	132	26.7	22.6-30.8
35-44	698	76,084	506	71.8	68.1-75.5	192	28.2	24.5-31.9
45-54	1075	92,345	805	75.3	72.6-78.0	270	24.7	22.0-27.4
55-64	996	67,644	777	78.2	75.5-80.9	219	21.8	19.1-24.5
65+	1534	93,492	1050	68.5	66.0-71.0	484	31.5	29.0-34.0
Less Than H.S.	379	36,570	202	62.1	55.0-69.2	177	37.9	30.8-45.0
H.S. or G.E.D.	1522	143,510	1023	67.1	63.6-70.6	499	32.9	29.4-36.4
Some Post-H.S.	1554	159,412	1155	76.0	73.3-78.7	399	24.0	21.3-26.7
College Graduate	1553	148,580	1286	81.6	79.2-84.0	267	18.4	16.0-20.8
Less than \$15,000	371	29,827	180	47.8	38.8-56.8	191	52.2	43.2-61.2
\$15,000- 24,999	743	68,086	461	62.8	57.5-68.1	282	37.2	31.9-42.5
\$25,000- 34,999	599	53,111	429	71.0	66.1-75.9	170	29.0	24.1-33.9
\$35,000- 49,999	822	80,085	609	73.9	70.2-77.6	213	26.1	22.4-29.8
\$50,000- 74,999	847	89,410	665	76.3	72.8-79.8	182	23.7	20.2-27.2
\$75,000+	1012	111,458	872	86.1	83.7-88.5	140	13.9	11.5-16.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 7: ORAL HEALTH**

**TABLE 8: ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2028	243,465	1433	70.9	68.2-73.6	595	29.1	26.4-31.8
Non-Native	1970	232,558	1392	71.7	69.2-74.2	578	28.3	25.8-30.8
25-34	211	40,918	144	68.7	62.0-75.4	67	31.3	24.6-38.0
35-44	316	38,947	213	68.1	62.6-73.6	103	31.9	26.4-37.4
45-54	465	46,147	319	69.9	65.4-74.4	146	30.1	25.6-34.6
55-64	436	35,455	330	76.9	72.8-81.0	106	23.1	19.0-27.2
65+	510	39,638	358	69.6	65.3-73.9	152	30.4	26.1-34.7
Less Than H.S.	163	18,901	90	61.6	51.6-71.6	73	38.4	28.4-48.4
H.S. or G.E.D.	646	78,292	418	63.6	58.1-69.1	228	36.4	30.9-41.9
Some Post-H.S.	558	70,394	391	73.2	68.5-77.9	167	26.8	22.1-31.5
College Graduate	659	75,240	532	78.6	74.7-82.5	127	21.4	17.5-25.3
\$15,000- 24,999	254	30,877	156	60.6	52.0-69.2	98	39.4	30.8-48.0
\$25,000- 34,999	226	26,654	145	67.0	59.0-75.0	81	33.0	25.0-41.0
\$35,000- 49,999	383	43,203	266	67.9	62.0-73.8	117	32.1	26.2-38.0
\$50,000- 74,999	414	50,074	309	73.1	67.8-78.4	105	26.9	21.6-32.2
\$75,000+	489	59,797	405	83.3	79.6-87.0	84	16.7	13.0-20.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 7: ORAL HEALTH**

**TABLE 9: ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST1)
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2989	245,508	2239	77.2	75.2-79.2	750	22.8	20.8-24.8
Non-Native	2877	230,777	2164	77.4	75.4-79.4	713	22.6	20.6-24.6
18-24	82	37,506	67	84.7	76.9-92.5	15	15.3	07.5-23.1
25-34	290	36,339	225	78.5	73.6-83.4	65	21.5	16.6-26.4
35-44	382	37,137	293	75.8	71.1-80.5	89	24.2	19.5-28.9
45-54	610	46,197	486	80.7	77.4-84.0	124	19.3	16.0-22.6
55-64	560	32,190	447	79.6	76.1-83.1	113	20.4	16.9-23.9
65+	1024	53,854	692	67.7	64.6-70.8	332	32.3	29.2-35.4
H.S. or G.E.D.	876	65,218	605	71.2	67.5-74.9	271	28.8	25.1-32.5
Some Post-H.S.	996	89,018	764	78.2	74.7-81.7	232	21.8	18.3-25.3
College Graduate	894	73,340	754	84.7	82.0-87.4	140	15.3	12.6-18.0
Less than \$15,000	264	18,102	141	56.0	46.4-65.6	123	44.0	34.4-53.6
\$15,000- 24,999	489	37,209	305	64.7	58.4-71.0	184	35.3	29.0-41.6
\$25,000- 34,999	373	26,456	284	75.1	69.4-80.8	89	24.9	19.2-30.6
\$35,000- 49,999	439	36,882	343	80.8	76.5-85.1	96	19.2	14.9-23.5
\$50,000- 74,999	433	39,336	356	80.4	75.7-85.1	77	19.6	14.9-24.3
\$75,000+	523	51,661	467	89.3	86.4-92.2	56	10.7	07.8-13.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008

SECTION 9: ASTHMA CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)	
1	MALES AND FEMALES	21
2	MALES ONLY	22
3	FEMALES ONLY	23
	ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)	
4	MALES AND FEMALES	24
5	MALES ONLY	25
6	FEMALES ONLY	26
	COMPUTED ASTHMA STATUS (_ASTHMST)	
7	MALES AND FEMALES	27
8	MALES ONLY	28
9	FEMALES ONLY	29

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 9: ASTHMA**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5028	490,675	4482	88.4	87.2-89.6	546	11.6	10.4-12.8
Male	2036	245,090	1836	89.1	87.3-90.9	200	10.9	09.1-12.7
Female	2992	245,585	2646	87.7	86.1-89.3	346	12.3	10.7-13.9
Native	129	22,046	108	85.4	77.2-93.6	21	14.6	06.4-22.8
Non-Native	4857	465,052	4333	88.5	87.3-89.7	524	11.5	10.3-12.7
18-24	163	79,652	137	84.9	79.2-90.6	26	15.1	09.4-20.8
25-34	504	77,737	432	86.3	83.2-89.4	72	13.7	10.6-16.8
35-44	697	75,985	619	89.4	87.0-91.8	78	10.6	08.2-13.0
45-54	1075	92,331	963	90.1	88.1-92.1	112	9.9	07.9-11.9
55-64	999	67,950	895	89.8	87.8-91.8	104	10.2	08.2-12.2
65+	1539	93,699	1390	89.7	87.9-91.5	149	10.3	08.5-12.1
Less Than H.S.	382	36,681	336	86.6	81.3-91.9	46	13.4	08.1-18.7
H.S. or G.E.D.	1528	145,055	1369	88.0	85.5-90.5	159	12.0	09.5-14.5
Some Post-H.S.	1556	159,417	1370	88.0	85.8-90.2	186	12.0	09.8-14.2
College Graduate	1553	148,621	1398	89.6	87.6-91.6	155	10.4	08.4-12.4
Less than \$15,000	372	29,834	314	86.0	81.3-90.7	58	14.0	09.3-18.7
\$15,000- 24,999	743	68,097	654	85.3	81.2-89.4	89	14.7	10.6-18.8
\$25,000- 34,999	603	54,224	542	89.5	86.2-92.8	61	10.5	07.2-13.8
\$35,000- 49,999	823	80,122	737	89.2	86.5-91.9	86	10.8	08.1-13.5
\$50,000- 74,999	847	89,543	756	89.1	86.6-91.6	91	10.9	08.4-13.4
\$75,000+	1013	111,636	915	90.6	88.6-92.6	98	9.4	07.4-11.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 9: ASTHMA**

TABLE 2: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2036	245,090	1836	89.1	87.3-90.9	200	10.9	09.1-12.7
Non-Native	1977	234,128	1783	88.9	86.9-90.9	194	11.1	09.1-13.1
18-24	81	42,146	66	83.7	75.7-91.7	15	16.3	08.3-24.3
25-34	214	41,398	188	87.9	83.4-92.4	26	12.1	07.6-16.6
35-44	316	38,947	280	89.6	86.3-92.9	36	10.4	07.1-13.7
45-54	464	46,096	428	92.7	90.2-95.2	36	7.3	04.8-09.8
55-64	437	35,633	397	90.7	87.8-93.6	40	9.3	06.4-12.2
65+	514	39,833	468	90.0	87.1-92.9	46	10.0	07.1-12.9
Less Than H.S.	164	18,956	148	89.1	82.2-96.0	16	10.9	04.0-17.8
H.S. or G.E.D.	651	79,760	579	86.9	83.0-90.8	72	13.1	09.2-17.0
Some Post-H.S.	559	70,396	501	89.9	86.6-93.2	58	10.1	06.8-13.4
College Graduate	660	75,340	606	90.7	88.0-93.4	54	9.3	06.6-12.0
Less than \$15,000	108	11,745	92	90.5	84.8-96.2	16	9.5	03.8-15.2
\$15,000- 24,999	255	30,973	223	85.1	78.6-91.6	32	14.9	08.4-21.4
\$25,000- 34,999	229	27,724	207	90.4	85.3-95.5	22	9.6	04.5-14.7
\$35,000- 49,999	384	43,241	351	91.2	87.9-94.5	33	8.8	05.5-12.1
\$50,000- 74,999	415	50,266	384	91.7	88.4-95.0	31	8.3	05.0-11.6
\$75,000+	490	59,975	441	89.6	86.5-92.7	49	10.4	07.3-13.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 9: ASTHMA**

TABLE 3: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2992	245,585	2646	87.7	86.1-89.3	346	12.3	10.7-13.9
Non-Native	2880	230,924	2550	88.1	86.5-89.7	330	11.9	10.3-13.5
18-24	82	37,506	71	86.2	78.4-94.0	11	13.8	06.0-21.6
25-34	290	36,339	244	84.3	79.8-88.8	46	15.7	11.2-20.2
35-44	381	37,038	339	89.1	85.6-92.6	42	10.9	07.4-14.4
45-54	611	46,235	535	87.6	84.9-90.3	76	12.4	09.7-15.1
55-64	562	32,317	498	88.9	86.2-91.6	64	11.1	08.4-13.8
65+	1025	53,865	922	89.5	87.3-91.7	103	10.5	08.3-12.7
Less Than H.S.	218	17,724	188	84.0	75.6-92.4	30	16.0	07.6-24.4
H.S. or G.E.D.	877	65,295	790	89.3	86.4-92.2	87	10.7	07.8-13.6
Some Post-H.S.	997	89,021	869	86.6	83.7-89.5	128	13.4	10.5-16.3
College Graduate	893	73,281	792	88.5	86.0-91.0	101	11.5	09.0-14.0
Less than \$15,000	264	18,089	222	83.0	76.5-89.5	42	17.0	10.5-23.5
\$15,000- 24,999	488	37,124	431	85.5	80.0-91.0	57	14.5	09.0-20.0
\$25,000- 34,999	374	26,499	335	88.6	84.3-92.9	39	11.4	07.1-15.7
\$35,000- 49,999	439	36,882	386	86.9	82.2-91.6	53	13.1	08.4-17.8
\$50,000- 74,999	432	39,277	372	85.7	81.6-89.8	60	14.3	10.2-18.4
\$75,000+	523	51,661	474	91.7	89.3-94.1	49	8.3	05.9-10.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 9: ASTHMA**

TABLE 4: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5015	489,133	4634	92.1	91.1-93.1	381	7.9	06.9-08.9
Male	2034	244,712	1901	93.0	91.4-94.6	133	7.0	05.4-08.6
Female	2981	244,421	2733	91.1	89.7-92.5	248	8.9	07.5-10.3
Native	129	22,046	111	86.5	78.5-94.5	18	13.5	05.5-21.5
Non-Native	4844	463,511	4481	92.3	91.3-93.3	363	7.7	06.7-08.7
18-24	162	79,124	143	89.1	84.2-94.0	19	10.9	06.0-15.8
25-34	502	77,326	458	91.8	89.3-94.3	44	8.2	05.7-10.7
35-44	696	75,936	643	92.9	90.9-94.9	53	7.1	05.1-09.1
45-54	1074	92,255	1000	93.5	91.9-95.1	74	6.5	04.9-08.1
55-64	997	67,829	924	92.9	91.1-94.7	73	7.1	05.3-08.9
65+	1533	93,342	1420	92.2	90.6-93.8	113	7.8	06.2-09.4
Less Than H.S.	380	36,067	345	91.6	87.9-95.3	35	8.4	04.7-12.1
H.S. or G.E.D.	1523	144,506	1407	91.1	88.9-93.3	116	8.9	06.7-11.1
Some Post-H.S.	1553	159,300	1422	91.6	89.6-93.6	131	8.4	06.4-10.4
College Graduate	1550	148,359	1451	93.4	91.8-95.0	99	6.6	05.0-08.2
Less than \$15,000	370	29,699	320	87.6	83.1-92.1	50	12.4	07.9-16.9
\$15,000- 24,999	741	67,526	672	89.7	86.4-93.0	69	10.3	07.0-13.6
\$25,000- 34,999	603	54,224	560	92.6	89.7-95.5	43	7.4	04.5-10.3
\$35,000- 49,999	821	79,979	762	92.6	90.2-95.0	59	7.4	05.0-09.8
\$50,000- 74,999	843	88,968	792	93.9	91.9-95.9	51	6.1	04.1-08.1
\$75,000+	1012	111,594	948	93.7	91.9-95.5	64	6.3	04.5-08.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 9: ASTHMA**

TABLE 5: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2034	244,712	1901	93.0	91.4-94.6	133	7.0	05.4-08.6
Non-Native	1975	233,751	1846	92.9	91.3-94.5	129	7.1	05.5-08.7
18-24	81	42,146	71	89.4	82.7-96.1	10	10.6	03.9-17.3
25-34	213	41,110	199	93.7	90.4-97.0	14	6.3	03.0-09.6
35-44	316	38,947	295	94.1	91.6-96.6	21	5.9	03.4-08.4
45-54	464	46,096	441	95.2	93.2-97.2	23	4.8	02.8-06.8
55-64	436	35,544	408	93.7	91.3-96.1	28	6.3	03.9-08.7
65+	514	39,833	478	92.1	89.6-94.6	36	7.9	05.4-10.4
Less Than H.S.	164	18,956	153	94.2	90.5-97.9	11	5.8	02.1-09.5
H.S. or G.E.D.	650	79,472	596	89.9	86.4-93.4	54	10.1	06.6-13.6
Some Post-H.S.	559	70,396	521	94.0	91.6-96.4	38	6.0	03.6-08.4
College Graduate	659	75,251	629	95.1	92.9-97.3	30	4.9	02.7-07.1
Less than \$15,000	108	11,745	96	92.8	87.9-97.7	12	7.2	02.3-12.1
\$15,000- 24,999	255	30,973	233	89.8	84.3-95.3	22	10.2	04.7-15.7
\$25,000- 34,999	229	27,724	211	92.6	87.9-97.3	18	7.4	02.7-12.1
\$35,000- 49,999	384	43,241	361	94.4	91.9-96.9	23	5.6	03.1-08.1
\$50,000- 74,999	413	49,889	397	95.9	93.5-98.3	16	4.1	01.7-06.5
\$75,000+	490	59,975	460	93.3	90.8-95.8	30	6.7	04.2-09.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 9: ASTHMA**

TABLE 6: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2981	244,421	2733	91.1	89.7-92.5	248	8.9	07.5-10.3
Non-Native	2869	229,760	2635	91.6	90.2-93.0	234	8.4	07.0-09.8
18-24	81	36,978	72	88.8	81.7-95.9	9	11.2	04.1-18.3
25-34	289	36,216	259	89.5	85.8-93.2	30	10.5	06.8-14.2
35-44	380	36,989	348	91.7	88.6-94.8	32	8.3	05.2-11.4
45-54	610	46,160	559	91.9	89.5-94.3	51	8.1	05.7-10.5
55-64	561	32,285	516	92.1	89.7-94.5	45	7.9	05.5-10.3
65+	1019	53,508	942	92.2	90.4-94.0	77	7.8	06.0-09.6
Less Than H.S.	216	17,111	192	88.7	82.0-95.4	24	11.3	04.6-18.0
H.S. or G.E.D.	873	65,034	811	92.7	90.3-95.1	62	7.3	04.9-09.7
Some Post-H.S.	994	88,904	901	89.8	87.1-92.5	93	10.2	07.5-12.9
College Graduate	891	73,109	822	91.8	89.6-94.0	69	8.2	06.0-10.4
Less than \$15,000	262	17,954	224	84.1	77.6-90.6	38	15.9	09.4-22.4
\$15,000- 24,999	486	36,553	439	89.6	85.5-93.7	47	10.4	06.3-14.5
\$25,000- 34,999	374	26,499	349	92.5	88.8-96.2	25	7.5	03.8-11.2
\$35,000- 49,999	437	36,738	401	90.4	86.1-94.7	36	9.6	05.3-13.9
\$50,000- 74,999	430	39,079	395	91.4	87.9-94.9	35	8.6	05.1-12.1
\$75,000+	522	51,619	488	94.1	91.9-96.3	34	5.9	03.7-08.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 9: ASTHMA**

TABLE 7: COMPUTED ASTHMA STATUS (_ASTHMST)

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5015	489,133	381	7.9	06.9-08.9	152	3.4	02.6-04.2	4482	88.7	87.5-89.9
Male	2034	244,712	133	7.0	05.4-08.6	65	3.8	02.6-05.0	1836	89.3	87.5-91.1
Female	2981	244,421	248	8.9	07.5-10.3	87	3.0	02.2-03.8	2646	88.1	86.5-89.7
Native	129	22,046	18	13.5	05.5-21.5	3	1.2	00.0-02.6	108	85.4	77.2-93.6
Non-Native	4844	463,511	363	7.7	06.7-08.7	148	3.5	02.7-04.3	4333	88.8	87.6-90.0
18-24	162	79,124	19	10.9	06.0-15.8	6	3.7	00.8-06.6	137	85.4	79.9-90.9
25-34	502	77,326	44	8.2	05.7-10.7	26	5.0	03.0-07.0	432	86.7	83.6-89.8
35-44	696	75,936	53	7.1	05.1-09.1	24	3.5	02.1-04.9	619	89.4	87.0-91.8
45-54	1074	92,255	74	6.5	04.9-08.1	37	3.3	02.1-04.5	963	90.2	88.2-92.2
55-64	997	67,829	73	7.1	05.3-08.9	29	2.9	01.7-04.1	895	90.0	88.0-92.0
65+	1533	93,342	113	7.8	06.2-09.4	30	2.1	01.3-02.9	1390	90.1	88.3-91.9
Less Than H.S.	380	36,067	35	8.4	04.7-12.1	9	3.5	00.2-06.8	336	88.1	83.2-93.0
H.S. or G.E.D.	1523	144,506	116	8.9	06.7-11.1	38	2.8	01.6-04.0	1369	88.3	85.8-90.8
Some Post-H.S.	1553	159,300	131	8.4	06.4-10.4	52	3.6	02.4-04.8	1370	88.1	85.9-90.3
College Graduate	1550	148,359	99	6.6	05.0-08.2	53	3.7	02.5-04.9	1398	89.8	87.8-91.8
Less than \$15,000	370	29,699	50	12.4	07.9-16.9	6	1.2	00.2-02.2	314	86.4	81.7-91.1
\$15,000- 24,999	741	67,526	69	10.3	07.0-13.6	18	3.6	01.1-06.1	654	86.0	82.1-89.9
\$25,000- 34,999	603	54,224	43	7.4	04.5-10.3	18	3.1	01.5-04.7	542	89.5	86.2-92.8
\$35,000- 49,999	821	79,979	59	7.4	05.0-09.8	25	3.2	01.6-04.8	737	89.3	86.6-92.0
\$50,000- 74,999	843	88,968	51	6.1	04.1-08.1	36	4.3	02.7-05.9	756	89.7	87.2-92.2
\$75,000+	1012	111,594	64	6.3	04.5-08.1	33	3.1	01.9-04.3	915	90.6	88.6-92.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 9: ASTHMA**

TABLE 8: COMPUTED ASTHMA STATUS (_ASTHMST)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2034	244,712	133	7.0	05.4-08.6	65	3.8	02.6-05.0	1836	89.3	87.5-91.1
Non-Native	1975	233,751	129	7.1	05.5-08.7	63	3.9	02.7-05.1	1783	89.0	87.0-91.0
18-24	81	42,146	10	10.6	03.9-17.3	5	5.6	00.7-10.5	66	83.7	75.7-91.7
25-34	213	41,110	14	6.3	03.0-09.6	11	5.1	02.0-08.2	188	88.6	84.1-93.1
35-44	316	38,947	21	5.9	03.4-08.4	15	4.5	02.1-06.9	280	89.6	86.3-92.9
45-54	464	46,096	23	4.8	02.8-06.8	13	2.5	01.1-03.9	428	92.7	90.2-95.2
55-64	436	35,544	28	6.3	03.9-08.7	11	2.8	01.0-04.6	397	90.9	88.0-93.8
65+	514	39,833	36	7.9	05.4-10.4	10	2.1	00.7-03.5	468	90.0	87.1-92.9
Less Than H.S.	164	18,956	11	5.8	02.1-09.5	5	5.2	00.0-11.1	148	89.1	82.2-96.0
H.S. or G.E.D.	650	79,472	54	10.1	06.6-13.6	17	2.7	00.9-04.5	579	87.2	83.5-90.9
Some Post-H.S.	559	70,396	38	6.0	03.6-08.4	20	4.1	01.7-06.5	501	89.9	86.6-93.2
College Graduate	659	75,251	30	4.9	02.7-07.1	23	4.3	02.3-06.3	606	90.8	88.1-93.5
Less than \$15,000	108	11,745	12	7.2	02.3-12.1	4	2.3	00.0-04.7	92	90.5	84.8-96.2
\$15,000- 24,999	255	30,973	22	10.2	04.7-15.7	10	4.7	00.6-08.8	223	85.1	78.6-91.6
\$25,000- 34,999	229	27,724	18	7.4	02.7-12.1	4	2.2	00.0-04.4	207	90.4	85.3-95.5
\$35,000- 49,999	384	43,241	23	5.6	03.1-08.1	10	3.2	00.8-05.6	351	91.2	87.9-94.5
\$50,000- 74,999	413	49,889	16	4.1	01.7-06.5	13	3.5	01.3-05.7	384	92.4	89.3-95.5
\$75,000+	490	59,975	30	6.7	04.2-09.2	19	3.7	01.7-05.7	441	89.6	86.5-92.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 9: ASTHMA**

TABLE 9: COMPUTED ASTHMA STATUS (_ASTHMST)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2981	244,421	248	8.9	07.5-10.3	87	3.0	02.2-03.8	2646	88.1	86.5-89.7
Native	87	12,925				1	0.6	00.0-01.8			
Non-Native	2869	229,760	234	8.4	07.0-09.8	85	3.1	02.3-03.9	2550	88.5	86.9-90.1
18-24	81	36,978	9	11.2	04.1-18.3	1	1.4	00.0-04.1	71	87.4	80.0-94.8
25-34	289	36,216	30	10.5	06.8-14.2	15	4.9	02.4-07.4	244	84.6	80.1-89.1
35-44	380	36,989	32	8.3	05.2-11.4	9	2.5	00.7-04.3	339	89.2	85.7-92.7
45-54	610	46,160	51	8.1	05.7-10.5	24	4.2	02.4-06.0	535	87.7	85.0-90.4
55-64	561	32,285	45	7.9	05.5-10.3	18	3.1	01.7-04.5	498	89.0	86.3-91.7
65+	1019	53,508	77	7.8	06.0-09.6	20	2.1	01.1-03.1	922	90.1	88.1-92.1
Less Than H.S.	216	17,111	24	11.3	04.6-18.0	4	1.7	00.0-03.5	188	87.0	79.9-94.1
H.S. or G.E.D.	873	65,034	62	7.3	04.9-09.7	21	3.0	01.0-05.0	790	89.6	86.7-92.5
Some Post-H.S.	994	88,904	93	10.2	07.5-12.9	32	3.1	01.9-04.3	869	86.7	83.8-89.6
College Graduate	891	73,109	69	8.2	06.0-10.4	30	3.1	01.9-04.3	792	88.7	86.2-91.2
Less than \$15,000	262	17,954	38	15.9	09.4-22.4	2	0.5	00.0-01.3	222	83.6	77.1-90.1
\$15,000- 24,999	486	36,553	47	10.4	06.3-14.5	8	2.8	00.0-05.7	431	86.8	81.9-91.7
\$25,000- 34,999	374	26,499	25	7.5	03.8-11.2	14	4.0	01.6-06.4	335	88.6	84.3-92.9
\$35,000- 49,999	437	36,738	36	9.6	05.3-13.9	15	3.2	01.2-05.2	386	87.2	82.5-91.9
\$50,000- 74,999	430	39,079	35	8.6	05.1-12.1	23	5.2	02.8-07.6	372	86.1	82.0-90.2
\$75,000+	522	51,619	34	5.9	03.7-08.1	14	2.3	01.1-03.5	474	91.7	89.3-94.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008

SECTION 11: TOBACCO USE CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	31
2	MALES ONLY	32
3	FEMALES ONLY	33
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	34
5	MALES ONLY	35
6	FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 11: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5013	489,615	616	13.3	11.9-14.7	222	4.8	03.8-05.8	1453	25.4	23.8-27.0	2722	56.5	54.5-58.5
Male	2032	244,887	285	14.3	12.3-16.3	103	6.1	04.3-07.9	704	29.0	26.6-31.4	940	50.6	47.7-53.5
Female	2981	244,728	331	12.2	10.2-14.2	119	3.6	02.8-04.4	749	21.8	19.8-23.8	1782	62.4	60.0-64.8
Native	130	22,145				22	14.2	04.4-24.0						
Non-Native	4841	463,894	574	12.4	11.2-13.6	199	4.4	03.6-05.2	1403	25.6	24.0-27.2	2665	57.7	55.9-59.5
18-24	163	79,652	27	16.7	10.4-23.0	10	6.9	02.4-11.4	16	10.7	04.8-16.6	110	65.8	57.6-74.0
25-34	502	77,491	76	15.8	12.3-19.3	32	6.0	03.8-08.2	91	18.3	14.6-22.0	303	59.9	55.2-64.6
35-44	694	75,661	116	15.5	12.6-18.4	32	4.5	02.9-06.1	141	21.2	17.9-24.5	405	58.8	54.9-62.7
45-54	1074	92,269	164	14.8	12.4-17.2	57	5.1	03.7-06.5	265	24.8	22.1-27.5	588	55.3	52.2-58.4
55-64	995	67,685	129	12.4	10.2-14.6	48	4.8	03.4-06.2	355	36.9	33.6-40.2	463	45.8	42.5-49.1
65+	1534	93,536	101	5.8	04.6-07.0	41	2.2	01.4-03.0	574	39.6	36.9-42.3	818	52.4	49.7-55.1
Less Than H.S.	379	36,476	65	20.9	13.6-28.2	16	4.6	01.7-07.5	119	25.4	19.9-30.9	179	49.1	41.3-56.9
H.S. or G.E.D.	1519	144,444	234	16.1	13.6-18.6	75	5.4	03.4-07.4	456	27.4	24.3-30.5	754	51.1	47.6-54.6
Some Post-H.S.	1557	159,577	212	15.0	12.3-17.7	87	6.3	04.3-08.3	475	26.4	23.5-29.3	783	52.3	48.8-55.8
College Graduate	1549	148,218	103	6.5	04.9-08.1	44	2.8	01.8-03.8	402	22.6	20.2-25.0	1000	68.1	65.4-70.8
Less than \$15,000	372	29,847	77	22.3	15.2-29.4	27	9.8	02.5-17.1	97	22.8	14.4-31.2	171	45.1	36.3-53.9
\$15,000- 24,999	740	68,042	141	22.7	17.2-28.2	38	5.0	03.0-07.0	230	26.6	22.3-30.9	331	45.8	40.3-51.3
\$25,000- 34,999	602	54,200	83	15.7	11.6-19.8	34	5.2	03.0-07.4	178	24.7	20.2-29.2	307	54.5	48.8-60.2
\$35,000- 49,999	820	79,942	116	14.5	11.4-17.6	37	4.8	02.8-06.8	257	29.5	25.2-33.8	410	51.2	46.5-55.9
\$50,000- 74,999	846	89,331	80	10.5	08.0-13.0	31	4.9	02.5-07.3	261	27.7	24.4-31.0	474	57.0	52.9-61.1
\$75,000+	1009	111,210	73	8.2	05.8-10.6	39	4.7	02.7-06.7	270	23.6	20.7-26.5	627	63.5	59.8-67.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 11: TOBACCO USE**

**TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2032	244,887	285	14.3	12.3-16.3	103	6.1	04.3-07.9	704	29.0	26.6-31.4	940	50.6	47.7-53.5
Non-Native	1973	233,926	274	14.2	12.2-16.2	96	5.6	04.0-07.2	681	28.8	26.4-31.2	922	51.4	48.7-54.1
18-24	81	42,146	15	16.5	08.3-24.7	9	12.1	04.1-20.1	6	9.1	01.1-17.1			
25-34	214	41,398	37	17.4	11.9-22.9	18	7.1	03.6-10.6	39	19.7	14.0-25.4	120	55.8	48.7-62.9
35-44	315	38,820	50	15.2	10.9-19.5	17	4.8	02.4-07.2	61	21.2	16.3-26.1	187	58.8	52.9-64.7
45-54	465	46,147	82	16.4	12.9-19.9	30	6.0	03.8-08.2	123	26.9	22.6-31.2	230	50.7	45.8-55.6
55-64	435	35,544	66	14.4	10.9-17.9	18	3.9	01.9-05.9	176	41.5	36.6-46.4	175	40.2	35.3-45.1
65+	512	39,796	34	5.6	03.6-07.6	10	1.8	00.4-03.2	295	58.6	54.1-63.1	173	33.9	29.6-38.2
Less Than H.S.	163	18,901	27	14.3	08.2-20.4	8	4.8	00.3-09.3	73	36.2	27.0-45.4			
H.S. or G.E.D.	646	79,451	114	17.2	13.3-21.1	39	7.2	03.7-10.7	224	29.9	25.2-34.6	269	45.7	40.2-51.2
Some Post-H.S.	560	70,506	92	17.4	13.1-21.7	37	8.3	04.6-12.0	205	30.0	25.3-34.7	226	44.3	38.8-49.8
College Graduate	661	75,392	51	7.8	05.3-10.3	19	3.3	01.7-04.9	202	25.6	22.1-29.1	389	63.4	59.3-67.5
Less than \$15,000	108	11,800	29	20.1	10.1-30.1									
\$15,000- 24,999	253	30,891	52	20.8	13.5-28.1	15	5.5	02.2-08.8	95	28.1	21.4-34.8	91	45.7	36.9-54.5
\$25,000- 34,999	228	27,680	46	21.9	14.5-29.3	11	4.6	01.3-07.9	87	29.7	22.1-37.3	84	43.8	34.2-53.4
\$35,000- 49,999	383	43,185	62	15.8	11.3-20.3	17	5.4	02.3-08.5	144	32.9	27.4-38.4	160	45.9	39.4-52.4
\$50,000- 74,999	415	50,266	41	10.9	07.4-14.4	19	6.8	02.7-10.9	151	32.1	27.0-37.2	204	50.2	44.3-56.1
\$75,000+	489	59,848	39	10.2	06.3-14.1	27	7.0	03.5-10.5	144	26.3	22.0-30.6	279	56.6	51.3-61.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 11: TOBACCO USE**

TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2981	244,728	331	12.2	10.2-14.2	119	3.6	02.8-04.4	749	21.8	19.8-23.8	1782	62.4	60.0-64.8
Native	88	13,024				15	10.4	04.1-16.7	21	14.1	06.7-21.5			
Non-Native	2868	229,968	300	10.5	08.9-12.1	103	3.1	02.3-03.9	722	22.3	20.3-24.3	1743	64.2	61.8-66.6
18-24	82	37,506	12	16.9	07.1-26.7	1	0.9	00.0-02.7	10	12.4	03.8-21.0			
25-34	288	36,093	39	14.0	09.7-18.3	14	4.8	02.1-07.5	52	16.7	12.2-21.2	183	64.5	58.6-70.4
35-44	379	36,841	66	15.9	12.2-19.6	15	4.2	01.8-06.6	80	21.1	16.8-25.4	218	58.9	53.6-64.2
45-54	609	46,122	82	13.1	10.2-16.0	27	4.2	02.4-06.0	142	22.7	19.2-26.2	358	59.9	55.8-64.0
55-64	560	32,142	63	10.2	07.7-12.7	30	5.9	03.7-08.1	179	31.9	27.8-36.0	288	52.0	47.5-56.5
65+	1022	53,740	67	5.9	04.3-07.5	31	2.4	01.4-03.4	279	25.5	22.8-28.2	645	66.2	63.1-69.3
Less Than H.S.	216	ions have be				8	4.4	00.9-07.9	46	13.7	08.8-18.6			
H.S. or G.E.D.	873	64,994	120	14.7	11.6-17.8	36	3.2	02.0-04.4	232	24.3	20.8-27.8	485	57.7	53.4-62.0
Some Post-H.S.	997	89,070	120	13.0	09.7-16.3	50	4.8	03.2-06.4	270	23.5	19.8-27.2	557	58.7	54.2-63.2
College Graduate	888	72,826	52	5.2	03.6-06.8	25	2.3	01.3-03.3	200	19.5	16.4-22.6	611	73.0	69.7-76.3
Less than \$15,000	264	18,046	48	23.7	14.5-32.9	17	6.6	02.5-10.7	70	20.1	14.4-25.8	129	49.6	40.0-59.2
\$15,000- 24,999	487	37,151	89	24.3	16.7-31.9	23	4.5	02.3-06.7	135	25.3	19.8-30.8	240	45.9	39.0-52.8
\$25,000- 34,999	374	26,520	37	9.2	05.9-12.5	23	5.7	03.0-08.4	91	19.4	15.1-23.7	223	65.7	60.0-71.4
\$35,000- 49,999	437	36,757	54	12.9	08.6-17.2	20	4.0	02.0-06.0	113	25.5	18.6-32.4	250	57.5	50.4-64.6
\$50,000- 74,999	431	39,064	39	10.0	06.7-13.3	12	2.4	01.0-03.8	110	21.9	17.6-26.2	270	65.7	60.6-70.8
\$75,000+	520	51,362	34	5.8	03.6-08.0	12	2.1	00.9-03.3	126	20.5	16.4-24.6	348	71.6	67.1-76.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 11: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5013	489,615	4175	81.9	80.3-83.5	838	18.1	16.5-19.7
Male	2032	244,887	1644	79.6	77.1-82.1	388	20.4	17.9-22.9
Female	2981	244,728	2531	84.2	82.2-86.2	450	15.8	13.8-17.8
Non-Native	4841	463,894	4068	83.3	81.9-84.7	773	16.7	15.3-18.1
18-24	163	79,652	126	76.4	69.1-83.7	37	23.6	16.3-30.9
25-34	502	77,491	394	78.2	74.3-82.1	108	21.8	17.9-25.7
35-44	694	75,661	546	80.0	76.9-83.1	148	20.0	16.9-23.1
45-54	1074	92,269	853	80.1	77.6-82.6	221	19.9	17.4-22.4
55-64	995	67,685	818	82.7	80.2-85.2	177	17.3	14.8-19.8
65+	1534	93,536	1392	92.0	90.6-93.4	142	8.0	06.6-09.4
Less Than H.S.	379	36,476	298	74.5	67.1-81.9	81	25.5	18.1-32.9
H.S. or G.E.D.	1519	144,444	1210	78.5	75.4-81.6	309	21.5	18.4-24.6
Some Post-H.S.	1557	159,577	1258	78.7	75.6-81.8	299	21.3	18.2-24.4
College Graduate	1549	148,218	1402	90.7	88.9-92.5	147	9.3	07.5-11.1
Less than \$15,000	372	29,847	268	67.9	59.1-76.7	104	32.1	23.3-40.9
\$15,000- 24,999	740	68,042	561	72.3	66.8-77.8	179	27.7	22.2-33.2
\$25,000- 34,999	602	54,200	485	79.2	74.7-83.7	117	20.8	16.3-25.3
\$35,000- 49,999	820	79,942	667	80.8	77.3-84.3	153	19.2	15.7-22.7
\$50,000- 74,999	846	89,331	735	84.6	81.3-87.9	111	15.4	12.1-18.7
\$75,000+	1009	111,210	897	87.1	84.2-90.0	112	12.9	10.0-15.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 11: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2032	244,887	1644	79.6	77.1-82.1	388	20.4	17.9-22.9
Non-Native	1973	233,926	1603	80.2	77.8-82.6	370	19.8	17.4-22.2
25-34	214	41,398	159	75.5	69.4-81.6	55	24.5	18.4-30.6
35-44	315	38,820	248	80.0	75.3-84.7	67	20.0	15.3-24.7
45-54	465	46,147	353	77.6	73.5-81.7	112	22.4	18.3-26.5
55-64	435	35,544	351	81.7	77.8-85.6	84	18.3	14.4-22.2
65+	512	39,796	468	92.5	90.1-94.9	44	7.5	05.1-09.9
Less Than H.S.	163	18,901	128	80.9	73.6-88.2	35	19.1	11.8-26.4
H.S. or G.E.D.	646	79,451	493	75.6	70.9-80.3	153	24.4	19.7-29.1
Some Post-H.S.	560	70,506	431	74.3	69.2-79.4	129	25.7	20.6-30.8
College Graduate	661	75,392	591	89.0	86.1-91.9	70	11.0	08.1-13.9
\$15,000- 24,999	253	30,891	186	73.8	66.2-81.4	67	26.2	18.6-33.8
\$25,000- 34,999	228	27,680	171	73.6	65.8-81.4	57	26.4	18.6-34.2
\$35,000- 49,999	383	43,185	304	78.8	73.7-83.9	79	21.2	16.1-26.3
\$50,000- 74,999	415	50,266	355	82.3	77.2-87.4	60	17.7	12.6-22.8
\$75,000+	489	59,848	423	82.8	77.9-87.7	66	17.2	12.3-22.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 11: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2981	244,728	2531	84.2	82.2-86.2	450	15.8	13.8-17.8
Non-Native	2868	229,968	2465	86.4	84.8-88.0	403	13.6	12.0-15.2
18-24	82	37,506	69	82.2	72.4-92.0	13	17.8	08.0-27.6
25-34	288	36,093	235	81.2	76.3-86.1	53	18.8	13.9-23.7
35-44	379	36,841	298	80.0	75.7-84.3	81	20.0	15.7-24.3
45-54	609	46,122	500	82.6	79.3-85.9	109	17.4	14.1-20.7
55-64	560	32,142	467	83.9	80.8-87.0	93	16.1	13.0-19.2
65+	1022	53,740	924	91.7	89.9-93.5	98	8.3	06.5-10.1
H.S. or G.E.D.	873	64,994	717	82.1	78.8-85.4	156	17.9	14.6-21.2
Some Post-H.S.	997	89,070	827	82.2	78.5-85.9	170	17.8	14.1-21.5
College Graduate	888	72,826	811	92.6	90.8-94.4	77	7.4	05.6-09.2
Less than \$15,000	264	18,046	199	69.7	60.3-79.1	65	30.3	20.9-39.7
\$15,000- 24,999	487	37,151	375	71.2	63.6-78.8	112	28.8	21.2-36.4
\$25,000- 34,999	374	26,520	314	85.1	81.0-89.2	60	14.9	10.8-19.0
\$35,000- 49,999	437	36,757	363	83.0	78.3-87.7	74	17.0	12.3-21.7
\$50,000- 74,999	431	39,064	380	87.6	84.1-91.1	51	12.4	08.9-15.9
\$75,000+	520	51,362	474	92.1	89.7-94.5	46	7.9	05.5-10.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008**

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE).	
1 MALES AND FEMALES	40
2 MALES ONLY	41
3 FEMALES ONLY	42
MULTIRACIAL RACE CATEGORIZATION (_MRACE).	
4 MALES AND FEMALES	43
5 MALES ONLY	44
6 FEMALES ONLY	45
RACE/ETHNICITY CATEGORIES (RACE2).	
7 MALES AND FEMALES	46
8 MALES ONLY	47
9 FEMALES ONLY	48
WHITE/HISPANIC RACE GROUP (_RACEG2).	
10 MALES AND FEMALES	49
11 MALES ONLY	50
12 FEMALES ONLY	51
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)	
13 MALES AND FEMALES	52
14 MALES ONLY	53
15 FEMALES ONLY	54
NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).	
16 MALES AND FEMALES	55
17 MALES ONLY	56
18 FEMALES ONLY	57

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008**

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).	
19 MALES AND FEMALES	58
20 MALES ONLY	59
21 FEMALES ONLY	60
ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).	
22 MALES AND FEMALES	61
23 MALES ONLY	62
24 FEMALES ONLY	63
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
25 MALES AND FEMALES	64
26 MALES ONLY	65
27 FEMALES ONLY	66
REPORTED HEIGHT IN INCHES (HTIN3).	
28 MALES AND FEMALES	67
29 MALES ONLY	68
30 FEMALES ONLY	69
REPORTED HEIGHT IN METERS (HTM3).	
31 MALES AND FEMALES	70
32 MALES ONLY	71
33 FEMALES ONLY	72
REPORTED WEIGHT IN KILOGRAMS (WTKG2).	
34 MALES AND FEMALES	73
35 MALES ONLY	74
36 FEMALES ONLY	75
BODY MASS INDEX (kilograms per meter-squared) (_BMI4).	
37 MALES AND FEMALES	76
38 MALES ONLY	77
39 FEMALES ONLY	78

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).	
40	MALES AND FEMALES	79
41	MALES ONLY	80
42	FEMALES ONLY	81
	RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).	
43	MALES AND FEMALES	82
44	MALES ONLY	83
45	FEMALES ONLY	84

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5010	488,609	4803	92.9	91.5-94.3	15	0.5	00.1-00.9	18	0.6	00.2-01.0	3	0.2	00.0-00.4	142	5.2	03.8-06.6	29	0.5	00.3-00.7
Male	2025	243,703	1939	93.2	91.0-95.4	8	0.8	00.0-01.6	11	0.9	00.1-01.7	1	0.1	00.0-00.3	48	4.3	02.3-06.3	18	0.8	00.4-01.2
Female	2985	244,906	2864	92.6	90.6-94.6	7	0.3	00.1-00.5	7	0.4	00.0-00.8	2	0.3	00.0-00.7	94	6.1	04.1-08.1	11	0.3	00.1-00.5
18-24	162	79,103	142	82.0	74.4-89.6	2	1.5	00.0-03.7	2	1.4	00.0-03.6	1	0.7	00.0-02.1	15	14.5	07.2-21.8			
25-34	502	77,429	457	91.2	88.5-93.9	6	0.9	00.1-01.7	4	0.9	00.0-01.9				29	6.0	03.6-08.4	6	1.0	00.2-01.8
35-44	696	75,936	642	91.0	88.5-93.5	3	0.4	00.0-01.0	5	0.9	00.1-01.7	2	0.5	00.0-01.3	38	6.2	04.0-08.4	6	0.9	00.1-01.7
45-54	1074	92,201	1047	97.7	96.7-98.7				3	0.3	00.0-00.7				22	1.8	01.0-02.6	2	0.2	00.0-00.4
55-64	998	67,886	972	97.0	95.8-98.2	3	0.5	00.0-01.1	2	0.2	00.0-00.6				18	2.1	01.1-03.1	3	0.2	00.0-00.4
65+	1533	93,130	1500	97.6	96.6-98.6	1	0.1	00.0-00.3	2	0.2	00.0-00.4				18	1.2	00.6-01.8	12	1.0	00.4-01.6
Less Than H.S.	380	36,470	353	87.1	80.2-94.0	2	1.2	00.0-03.2				1	0.6	00.0-01.8	18	9.5	03.0-16.0	6	1.6	00.2-03.0
H.S. or G.E.D.	1522	144,535	1449	91.8	88.9-94.7	4	0.3	00.0-00.7	1	0.1	00.0-00.3	1	0.1	00.0-00.3	58	7.2	04.3-10.1	9	0.5	00.1-00.9
Some Post-H.S.	1554	159,119	1502	92.5	89.6-95.4	4	0.7	00.0-01.7	4	0.9	00.0-02.1	1	0.3	00.0-00.9	36	5.1	02.6-07.6	7	0.5	00.1-00.9
College Graduate	1546	148,132	1491	95.9	94.7-97.1	5	0.4	00.0-00.8	13	1.0	00.4-01.6				30	2.2	01.2-03.2	7	0.4	00.0-00.8
Less than \$15,000	371	29,815				4	1.2	00.0-02.6	1	0.9	00.0-02.7							2	0.6	00.0-01.4
\$15,000- 24,999	741	67,895	692	88.2	83.1-93.3	1	0.1	00.0-00.3	1	0.1	00.0-00.3	2	0.6	00.0-01.4	37	10.1	05.2-15.0	8	0.9	00.1-01.7
\$25,000- 34,999	600	53,838	574	92.2	88.1-96.3	1	0.7	00.0-02.1	4	2.2	00.0-05.3				18	4.3	01.8-06.8	3	0.6	00.0-01.4
\$35,000- 49,999	822	80,047	796	93.7	89.8-97.6	2	0.4	00.0-01.0	5	0.7	00.0-01.5				16	4.9	01.0-08.8	3	0.3	00.0-00.7
\$50,000- 74,999	844	89,281	813	96.0	94.4-97.6	5	0.6	00.0-01.2	2	0.5	00.0-01.3				20	2.4	01.2-03.6	4	0.6	00.0-01.2
\$75,000+	1012	111,533	988	96.7	94.7-98.7	2	0.9	00.0-02.3	5	0.4	00.0-00.8	1	0.5	00.0-01.5	8	0.9	00.3-01.5	8	0.7	00.1-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2025	243,703	1939	93.2	91.0-95.4	8	0.8	00.0-01.6	11	0.9	00.1-01.7	1	0.1	00.0-00.3	48	4.3	02.3-06.3	18	0.8	00.4-01.2
18-24	80	41,597				2	2.9	00.0-07.0	1	2.0	00.0-05.9				6	12.7	02.9-22.5			
25-34	214	41,398	201	94.5	91.6-97.4	2	0.6	00.0-01.4	3	1.4	00.0-03.2				5	2.3	00.3-04.3	3	1.2	00.0-02.6
35-44	316	38,947	292	91.6	88.3-94.9	1	0.3	00.0-00.9	2	0.8	00.0-02.0	1	0.5	00.0-01.5	16	5.7	02.8-08.6	4	1.1	00.1-02.1
45-54	463	45,966	451	97.6	96.2-99.0				2	0.5	00.0-01.3				8	1.6	00.4-02.8	2	0.3	00.0-00.9
55-64	437	35,633	425	97.2	95.4-99.0	3	0.9	00.0-01.9	1	0.1	00.0-00.3				7	1.7	00.3-03.1	1	0.1	00.0-00.3
65+	507	39,332	492	96.5	94.7-98.3				2	0.4	00.0-01.0				5	1.1	00.0-02.3	8	1.9	00.5-03.3
Less Than H.S.	161	18,687	148	89.2	82.5-95.9	1	2.0	00.0-05.7							7	6.2	01.1-11.3	5	2.7	00.2-05.2
H.S. or G.E.D.	648	79,519	615	90.5	85.6-95.4	2	0.3	00.0-00.7				1	0.2	00.0-00.6	25	8.5	03.6-13.4	5	0.5	00.1-00.9
Some Post-H.S.	559	70,403	546	94.4	90.5-98.3	1	1.2	00.0-03.6	3	1.7	00.0-04.1				6	2.2	00.0-04.6	3	0.6	00.0-01.4
College Graduate	656	75,005	629	96.1	94.5-97.7	4	0.6	00.0-01.2	8	1.3	00.3-02.3				10	1.4	00.4-02.4	5	0.7	00.1-01.3
Less than \$15,000	108	11,800				1	1.2	00.0-03.6										2	1.4	00.0-03.6
\$15,000- 24,999	254	30,862	236	90.5	84.6-96.4				1	0.3	00.0-00.9	1	0.6	00.0-01.8	12	7.1	01.4-12.8	4	1.5	00.0-03.1
\$25,000- 34,999	227	27,539	219	92.5	86.0-99.0	1	1.3	00.0-03.8	2	3.7	00.0-09.6				4	2.0	00.0-04.2	1	0.5	00.0-01.5
\$35,000- 49,999	383	43,165	371	95.3	91.4-99.2	1	0.3	00.0-00.9	4	1.1	00.0-02.3				5	2.8	00.0-06.5	2	0.5	00.0-01.1
\$50,000- 74,999	412	50,010	398	96.2	94.0-98.4	3	0.5	00.0-01.1	1	0.6	00.0-01.8				7	1.9	00.3-03.5	3	0.7	00.0-01.7
\$75,000+	489	59,872	472	95.7	92.8-98.6	2	1.6	00.0-04.3	3	0.4	00.0-01.0				7	1.6	00.4-02.8	5	0.8	00.0-01.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2985	244,906	2864	92.6	90.6-94.6	7	0.3	00.1-00.5	7	0.4	00.0-00.8	2	0.3	00.0-00.7	94	6.1	04.1-08.1	11	0.3	00.1-00.5
18-24	82	37,506				1	0.7	00.0-02.1	1	0.7	00.0-02.1	1	1.4	00.0-04.1						
25-34	288	36,031	256	87.3	82.8-91.8	4	1.3	00.0-02.7	1	0.3	00.0-00.9				24	10.2	05.9-14.5	3	0.9	00.0-01.9
35-44	380	36,989	350	90.4	86.7-94.1	2	0.5	00.0-01.3	3	1.0	00.0-02.2	1	0.6	00.0-01.8	22	6.8	03.5-10.1	2	0.7	00.0-01.7
45-54	611	46,235	596	97.9	96.7-99.1				1	0.2	00.0-00.6				14	1.9	00.7-03.1			
55-64	561	32,253	547	96.8	95.0-98.6				1	0.3	00.0-00.9				11	2.6	01.0-04.2	2	0.3	00.0-00.7
65+	1026	53,798	1008	98.4	97.6-99.2	1	0.2	00.0-00.6							13	1.2	00.4-02.0	4	0.3	00.0-00.7
Less Than H.S.	219	17,783				1	0.5	00.0-01.5				1	1.2	00.0-03.6				1	0.3	00.0-00.9
H.S. or G.E.D.	874	65,016	834	93.3	90.8-95.8	2	0.3	00.0-00.7	1	0.1	00.0-00.3				33	5.8	03.4-08.2	4	0.5	00.0-01.1
Some Post-H.S.	995	88,717	956	91.1	86.8-95.4	3	0.3	00.0-00.7	1	0.3	00.0-00.9	1	0.6	00.0-01.8	30	7.4	03.1-11.7	4	0.3	00.0-00.7
College Graduate	890	73,127	862	95.7	93.7-97.7	1	0.3	00.0-00.9	5	0.8	00.0-01.6				20	3.0	01.2-04.8	2	0.2	00.0-00.6
Less than \$15,000	263	18,015	232	76.3	66.5-86.1	3	1.3	00.0-02.9	1	1.5	00.0-04.4				27	21.0	11.2-30.8			
\$15,000- 24,999	487	37,033	456	86.2	78.6-93.8	1	0.2	00.0-00.6				1	0.6	00.0-01.8	25	12.6	05.0-20.2	4	0.4	00.0-00.8
\$25,000- 34,999	373	26,299	355	91.8	86.9-96.7				2	0.6	00.0-01.6				14	6.7	02.0-11.4	2	0.8	00.0-02.0
\$35,000- 49,999	439	36,882	425	91.7	84.4-99.0	1	0.5	00.0-01.5	1	0.3	00.0-00.9				11	7.4	00.1-14.7	1	0.1	00.0-00.3
\$50,000- 74,999	432	39,272	415	95.7	93.5-97.9	2	0.7	00.0-01.7	1	0.4	00.0-01.2				13	2.9	01.1-04.7	1	0.3	00.0-00.9
\$75,000+	523	51,661	516	97.8	95.6-0100				2	0.4	00.0-01.0	1	1.0	00.0-03.0	1	0.2	00.0-00.6	3	0.5	00.0-01.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

**TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5010	488,609	4786	92.3	90.7-93.9	14	0.5	00.1-00.9	16	0.6	00.2-01.0	3	0.2	00.0-00.4	134	4.9	03.5-06.3	57	1.5	00.9-02.1
Male	2025	243,703	1930	92.5	90.3-94.7	8	0.8	00.0-01.6	10	0.9	00.1-01.7	1	0.1	00.0-00.3	44	3.8	02.0-05.6	32	2.0	01.0-03.0
Female	2985	244,906	2856	92.1	89.9-94.3	6	0.3	00.1-00.5	6	0.3	00.0-00.7	2	0.3	00.0-00.7	90	5.9	03.9-07.9	25	1.1	00.5-01.7
18-24	162	79,103	138	79.6	72.0-87.2	2	1.5	00.0-03.7	2	1.4	00.0-03.6	1	0.7	00.0-02.1	14	13.5	06.4-20.6	5	3.4	00.3-06.5
25-34	502	77,429	456	90.9	88.2-93.6	6	0.9	00.1-01.7	4	0.9	00.0-01.9				28	5.8	03.4-08.2	8	1.5	00.3-02.7
35-44	696	75,936	641	90.8	88.3-93.3	2	0.4	00.0-01.0	4	0.8	00.0-01.6	2	0.5	00.0-01.3	36	6.1	03.9-08.3	11	1.4	00.6-02.2
45-54	1074	92,201	1041	97.2	96.2-98.2				2	0.3	00.0-00.7				22	1.8	01.0-02.6	9	0.8	00.2-01.4
55-64	998	67,886	970	96.8	95.6-98.0	3	0.5	00.0-01.1	2	0.2	00.0-00.6				15	1.6	00.6-02.6	8	0.9	00.3-01.5
65+	1533	93,130	1498	97.5	96.5-98.5	1	0.1	00.0-00.3	2	0.2	00.0-00.4				17	1.1	00.5-01.7	15	1.1	00.5-01.7
Less Than H.S.	380	36,470	351	85.6	78.3-92.9	2	1.2	00.0-03.2				1	0.6	00.0-01.8	17	9.2	02.7-15.7	9	3.3	00.2-06.4
H.S. or G.E.D.	1522	144,535	1443	91.1	88.0-94.2	4	0.3	00.0-00.7	1	0.1	00.0-00.3	1	0.1	00.0-00.3	55	6.5	03.8-09.2	18	1.9	00.5-03.3
Some Post-H.S.	1554	159,119	1498	91.8	88.7-94.9	3	0.6	00.0-01.6	4	0.9	00.0-02.1	1	0.3	00.0-00.9	33	5.0	02.5-07.5	15	1.3	00.3-02.3
College Graduate	1546	148,132	1486	95.6	94.2-97.0	5	0.4	00.0-00.8	11	0.9	00.3-01.5				29	2.1	01.1-03.1	15	0.9	00.3-01.5
Less than \$15,000	371	29,815				3	1.1	00.0-02.3	1	0.9	00.0-02.7							6	1.3	00.1-02.5
\$15,000- 24,999	741	67,895	686	85.9	80.6-91.2	1	0.1	00.0-00.3	1	0.1	00.0-00.3	2	0.6	00.0-01.4	36	10.0	05.1-14.9	15	3.3	00.9-05.7
\$25,000- 34,999	600	53,838	574	92.2	88.1-96.3	1	0.7	00.0-02.1	3	2.1	00.0-05.2				18	4.3	01.8-06.8	4	0.8	00.0-01.6
\$35,000- 49,999	822	80,047	793	93.3	89.4-97.2	2	0.4	00.0-01.0	5	0.7	00.0-01.5				16	4.9	01.0-08.8	6	0.6	00.0-01.2
\$50,000- 74,999	844	89,281	810	95.6	94.0-97.2	5	0.6	00.0-01.2	2	0.5	00.0-01.3				17	1.9	00.9-02.9	10	1.4	00.4-02.4
\$75,000+	1012	111,533	987	96.5	94.5-98.5	2	0.9	00.0-02.3	4	0.4	00.0-00.8	1	0.5	00.0-01.5	7	0.8	00.2-01.4	11	0.9	00.3-01.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2025	243,703	1930	92.5	90.3-94.7	8	0.8	00.0-01.6	10	0.9	00.1-01.7	1	0.1	00.0-00.3	44	3.8	02.0-05.6	32	2.0	01.0-03.0
18-24	80	41,597				2	2.9	00.0-07.0	1	2.0	00.0-05.9				5	10.8	01.6-20.0	3	4.6	00.0-09.9
25-34	214	41,398	200	94.1	91.0-97.2	2	0.6	00.0-01.4	3	1.4	00.0-03.2				5	2.3	00.3-04.3	4	1.6	00.0-03.2
35-44	316	38,947	292	91.6	88.3-94.9	1	0.3	00.0-00.9	2	0.8	00.0-02.0	1	0.5	00.0-01.5	16	5.7	02.8-08.6	4	1.1	00.1-02.1
45-54	463	45,966	448	97.0	95.4-98.6				1	0.3	00.0-00.9				8	1.6	00.4-02.8	6	1.0	00.2-01.8
55-64	437	35,633	423	96.7	94.9-98.5	3	0.9	00.0-01.9	1	0.1	00.0-00.3				5	1.1	00.1-02.1	5	1.2	00.0-02.4
65+	507	39,332	491	96.5	94.7-98.3				2	0.4	00.0-01.0				4	1.0	00.0-02.0	10	2.2	00.8-03.6
Less Than H.S.	161	18,687	147	89.0	82.3-95.7	1	2.0	00.0-05.7							6	5.8	00.7-10.9	7	3.3	00.6-06.0
H.S. or G.E.D.	648	79,519	611	89.5	84.4-94.6	2	0.3	00.0-00.7				1	0.2	00.0-00.6	23	7.3	02.6-12.0	11	2.6	00.1-05.1
Some Post-H.S.	559	70,403	544	93.3	89.0-97.6	1	1.2	00.0-03.6	3	1.7	00.0-04.1				6	2.2	00.0-04.6	5	1.7	00.0-03.5
College Graduate	656	75,005	627	95.8	94.0-97.6	4	0.6	00.0-01.2	7	1.2	00.2-02.2				9	1.2	00.4-02.0	9	1.2	00.4-02.0
Less than \$15,000	108	11,800				1	1.2	00.0-03.6										4	2.4	00.0-04.9
\$15,000- 24,999	254	30,862	235	88.7	82.0-95.4				1	0.3	00.0-00.9	1	0.6	00.0-01.8	11	6.8	01.1-12.5	6	3.5	00.0-07.2
\$25,000- 34,999	227	27,539	219	92.5	86.0-99.0	1	1.3	00.0-03.8	2	3.7	00.0-09.6				4	2.0	00.0-04.2	1	0.5	00.0-01.5
\$35,000- 49,999	383	43,165	368	94.7	90.8-98.6	1	0.3	00.0-00.9	4	1.1	00.0-02.3				5	2.8	00.0-06.5	5	1.1	00.1-02.1
\$50,000- 74,999	412	50,010	396	95.7	93.3-98.1	3	0.5	00.0-01.1	1	0.6	00.0-01.8				5	1.5	00.0-03.1	7	1.7	00.3-03.1
\$75,000+	489	59,872	472	95.7	92.8-98.6	2	1.6	00.0-04.3	2	0.3	00.0-00.7				7	1.6	00.4-02.8	6	0.8	00.0-01.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2985	244,906	2856	92.1	90.1-94.1	6	0.3	00.1-00.5	6	0.3	00.0-00.7	2	0.3	00.0-00.7	90	5.9	03.9-07.9	25	1.1	00.5-01.7
18-24	82	37,506							1	0.7	00.0-02.1	1	1.4	00.0-04.1				2	2.1	00.0-05.2
25-34	288	36,031	256	87.3	82.8-91.8	4	1.3	00.0-02.7	1	0.3	00.0-00.9				23	9.7	05.6-13.8	4	1.4	00.0-02.8
35-44	380	36,989	349	90.0	86.3-93.7	1	0.4	00.0-01.2	2	0.8	00.0-02.0	1	0.6	00.0-01.8	20	6.5	03.2-09.8	7	1.7	00.3-03.1
45-54	611	46,235	593	97.4	96.0-98.8				1	0.2	00.0-00.6				14	1.9	00.7-03.1	3	0.5	00.0-01.1
55-64	561	32,253	547	96.8	95.0-98.6				1	0.3	00.0-00.9				10	2.3	00.7-03.9	3	0.6	00.0-01.4
65+	1026	53,798	1007	98.3	97.5-99.1	1	0.2	00.0-00.6							13	1.2	00.4-02.0	5	0.4	00.0-00.8
Less Than H.S.	219	17,783				1	0.5	00.0-01.5				1	1.2	00.0-03.6				2	3.3	00.0-09.0
H.S. or G.E.D.	874	65,016	832	93.1	90.6-95.6	2	0.3	00.0-00.7	1	0.1	00.0-00.3				32	5.5	03.1-07.9	7	0.9	00.1-01.7
Some Post-H.S.	995	88,717	954	90.6	86.3-94.9	2	0.2	00.0-00.6	1	0.3	00.0-00.9	1	0.6	00.0-01.8	27	7.2	02.9-11.5	10	1.1	00.3-01.9
College Graduate	890	73,127	859	95.3	93.3-97.3	1	0.3	00.0-00.9	4	0.7	00.1-01.3				20	3.0	01.2-04.8	6	0.7	00.1-01.3
Less than \$15,000	263	18,015	232	76.3	66.5-86.1	2	1.0	00.0-02.4	1	1.5	00.0-04.4				26	20.7	10.9-30.5	2	0.5	00.0-01.3
\$15,000- 24,999	487	37,033	451	83.5	75.5-91.5	1	0.2	00.0-00.6				1	0.6	00.0-01.8	25	12.6	05.0-20.2	9	3.1	00.0-06.2
\$25,000- 34,999	373	26,299	355	91.8	86.9-96.7				1	0.4	00.0-01.2				14	6.7	02.0-11.4	3	1.1	00.0-02.5
\$35,000- 49,999	439	36,882	425	91.7	84.4-99.0	1	0.5	00.0-01.5	1	0.3	00.0-00.9				11	7.4	00.1-14.7	1	0.1	00.0-00.3
\$50,000- 74,999	432	39,272	414	95.5	93.3-97.7	2	0.7	00.0-01.7	1	0.4	00.0-01.2				12	2.5	00.9-04.1	3	1.0	00.0-02.2
\$75,000+	523	51,661	515	97.6	95.4-99.8				2	0.4	00.0-01.0	1	1.0	00.0-03.0				5	1.0	00.0-02.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

TABLE 7: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4932	479,600	4721	92.7	91.3-94.1	14	0.5	00.1-00.9	16	0.6	00.2-01.0	3	0.2	00.0-00.4	130	4.6	03.4-05.8	48	1.4	00.8-02.0
Male	1994	239,965	1905	92.6	90.4-94.8	8	0.8	00.0-01.6	10	0.9	00.1-01.7	1	0.1	00.0-00.3	42	3.8	02.0-05.6	28	1.9	00.9-02.9
Female	2938	239,635	2816	92.7	90.7-94.7	6	0.3	00.1-00.5	6	0.4	00.0-00.8	2	0.3	00.0-00.7	88	5.4	03.6-07.2	20	0.9	00.3-01.5
18-24	155	75,636	133	80.7	73.1-88.3	2	1.6	00.0-04.0	2	1.4	00.0-03.6	1	0.7	00.0-02.1	13	12.3	05.4-19.2	4	3.2	00.1-06.3
25-34	499	77,053	454	91.0	88.3-93.7	6	0.9	00.1-01.7	4	0.9	00.0-01.9				28	5.8	03.4-08.2	7	1.4	00.2-02.6
35-44	685	74,736	634	91.2	88.7-93.7	2	0.4	00.0-01.0	4	0.8	00.0-01.6	2	0.6	00.0-01.4	35	6.1	03.9-08.3	8	1.0	00.2-01.8
45-54	1065	91,264	1035	97.5	96.5-98.5				2	0.3	00.0-00.7				20	1.6	00.8-02.4	8	0.6	00.2-01.0
55-64	983	66,894	956	96.8	95.4-98.2	3	0.5	00.0-01.1	2	0.2	00.0-00.6				15	1.7	00.7-02.7	7	0.9	00.3-01.5
65+	1501	91,159	1468	97.6	96.6-98.6	1	0.1	00.0-00.3	2	0.2	00.0-00.4				17	1.1	00.5-01.7	13	1.0	00.4-01.6
Less Than H.S.	364	35,395	337	85.6	78.2-93.0	2	1.3	00.0-03.5				1	0.6	00.0-01.8	17	9.5	02.8-16.2	7	3.0	00.0-06.1
H.S. or G.E.D.	1492	140,949	1416	91.1	88.0-94.2	4	0.3	00.0-00.7	1	0.1	00.0-00.3	1	0.1	00.0-00.3	55	6.7	03.8-09.6	15	1.7	00.3-03.1
Some Post-H.S.	1531	155,625	1479	92.8	90.1-95.5	3	0.7	00.0-01.7	4	0.9	00.0-02.1	1	0.3	00.0-00.9	32	4.2	02.0-06.4	12	1.1	00.3-01.9
College Graduate	1537	147,278	1481	95.8	94.4-97.2	5	0.4	00.0-00.8	11	1.0	00.4-01.6				26	1.9	00.9-02.9	14	0.9	00.3-01.5
Less than \$15,000	365	29,489				3	1.1	00.0-02.3	1	0.9	00.0-02.7							6	1.3	00.1-02.5
\$15,000- 24,999	721	65,296	669	85.9	80.4-91.4	1	0.1	00.0-00.3	1	0.1	00.0-00.3	2	0.6	00.0-01.4	36	10.4	05.3-15.5	12	2.8	00.4-05.2
\$25,000- 34,999	588	52,739	564	92.4	88.3-96.5	1	0.7	00.0-02.1	3	2.1	00.0-05.2				17	4.2	01.7-06.7	3	0.6	00.0-01.4
\$35,000- 49,999	813	77,970	785	94.9	92.2-97.6	2	0.4	00.0-01.0	5	0.8	00.0-01.6				15	3.3	00.8-05.8	6	0.6	00.0-01.2
\$50,000- 74,999	835	88,339	803	95.8	94.2-97.4	5	0.6	00.0-01.2	2	0.5	00.0-01.3				16	1.8	00.8-02.8	9	1.3	00.3-02.3
\$75,000+	1003	110,755	982	96.8	94.8-98.8	2	0.9	00.0-02.3	4	0.4	00.0-00.8	1	0.5	00.0-01.5	6	0.8	00.2-01.4	8	0.7	00.1-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1994	239,965	1905	92.6	90.4-94.8	8	0.8	00.0-01.6	10	0.9	00.1-01.7	1	0.1	00.0-00.3	42	3.8	02.0-05.6	28	1.9	00.9-02.9
18-24	78	40,683				2	2.9	00.0-07.2	1	2.0	00.0-05.9				5	11.0	01.6-20.4	3	4.7	00.0-10.0
25-34	213	41,206	199	94.1	91.0-97.2	2	0.6	00.0-01.4	3	1.4	00.0-03.2				5	2.3	00.3-04.3	4	1.6	00.0-03.2
35-44	312	38,438	289	91.6	88.1-95.1	1	0.3	00.0-00.9	2	0.8	00.0-02.0	1	0.5	00.0-01.5	16	5.8	02.9-08.7	3	0.9	00.0-01.9
45-54	457	45,292	445	97.7	96.3-99.1				1	0.3	00.0-00.9				6	1.2	00.2-02.2	5	0.8	00.0-01.6
55-64	430	35,120	417	96.8	95.0-98.6	3	0.9	00.0-01.9	1	0.1	00.0-00.3				5	1.1	00.1-02.1	4	1.1	00.0-02.3
65+	496	38,396	481	96.6	94.8-98.4				2	0.4	00.0-01.0				4	1.0	00.0-02.0	9	2.0	00.6-03.4
Less Than H.S.	157	18,401	144	89.2	82.5-95.9	1	2.0	00.0-05.9							6	5.9	00.8-11.0	6	2.9	00.4-05.4
H.S. or G.E.D.	634	77,352	599	89.4	84.1-94.7	2	0.3	00.0-00.7				1	0.2	00.0-00.6	23	7.5	02.8-12.2	9	2.5	00.0-05.0
Some Post-H.S.	550	69,561	535	93.2	88.9-97.5	1	1.2	00.0-03.6	3	1.7	00.0-04.1				6	2.2	00.0-04.7	5	1.7	00.0-03.5
College Graduate	652	74,562	626	96.2	94.6-97.8	4	0.6	00.0-01.2	7	1.2	00.2-02.2				7	0.9	00.1-01.7	8	1.1	00.3-01.9
Less than \$15,000	107	11,763				1	1.2	00.0-03.6										4	2.4	00.0-04.9
\$15,000- 24,999	246	29,345	228	88.4	81.5-95.3				1	0.3	00.0-00.9	1	0.7	00.0-01.9	11	7.2	01.3-13.1	5	3.4	00.0-07.3
\$25,000- 34,999	225	27,373	217	92.5	85.8-99.2	1	1.3	00.0-03.8	2	3.7	00.0-09.6				4	2.0	00.0-04.2	1	0.5	00.0-01.5
\$35,000- 49,999	378	42,602	363	94.7	90.6-98.8	1	0.3	00.0-00.9	4	1.1	00.0-02.3				5	2.8	00.0-06.5	5	1.1	00.1-02.1
\$50,000- 74,999	405	49,163	391	96.0	93.6-98.4	3	0.6	00.0-01.2	1	0.6	00.0-01.8				4	1.3	00.0-02.7	6	1.5	00.1-02.9
\$75,000+	485	59,559	470	95.9	93.0-98.8	2	1.6	00.0-04.3	2	0.3	00.0-00.7				6	1.4	00.2-02.6	5	0.8	00.0-01.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2938	239,635	2816	92.7	90.9-94.5	6	0.3	00.1-00.5	6	0.4	00.0-00.8	2	0.3	00.0-00.7	88	5.4	03.6-07.2	20	0.9	00.3-01.5
18-24	77	34,953							1	0.8	00.0-02.4	1	1.5	00.0-04.4	8	13.9	04.1-23.7	1	1.5	00.0-04.4
25-34	286	35,847	255	87.4	82.9-91.9	4	1.3	00.0-02.7	1	0.3	00.0-00.9				23	9.8	05.5-14.1	3	1.2	00.0-02.6
35-44	373	36,298	345	90.8	87.1-94.5	1	0.4	00.0-01.2	2	0.8	00.0-02.0	1	0.6	00.0-01.8	19	6.4	03.1-09.7	5	1.0	00.0-02.0
45-54	608	45,971	590	97.4	96.0-98.8				1	0.2	00.0-00.6				14	1.9	00.7-03.1	3	0.5	00.0-01.1
55-64	553	31,774	539	96.8	95.0-98.6				1	0.3	00.0-00.9				10	2.3	00.7-03.9	3	0.6	00.0-01.4
65+	1005	52,763	987	98.3	97.5-99.1	1	0.2	00.0-00.6							13	1.2	00.4-02.0	4	0.3	00.0-00.7
Less Than H.S.	207	16,994				1	0.5	00.0-01.5				1	1.3	00.0-03.8				1	3.1	00.0-09.0
H.S. or G.E.D.	858	63,597	817	93.1	90.6-95.6	2	0.3	00.0-00.7	1	0.2	00.0-00.6				32	5.6	03.2-08.0	6	0.8	00.0-01.6
Some Post-H.S.	981	86,064	944	92.4	88.9-95.9	2	0.2	00.0-00.6	1	0.3	00.0-00.9	1	0.6	00.0-01.8	26	5.9	02.6-09.2	7	0.6	00.2-01.0
College Graduate	885	72,716	855	95.4	93.4-97.4	1	0.3	00.0-00.9	4	0.7	00.1-01.3				19	2.9	01.1-04.7	6	0.7	00.1-01.3
Less than \$15,000	258	17,726	227	75.9	65.9-85.9	2	1.0	00.0-02.4	1	1.5	00.0-04.4				26	21.1	11.1-31.1	2	0.6	00.0-01.4
\$15,000- 24,999	475	35,952	441	83.9	75.7-92.1	1	0.2	00.0-00.6				1	0.6	00.0-01.8	25	13.0	05.2-20.8	7	2.4	00.0-05.3
\$25,000- 34,999	363	25,366	347	92.2	87.3-97.1				1	0.4	00.0-01.2				13	6.6	01.9-11.3	2	0.8	00.0-02.0
\$35,000- 49,999	435	35,368	422	95.1	91.6-98.6	1	0.5	00.0-01.5	1	0.3	00.0-00.9				10	3.9	00.6-07.2	1	0.1	00.0-00.3
\$50,000- 74,999	430	39,176	412	95.5	93.3-97.7	2	0.7	00.0-01.7	1	0.4	00.0-01.2				12	2.5	00.9-04.1	3	1.0	00.0-02.2
\$75,000+	518	51,196	512	97.9	95.7-0100				2	0.4	00.0-01.0	1	1.0	00.0-03.0				3	0.6	00.0-01.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG2).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4993	487,549	4721	91.2	89.6-92.8	272	8.8	07.2-10.4
Male	2021	243,411	1905	91.3	88.9-93.7	116	8.7	06.3-11.1
Female	2972	244,137	2816	91.0	88.8-93.2	156	9.0	06.8-11.2
18-24	161	78,751	133	77.5	69.7-85.3	28	22.5	14.7-30.3
25-34	504	77,737	454	90.2	87.5-92.9	50	9.8	07.1-12.5
35-44	696	75,936	634	89.8	87.1-92.5	62	10.2	07.5-12.9
45-54	1073	92,163	1035	96.6	95.4-97.8	38	3.4	02.2-04.6
55-64	993	67,548	956	95.9	94.5-97.3	37	4.1	02.7-05.5
65+	1522	92,554	1468	96.1	94.9-97.3	54	3.9	02.7-05.1
Less Than H.S.	376	36,299	337	83.4	76.1-90.7	39	16.6	09.3-23.9
H.S. or G.E.D.	1513	144,066	1416	89.1	86.0-92.2	97	10.9	07.8-14.0
Some Post-H.S.	1551	158,757	1479	90.9	87.8-94.0	72	9.1	06.0-12.2
College Graduate	1545	148,073	1481	95.3	93.9-96.7	64	4.7	03.3-06.1
\$15,000- 24,999	740	67,865	669	82.7	77.2-88.2	71	17.3	11.8-22.8
\$25,000- 34,999	598	53,852	564	90.5	86.2-94.8	34	9.5	05.2-13.8
\$35,000- 49,999	820	79,967	785	92.5	88.4-96.6	35	7.5	03.4-11.6
\$50,000- 74,999	843	89,206	803	94.8	93.0-96.6	40	5.2	03.4-07.0
\$75,000+	1010	111,385	982	96.3	94.3-98.3	28	3.7	01.7-05.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2021	243,411	1905	91.3	88.9-93.7	116	8.7	06.3-11.1
25-34	214	41,398	199	93.6	90.3-96.9	15	6.4	03.1-09.7
35-44	316	38,947	289	90.4	86.9-93.9	27	9.6	06.1-13.1
45-54	463	45,966	445	96.2	94.4-98.0	18	3.8	02.0-05.6
55-64	435	35,455	417	95.9	93.9-97.9	18	4.1	02.1-06.1
65+	505	39,219	481	94.6	92.2-97.0	24	5.4	03.0-07.8
Less Than H.S.	160	18,649	144	88.0	81.3-94.7	16	12.0	05.3-18.7
H.S. or G.E.D.	648	79,519	599	87.0	81.7-92.3	49	13.0	07.7-18.3
Some Post-H.S.	556	70,149	535	92.5	88.2-96.8	21	7.5	03.2-11.8
College Graduate	656	75,005	626	95.6	93.8-97.4	30	4.4	02.6-06.2
\$15,000- 24,999	253	30,773	228	84.3	76.9-91.7	25	15.7	08.3-23.1
\$25,000- 34,999	227	27,539	217	91.9	85.2-98.6	10	8.1	01.4-14.8
\$35,000- 49,999	383	43,165	363	93.4	89.3-97.5	20	6.6	02.5-10.7
\$50,000- 74,999	411	49,935	391	94.5	92.0-97.0	20	5.5	03.0-08.0
\$75,000+	488	59,782	470	95.5	92.6-98.4	18	4.5	01.6-07.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACE2).

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2972	244,137	2816	91.0	88.8-93.2	156	9.0	06.8-11.2
25-34	290	36,339	255	86.2	81.5-90.9	35	13.8	09.1-18.5
35-44	380	36,989	345	89.1	85.2-93.0	35	10.9	07.0-14.8
45-54	610	46,197	590	96.9	95.5-98.3	20	3.1	01.7-04.5
55-64	558	32,094	539	95.8	93.8-97.8	19	4.2	02.2-06.2
65+	1017	53,335	987	97.2	96.2-98.2	30	2.8	01.8-03.8
H.S. or G.E.D.	865	64,547	817	91.7	88.8-94.6	48	8.3	05.4-11.2
Some Post-H.S.	995	88,608	944	89.7	85.4-94.0	51	10.3	06.0-14.6
College Graduate	889	73,069	855	95.0	93.0-97.0	34	5.0	03.0-07.0
Less than \$15,000	261	17,924	227	75.0	65.0-85.0	34	25.0	15.0-35.0
\$15,000- 24,999	487	37,092	441	81.3	73.3-89.3	46	18.7	10.7-26.7
\$25,000- 34,999	371	26,314	347	88.9	83.4-94.4	24	11.1	05.6-16.6
\$35,000- 49,999	437	36,802	422	91.4	84.1-98.7	15	8.6	01.3-15.9
\$50,000- 74,999	432	39,272	412	95.2	93.0-97.4	20	4.8	02.6-07.0
\$75,000+	522	51,603	512	97.2	94.8-99.6	10	2.8	00.4-05.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4993	487,549	4721	91.2	89.6-92.8	14	0.5	00.1-00.9	167	5.7	04.3-07.1	30	1.0	00.4-01.6	61	1.6	01.0-02.2
Male	2021	243,411	1905	91.3	88.9-93.7	8	0.8	00.0-01.6	67	5.3	03.3-07.3	14	1.2	00.2-02.2	27	1.4	00.8-02.0
Female	2972	244,137	2816	91.0	88.8-93.2	6	0.3	00.1-00.5	100	6.1	04.3-07.9	16	0.8	00.2-01.4	34	1.8	00.6-03.0
18-24	161	78,751	133	77.5	69.7-85.3	2	1.5	00.0-03.7	16	13.9	07.0-20.8	4	3.1	00.0-06.2	6	4.0	00.3-07.7
25-34	504	77,737	454	90.2	87.5-92.9	6	0.9	00.1-01.7	35	7.3	04.8-09.8	4	0.8	00.0-01.6	5	0.9	00.1-01.7
35-44	696	75,936	634	89.8	87.1-92.5	2	0.4	00.0-01.0	44	7.8	05.4-10.2	5	0.5	00.1-00.9	11	1.6	00.6-02.6
45-54	1073	92,163	1035	96.6	95.4-97.8				23	1.9	01.1-02.7	7	0.6	00.2-01.0	8	1.0	00.4-01.6
55-64	993	67,548	956	95.9	94.5-97.3	3	0.5	00.0-01.1	18	1.9	00.9-02.9	6	0.8	00.2-01.4	10	1.0	00.4-01.6
65+	1522	92,554	1468	96.1	94.9-97.3	1	0.1	00.0-00.3	29	2.1	01.3-02.9	3	0.2	00.0-00.4	21	1.5	00.7-02.3
Less Than H.S.	376	36,299	337	83.4	76.1-90.7	2	1.2	00.0-03.2	22	11.1	04.4-17.8	3	1.8	00.0-04.7	12	2.5	00.9-04.1
H.S. or G.E.D.	1513	144,066	1416	89.1	86.0-92.2	4	0.3	00.0-00.7	62	6.9	04.2-09.6	10	1.5	00.1-02.9	21	2.2	01.0-03.4
Some Post-H.S.	1551	158,757	1479	90.9	87.8-94.0	3	0.7	00.0-01.7	41	5.7	03.2-08.2	8	0.8	00.0-01.6	20	2.0	00.2-03.8
College Graduate	1545	148,073	1481	95.3	93.9-96.7	5	0.4	00.0-00.8	42	3.2	02.0-04.4	9	0.6	00.2-01.0	8	0.5	00.1-00.9
Less than \$15,000	368	29,687				3	1.1	00.0-02.3				4	0.7	00.0-01.5	3	0.7	00.0-01.5
\$15,000- 24,999	740	67,865	669	82.7	77.2-88.2	1	0.1	00.0-00.3	45	11.5	06.4-16.6	6	2.0	00.0-04.2	19	3.8	01.4-06.2
\$25,000- 34,999	598	53,852	564	90.5	86.2-94.8	1	0.7	00.0-02.1	21	6.4	02.5-10.3	2	0.4	00.0-01.0	10	2.1	00.5-03.7
\$35,000- 49,999	820	79,967	785	92.5	88.4-96.6	2	0.4	00.0-01.0	23	4.3	01.8-06.8	3	0.3	00.0-00.7	7	2.5	00.0-05.8
\$50,000- 74,999	843	89,206	803	94.8	93.0-96.6	5	0.6	00.0-01.2	20	2.6	01.2-04.0	7	1.0	00.2-01.8	8	1.0	00.2-01.8
\$75,000+	1010	111,385	982	96.3	94.3-98.3	2	0.9	00.0-02.3	15	2.0	00.8-03.2	4	0.3	00.0-00.7	7	0.6	00.2-01.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2021	243,411	1905	91.3	88.9-93.7	8	0.8	00.0-01.6	67	5.3	03.3-07.3	14	1.2	00.2-02.2	27	1.4	00.8-02.0
18-24	80	41,597				2	2.9	00.0-07.0	6	12.7	02.9-22.5	3	4.6	00.0-09.9	2	2.2	00.0-05.3
25-34	214	41,398	199	93.6	90.3-96.9	2	0.6	00.0-01.4	11	4.9	02.0-07.8	1	0.5	00.0-01.5	1	0.5	00.0-01.5
35-44	316	38,947	289	90.4	86.9-93.9	1	0.3	00.0-00.9	22	7.9	04.6-11.2				4	1.3	00.0-02.7
45-54	463	45,966	445	96.2	94.4-98.0				8	1.6	00.4-02.8	4	0.7	00.1-01.3	6	1.5	00.3-02.7
55-64	435	35,455	417	95.9	93.9-97.9	3	0.9	00.0-01.9	6	1.2	00.2-02.2	4	1.1	00.1-02.1	5	0.9	00.1-01.7
65+	505	39,219	481	94.6	92.2-97.0				13	3.1	01.3-04.9	2	0.3	00.0-00.7	9	2.1	00.7-03.5
Less Than H.S.	160	18,649	144	88.0	81.3-94.7	1	2.0	00.0-05.7	10	8.1	02.6-13.6	2	0.6	00.0-01.6	3	1.3	00.0-02.9
H.S. or G.E.D.	648	79,519	599	87.0	81.7-92.3	2	0.3	00.0-00.7	27	7.8	03.1-12.5	6	2.1	00.0-04.5	14	2.7	00.9-04.5
Some Post-H.S.	556	70,149	535	92.5	88.2-96.8	1	1.2	00.0-03.6	12	4.5	01.2-07.8	2	1.1	00.0-02.7	6	0.8	00.0-01.6
College Graduate	656	75,005	626	95.6	93.8-97.4	4	0.6	00.0-01.2	18	2.7	01.3-04.1	4	0.5	00.1-00.9	4	0.6	00.0-01.2
Less than \$15,000	107	11,763				1	1.2	00.0-03.6				2	1.0	00.0-02.4			
\$15,000- 24,999	253	30,773	228	84.3	76.9-91.7				16	9.0	03.1-14.9	2	2.0	00.0-05.5	7	4.6	00.3-08.9
\$25,000- 34,999	227	27,539	217	91.9	85.2-98.6	1	1.3	00.0-03.8	7	6.1	00.0-12.2				2	0.6	00.0-01.4
\$35,000- 49,999	383	43,165	363	93.4	89.3-97.5	1	0.3	00.0-00.9	11	4.4	00.5-08.3	3	0.6	00.0-01.4	5	1.3	00.1-02.5
\$50,000- 74,999	411	49,935	391	94.5	92.0-97.0	3	0.5	00.0-01.1	7	2.4	00.4-04.4	4	1.0	00.0-02.0	6	1.5	00.1-02.9
\$75,000+	488	59,782	470	95.5	92.6-98.4	2	1.6	00.0-04.3	12	2.4	01.0-03.8	1	0.1	00.0-00.3	3	0.4	00.0-00.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2972	244,137	2816	91.0	88.8-93.2	6	0.3	00.1-00.5	100	6.1	04.3-07.9	16	0.8	00.2-01.4	34	1.8	00.6-03.0
18-24	81	37,154							10	15.2	05.6-24.8	1	1.4	00.0-04.1	4	5.9	00.0-13.2
25-34	290	36,339	255	86.2	81.5-90.9	4	1.3	00.0-02.7	24	10.0	05.7-14.3	3	1.2	00.0-02.6	4	1.4	00.0-02.8
35-44	380	36,989	345	89.1	85.2-93.0	1	0.4	00.0-01.2	22	7.7	04.2-11.2	5	1.0	00.0-02.0	7	1.9	00.5-03.3
45-54	610	46,197	590	96.9	95.5-98.3				15	2.1	00.9-03.3	3	0.5	00.0-01.1	2	0.5	00.0-01.1
55-64	558	32,094	539	95.8	93.8-97.8				12	2.7	01.1-04.3	2	0.5	00.0-01.3	5	1.0	00.0-02.0
65+	1017	53,335	987	97.2	96.2-98.2	1	0.2	00.0-00.6	16	1.4	00.6-02.2	1	0.1	00.0-00.3	12	1.1	00.5-01.7
Less Than H.S.	216	17,650				1	0.5	00.0-01.5				1	3.0	00.0-08.7	9	3.7	01.0-06.4
H.S. or G.E.D.	865	64,547	817	91.7	88.8-94.6	2	0.3	00.0-00.7	35	5.8	03.4-08.2	4	0.7	00.0-01.5	7	1.5	00.1-02.9
Some Post-H.S.	995	88,608	944	89.7	85.4-94.0	2	0.2	00.0-00.6	29	6.6	03.1-10.1	6	0.5	00.1-00.9	14	2.9	00.0-05.8
College Graduate	889	73,069	855	95.0	93.0-97.0	1	0.3	00.0-00.9	24	3.6	01.8-05.4	5	0.7	00.1-01.3	4	0.5	00.0-01.1
Less than \$15,000	261	17,924	227	75.0	65.0-85.0	2	1.0	00.0-02.4	27	22.3	12.3-32.3	2	0.6	00.0-01.4	3	1.1	00.0-02.5
\$15,000- 24,999	487	37,092	441	81.3	73.3-89.3	1	0.2	00.0-00.6	29	13.5	05.9-21.1	4	1.9	00.0-04.6	12	3.1	00.7-05.5
\$25,000- 34,999	371	26,314	347	88.9	83.4-94.4				14	6.7	02.0-11.4	2	0.7	00.0-01.7	8	3.6	00.5-06.7
\$35,000- 49,999	437	36,802	422	91.4	84.1-98.7	1	0.5	00.0-01.5	12	4.2	00.9-07.5				2	3.9	00.0-10.8
\$50,000- 74,999	432	39,272	412	95.2	93.0-97.4	2	0.7	00.0-01.7	13	2.8	01.2-04.4	3	1.0	00.0-02.2	2	0.2	00.0-00.6
\$75,000+	522	51,603	512	97.2	94.8-99.6				3	1.5	00.0-03.7	3	0.6	00.0-01.4	4	0.8	00.0-01.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

**TABLE 16: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4985	486,330	4955	99.0	98.4-99.6	27	1.0	00.4-01.6	3	0.1	00.1-00.1
Male	2008	241,924	1994	98.8	97.8-99.8	14	1.2	00.2-02.2			
Female	2977	244,406	2961	99.1	98.5-99.7	13	0.8	00.2-01.4	3	0.1	00.0-00.3
18-24	162	79,103	157	96.6	93.5-99.7	5	3.4	00.3-06.5			
25-34	498	76,888	494	99.2	98.4-0100	3	0.6	00.0-01.4	1	0.2	00.0-00.6
35-44	691	75,339	686	99.5	99.1-99.9	4	0.4	00.0-00.8	1	0.1	00.0-00.3
45-54	1072	92,046	1065	99.4	99.0-99.8	6	0.5	00.1-00.9	1	0.1	00.0-00.3
55-64	996	67,810	991	99.3	98.7-99.9	5	0.7	00.1-01.3			
65+	1521	92,222	1518	99.8	99.6-0100	3	0.2	00.0-00.4			
Less Than H.S.	374	35,901	371	98.2	95.3-0100	3	1.8	00.0-04.7			
H.S. or G.E.D.	1515	144,034	1505	98.5	97.1-99.9	9	1.4	00.0-02.8	1	0.1	00.0-00.3
Some Post-H.S.	1548	158,454	1540	99.1	98.3-99.9	7	0.9	00.1-01.7	1	0.0	00.0-00.0
College Graduate	1540	147,589	1531	99.4	99.0-99.8	8	0.5	00.1-00.9	1	0.1	00.0-00.3
Less than \$15,000	369	29,649	365	99.3	98.5-0100	3	0.6	00.0-01.2	1	0.2	00.0-00.6
\$15,000- 24,999	733	67,281	726	97.6	95.2-0100	6	2.3	00.0-04.7	1	0.1	00.0-00.3
\$25,000- 34,999	598	53,612	596	99.6	99.0-0100	2	0.4	00.0-01.0			
\$35,000- 49,999	819	79,809	816	99.7	99.3-0100	3	0.3	00.0-00.7			
\$50,000- 74,999	841	88,911	834	99.0	98.2-99.8	6	0.8	00.0-01.6	1	0.1	00.0-00.3
\$75,000+	1005	110,870	1002	99.7	99.3-0100	3	0.3	00.0-00.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

TABLE 17: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			One Race Category			Two Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	2008	241,924	1994	98.8	97.8-99.8	14	1.2	00.2-02.2	
18-24	80	41,597	77	95.4	90.1-0100	3	4.6	00.0-09.9	
25-34	211	40,918	210	99.5	98.5-0100	1	0.5	00.0-01.5	
35-44	313	38,597	313	100.0	0100-0100				
45-54	461	45,811	457	99.3	98.7-99.9	4	0.7	00.1-01.3	
55-64	436	35,588	432	98.9	97.9-99.9	4	1.1	00.1-02.1	
65+	499	38,584	497	99.7	99.3-0100	2	0.3	00.0-00.7	
Less Than H.S.	156	18,180	154	99.4	98.4-0100	2	0.6	00.0-01.6	
H.S. or G.E.D.	644	79,189	638	97.8	95.4-0100	6	2.2	00.0-04.6	
Some Post-H.S.	556	69,973	554	98.9	97.3-0100	2	1.1	00.0-02.7	
College Graduate	651	74,494	647	99.5	99.1-99.9	4	0.5	00.1-00.9	
Less than \$15,000	106	11,635	104	99.0	97.4-0100	2	1.0	00.0-02.6	
\$15,000- 24,999	250	30,407	248	97.9	94.4-0100	2	2.1	00.0-05.6	
\$25,000- 34,999	226	27,412	226	100.0	0100-0100				
\$35,000- 49,999	381	42,959	378	99.4	98.6-0100	3	0.6	00.0-01.4	
\$50,000- 74,999	409	49,639	405	99.0	98.0-0100	4	1.0	00.0-02.0	
\$75,000+	484	59,418	483	99.9	99.7-0100	1	0.1	00.0-00.3	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

TABLE 18: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2977	244,406	2961	99.1	98.5-99.7	13	0.8	00.2-01.4	3	0.1	00.0-00.3
18-24	82	37,506	80	97.9	94.8-0100	2	2.1	00.0-05.2			
25-34	287	35,970	284	98.8	97.4-0100	2	0.9	00.0-02.1	1	0.3	00.0-00.9
35-44	378	36,742	373	99.0	98.0-0100	4	0.9	00.0-01.9	1	0.1	00.0-00.3
45-54	611	46,235	608	99.5	98.9-0100	2	0.3	00.0-00.7	1	0.2	00.0-00.6
55-64	560	32,222	559	99.7	99.1-0100	1	0.3	00.0-00.9			
65+	1022	53,639	1021	99.9	99.7-0100	1	0.1	00.0-00.3			
Less Than H.S.	218	17,721	217	97.0	91.3-0100	1	3.0	00.0-08.7			
H.S. or G.E.D.	871	64,845	867	99.3	98.5-0100	3	0.5	00.0-01.1	1	0.2	00.0-00.6
Some Post-H.S.	992	88,481	986	99.3	98.5-0100	5	0.7	00.0-01.5	1	0.1	00.0-00.3
College Graduate	889	73,095	884	99.3	98.7-99.9	4	0.6	00.0-01.2	1	0.1	00.0-00.3
Less than \$15,000	263	18,015	261	99.5	98.7-0100	1	0.3	00.0-00.9	1	0.3	00.0-00.9
\$15,000- 24,999	483	36,873	478	97.3	94.2-0100	4	2.5	00.0-05.6	1	0.2	00.0-00.6
\$25,000- 34,999	372	26,201	370	99.2	98.2-0100	2	0.8	00.0-01.8			
\$35,000- 49,999	438	36,850	438	100.0	0100-0100						
\$50,000- 74,999	432	39,272	429	99.0	97.8-0100	2	0.7	00.0-01.7	1	0.3	00.0-00.9
\$75,000+	521	51,452	519	99.5	98.9-0100	2	0.5	00.0-01.1			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

**TABLE 19: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4985	486,330	4955	99.0	98.4-99.6	30	1.0	00.4-01.6
Male	2008	241,924	1994	98.8	97.8-99.8	14	1.2	00.2-02.2
Female	2977	244,406	2961	99.1	98.5-99.7	16	0.9	00.3-01.5
18-24	162	79,103	157	96.6	93.5-99.7	5	3.4	00.3-06.5
25-34	498	76,888	494	99.2	98.4-0100	4	0.8	00.0-01.6
35-44	691	75,339	686	99.5	99.1-99.9	5	0.5	00.1-00.9
45-54	1072	92,046	1065	99.4	99.0-99.8	7	0.6	00.2-01.0
55-64	996	67,810	991	99.3	98.7-99.9	5	0.7	00.1-01.3
65+	1521	92,222	1518	99.8	99.6-0100	3	0.2	00.0-00.4
Less Than H.S.	374	35,901	371	98.2	95.3-0100	3	1.8	00.0-04.7
H.S. or G.E.D.	1515	144,034	1505	98.5	97.1-99.9	10	1.5	00.1-02.9
Some Post-H.S.	1548	158,454	1540	99.1	98.3-99.9	8	0.9	00.1-01.7
College Graduate	1540	147,589	1531	99.4	99.0-99.8	9	0.6	00.2-01.0
Less than \$15,000	369	29,649	365	99.3	98.5-0100	4	0.7	00.0-01.5
\$15,000- 24,999	733	67,281	726	97.6	95.2-0100	7	2.4	00.0-04.8
\$25,000- 34,999	598	53,612	596	99.6	99.0-0100	2	0.4	00.0-01.0
\$35,000- 49,999	819	79,809	816	99.7	99.3-0100	3	0.3	00.0-00.7
\$50,000- 74,999	841	88,911	834	99.0	98.2-99.8	7	1.0	00.2-01.8
\$75,000+	1005	110,870	1002	99.7	99.3-0100	3	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

TABLE 20: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2008	241,924	1994	98.8	97.8-99.8	14	1.2	00.2-02.2
18-24	80	41,597	77	95.4	90.1-0100	3	4.6	00.0-09.9
25-34	211	40,918	210	99.5	98.5-0100	1	0.5	00.0-01.5
35-44	313	38,597	313	100.0	0100-0100			
45-54	461	45,811	457	99.3	98.7-99.9	4	0.7	00.1-01.3
55-64	436	35,588	432	98.9	97.9-99.9	4	1.1	00.1-02.1
65+	499	38,584	497	99.7	99.3-0100	2	0.3	00.0-00.7
Less Than H.S.	156	18,180	154	99.4	98.4-0100	2	0.6	00.0-01.6
H.S. or G.E.D.	644	79,189	638	97.8	95.4-0100	6	2.2	00.0-04.6
Some Post-H.S.	556	69,973	554	98.9	97.3-0100	2	1.1	00.0-02.7
College Graduate	651	74,494	647	99.5	99.1-99.9	4	0.5	00.1-00.9
Less than \$15,000	106	11,635	104	99.0	97.4-0100	2	1.0	00.0-02.6
\$15,000- 24,999	250	30,407	248	97.9	94.4-0100	2	2.1	00.0-05.6
\$25,000- 34,999	226	27,412	226	100.0	0100-0100			
\$35,000- 49,999	381	42,959	378	99.4	98.6-0100	3	0.6	00.0-01.4
\$50,000- 74,999	409	49,639	405	99.0	98.0-0100	4	1.0	00.0-02.0
\$75,000+	484	59,418	483	99.9	99.7-0100	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

**TABLE 21: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2977	244,406	2961	99.1	98.5-99.7	16	0.9	00.3-01.5
18-24	82	37,506	80	97.9	94.8-0100	2	2.1	00.0-05.2
25-34	287	35,970	284	98.8	97.4-0100	3	1.2	00.0-02.6
35-44	378	36,742	373	99.0	98.0-0100	5	1.0	00.0-02.0
45-54	611	46,235	608	99.5	98.9-0100	3	0.5	00.0-01.1
55-64	560	32,222	559	99.7	99.1-0100	1	0.3	00.0-00.9
65+	1022	53,639	1021	99.9	99.7-0100	1	0.1	00.0-00.3
Less Than H.S.	218	17,721	217	97.0	91.3-0100	1	3.0	00.0-08.7
H.S. or G.E.D.	871	64,845	867	99.3	98.5-0100	4	0.7	00.0-01.5
Some Post-H.S.	992	88,481	986	99.3	98.5-0100	6	0.7	00.0-01.5
College Graduate	889	73,095	884	99.3	98.7-99.9	5	0.7	00.1-01.3
Less than \$15,000	263	18,015	261	99.5	98.7-0100	2	0.5	00.0-01.3
\$15,000- 24,999	483	36,873	478	97.3	94.2-0100	5	2.7	00.0-05.8
\$25,000- 34,999	372	26,201	370	99.2	98.2-0100	2	0.8	00.0-01.8
\$35,000- 49,999	438	36,850	438	100.0	0100-0100			
\$50,000- 74,999	432	39,272	429	99.0	97.8-0100	3	1.0	00.0-02.2
\$75,000+	521	51,452	519	99.5	98.9-0100	2	0.5	00.0-01.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

**TABLE 22: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4984	487,804	380	23.4	21.0-25.8	593	15.5	14.3-16.7	875	17.7	16.5-18.9	1122	17.8	16.6-19.0	881	11.1	10.3-11.9	1133	14.5	13.5-15.5
Male	2028	244,215	175	24.7	21.4-28.0	256	16.2	14.2-18.2	391	18.0	16.2-19.8	483	18.1	16.3-19.9	374	11.3	10.1-12.5	349	11.7	10.3-13.1
Female	2956	243,588	205	22.1	19.0-25.2	337	14.7	13.1-16.3	484	17.5	15.9-19.1	639	17.5	16.1-18.9	507	10.8	09.8-11.8	784	17.4	16.0-18.8
Native	128	21,893				20	11.0	05.5-16.5	36	19.5	11.3-27.7	17	5.7	02.4-09.0	12	3.8	01.3-06.3	10	2.4	00.6-04.2
Non-Native	4821	462,797	345	21.7	19.5-23.9	571	15.8	14.4-17.2	837	17.7	16.5-18.9	1100	18.4	17.2-19.6	862	11.4	10.6-12.2	1106	15.0	14.0-16.0
Less Than H.S.	381	36,675	29	32.4	23.0-41.8	11	4.1	01.4-06.8	29	7.2	04.3-10.1	30	7.5	04.6-10.4	62	10.3	07.4-13.2	220	38.5	31.8-45.2
H.S. or G.E.D.	1511	143,967	104	24.5	20.0-29.0	118	10.4	08.4-12.4	244	17.0	14.8-19.2	325	17.7	15.5-19.9	286	11.9	10.3-13.5	434	18.6	16.6-20.6
Some Post-H.S.	1546	158,782	126	27.0	22.7-31.3	189	15.1	12.7-17.5	316	19.3	16.9-21.7	374	18.1	16.1-20.1	265	9.9	08.5-11.3	276	10.7	09.3-12.1
College Graduate	1541	147,638	120	16.0	13.1-18.9	275	23.7	21.2-26.2	286	19.4	17.2-21.6	391	20.2	18.0-22.4	267	11.8	10.2-13.4	202	8.8	07.4-10.2
Less than \$15,000	369	29,672				34	11.9	07.4-16.4	38	11.9	07.2-16.6	53	9.9	06.6-13.2	63	9.8	06.9-12.7	157	27.1	21.2-33.0
\$15,000- 24,999	739	67,910	78	34.6	28.1-41.1	49	8.7	06.0-11.4	99	11.7	09.2-14.2	113	11.4	09.0-13.8	133	10.0	07.8-12.2	267	23.5	20.0-27.0
\$25,000- 34,999	602	54,218	54	27.9	21.0-34.8	58	12.8	09.3-16.3	70	11.2	08.3-14.1	112	13.1	10.4-15.8	125	14.3	11.6-17.0	183	20.8	17.3-24.3
\$35,000- 49,999	817	79,715	59	20.2	14.7-25.7	98	15.4	12.3-18.5	163	20.6	17.3-23.9	194	18.0	15.3-20.7	152	12.2	10.0-14.4	151	13.6	11.2-16.0
\$50,000- 74,999	846	89,486	69	18.9	14.4-23.4	145	21.7	18.4-25.0	170	20.1	17.2-23.0	237	21.8	18.9-24.7	154	11.6	09.6-13.6	71	6.0	04.4-07.6
\$75,000+	1007	111,002	55	15.5	11.2-19.8	176	21.4	18.5-24.3	282	26.7	23.8-29.6	311	24.9	22.2-27.6	129	8.1	06.7-09.5	54	3.4	02.4-04.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

**TABLE 23: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2028	244,215	175	24.7	21.4-28.0	256	16.2	14.2-18.2	391	18.0	16.0-20.0	483	18.1	16.3-19.9	374	11.3	10.1-12.5	349	11.7	10.3-13.1
Non-Native	1972	233,617	165	23.4	20.1-26.7	249	16.6	14.6-18.6	376	17.9	15.9-19.9	473	18.5	16.7-20.3	367	11.6	10.2-13.0	342	12.0	10.6-13.4
Less Than H.S.	164	18,956				6	5.6	00.9-10.3	12	6.6	02.5-10.7	17	9.2	04.7-13.7	35	12.3	07.6-17.0	80	35.3	26.5-44.1
H.S. or G.E.D.	647	79,345	56	28.1	21.4-34.8	63	11.8	08.9-14.7	142	19.7	16.2-23.2	154	18.1	15.0-21.2	106	9.8	07.8-11.8	126	12.4	10.0-14.8
Some Post-H.S.	559	70,403	55	27.7	21.2-34.2	74	16.7	12.8-20.6	123	19.0	15.5-22.5	148	19.1	15.8-22.4	97	10.0	07.8-12.2	62	7.5	05.5-09.5
College Graduate	656	74,873	49	16.2	11.7-20.7	113	23.3	19.4-27.2	114	18.1	14.8-21.4	163	19.4	16.3-22.5	136	14.1	11.6-16.6	81	8.9	06.9-10.9
Less than \$15,000	108	11,700				9	8.6	02.3-14.9	18	12.4	05.3-19.5	21	11.2	05.1-17.3	23	11.5	05.4-17.6	28	17.5	09.1-25.9
\$15,000- 24,999	253	30,818	32	37.3	27.5-47.1	18	10.1	05.2-15.0	37	10.9	07.0-14.8	39	10.8	07.1-14.5	48	10.2	06.9-13.5	79	20.7	15.4-26.0
\$25,000- 34,999	229	27,724				24	13.8	07.9-19.7	27	10.9	06.4-15.4	43	10.9	07.2-14.6	52	14.3	10.0-18.6	57	16.1	11.4-20.8
\$35,000- 49,999	383	43,137	26	17.3	10.2-24.4	42	15.0	10.5-19.5	88	22.7	17.8-27.6	90	18.7	14.6-22.8	63	11.2	08.3-14.1	74	15.2	11.7-18.7
\$50,000- 74,999	414	50,214	38	20.0	13.7-26.3	62	20.1	15.4-24.8	82	19.5	15.2-23.8	107	20.4	16.5-24.3	86	13.0	10.1-15.9	39	7.0	04.6-09.4
\$75,000+	487	59,612	22	13.4	07.5-19.3	87	22.2	17.9-26.5	122	24.5	20.4-28.6	153	26.3	22.2-30.4	72	9.3	07.1-11.5	31	4.2	02.6-05.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

**TABLE 24: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2956	243,588	205	22.1	19.0-25.2	337	14.7	13.1-16.3	484	17.5	15.9-19.1	639	17.5	16.1-18.9	507	10.8	09.8-11.8	784	17.4	16.0-18.8
Native	87	12,928				13	12.2	04.8-19.6	23	18.7	08.7-28.7	9	4.5	01.0-08.0	9	4.1	01.0-07.2	9	3.5	00.8-06.2
Non-Native	2849	229,180	180	20.1	17.2-23.0	322	14.9	13.3-16.5	461	17.5	15.9-19.1	627	18.3	16.7-19.9	495	11.2	10.2-12.2	764	18.0	16.6-19.4
Less Than H.S.	217	17,719				5	2.6	00.1-05.1	17	7.8	03.3-12.3	13	5.7	02.4-09.0	27	8.1	04.6-11.6	140	41.9	31.9-51.9
H.S. or G.E.D.	864	64,622	48	20.0	14.5-25.5	55	8.7	06.3-11.1	102	13.6	10.9-16.3	171	17.1	14.4-19.8	180	14.4	12.0-16.8	308	26.2	23.1-29.3
Some Post-H.S.	987	88,379	71	26.4	20.7-32.1	115	13.8	11.3-16.3	193	19.5	16.6-22.4	226	17.3	14.8-19.8	168	9.8	08.0-11.6	214	13.2	11.2-15.2
College Graduate	885	72,765	71	15.8	11.9-19.7	162	24.2	20.9-27.5	172	20.8	17.9-23.7	228	21.0	18.3-23.7	131	9.5	07.7-11.3	121	8.7	07.1-10.3
Less than \$15,000	261	17,972				25	14.0	07.9-20.1	20	11.6	05.5-17.7	32	9.0	05.3-12.7	40	8.7	05.6-11.8	129	33.4	26.0-40.8
\$15,000- 24,999	486	37,092	46	32.4	23.8-41.0	31	7.6	04.7-10.5	62	12.3	08.8-15.8	74	12.0	08.9-15.1	85	9.9	07.4-12.4	188	25.8	21.3-30.3
\$25,000- 34,999	373	26,494	28	21.4	13.6-29.2	34	11.6	07.7-15.5	43	11.6	08.1-15.1	69	15.3	11.4-19.2	73	14.4	10.9-17.9	126	25.7	20.8-30.6
\$35,000- 49,999	434	36,578	33	23.8	15.2-32.4	56	15.8	11.5-20.1	75	18.1	13.8-22.4	104	17.2	13.5-20.9	89	13.3	10.2-16.4	77	11.8	08.9-14.7
\$50,000- 74,999	432	39,272	31	17.4	11.1-23.7	83	23.8	19.1-28.5	88	20.8	16.5-25.1	130	23.5	19.4-27.6	68	9.7	07.3-12.1	32	4.8	03.0-06.6
\$75,000+	520	51,390	33	17.9	11.4-24.4	89	20.4	16.5-24.3	160	29.3	25.0-33.6	158	23.3	19.6-27.0	57	6.6	04.8-08.4	23	2.4	01.4-03.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

TABLE 25: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			<65yrs			>=65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4984	487,804	3440	80.7	79.5-81.9	1544	19.3	18.1-20.5	
Male	2028	244,215	1513	83.6	82.0-85.2	515	16.4	14.8-18.0	
Female	2956	243,588	1927	77.8	76.2-79.4	1029	22.2	20.6-23.8	
Native	128	21,893	111	95.4	92.7-98.1	17	4.6	01.9-07.3	
Non-Native	4821	462,797	3316	80.2	79.0-81.4	1505	19.8	18.6-21.0	
Less Than H.S.	381	36,675	129	56.3	49.0-63.6	252	43.7	36.4-51.0	
H.S. or G.E.D.	1511	143,967	925	75.7	73.3-78.1	586	24.3	21.9-26.7	
Some Post-H.S.	1546	158,782	1155	85.5	83.7-87.3	391	14.5	12.7-16.3	
College Graduate	1541	147,638	1228	86.6	85.0-88.2	313	13.4	11.8-15.0	
Less than \$15,000	369	29,672	180	68.6	62.1-75.1	189	31.4	24.9-37.9	
\$15,000- 24,999	739	67,910	396	71.2	67.3-75.1	343	28.8	24.9-32.7	
\$25,000- 34,999	602	54,218	361	72.9	69.0-76.8	241	27.1	23.2-31.0	
\$35,000- 49,999	817	79,715	601	81.5	78.8-84.2	216	18.5	15.8-21.2	
\$50,000- 74,999	846	89,486	709	89.3	87.3-91.3	137	10.7	08.7-12.7	
\$75,000+	1007	111,002	902	93.8	92.6-95.0	105	6.2	05.0-07.4	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

TABLE 26: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			>=65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2028	244,215	1513	83.6	82.0-85.2	515	16.4	14.8-18.0
Non-Native	1972	233,617	1471	83.4	81.8-85.0	501	16.6	15.0-18.2
Less Than H.S.	164	18,956	65	58.2	48.6-67.8	99	41.8	32.2-51.4
H.S. or G.E.D.	647	79,345	472	83.5	80.8-86.2	175	16.5	13.8-19.2
Some Post-H.S.	559	70,403	455	88.6	86.2-91.0	104	11.4	09.0-13.8
College Graduate	656	74,873	519	85.5	83.0-88.0	137	14.5	12.0-17.0
Less than \$15,000	108	11,700	71	78.9	69.7-88.1	37	21.1	11.9-30.3
\$15,000- 24,999	253	30,818	152	74.8	68.9-80.7	101	25.2	19.3-31.1
\$25,000- 34,999	229	27,724	146	77.1	71.4-82.8	83	22.9	17.2-28.6
\$35,000- 49,999	383	43,137	285	80.8	76.9-84.7	98	19.2	15.3-23.1
\$50,000- 74,999	414	50,214	339	87.9	85.0-90.8	75	12.1	09.2-15.0
\$75,000+	487	59,612	423	92.2	90.2-94.2	64	7.8	05.8-09.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

TABLE 27: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			<65yrs			>=65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2956	243,588	1927	77.8	76.2-79.4	1029	22.2	20.6-23.8	
Native	87	12,928	74	95.1	92.0-98.2	13	4.9	01.8-08.0	
Non-Native	2849	229,180	1845	77.0	75.4-78.6	1004	23.0	21.4-24.6	
H.S. or G.E.D.	864	64,622	453	66.1	62.4-69.8	411	33.9	30.2-37.6	
Some Post-H.S.	987	88,379	700	83.0	80.6-85.4	287	17.0	14.6-19.4	
College Graduate	885	72,765	709	87.7	85.7-89.7	176	12.3	10.3-14.3	
Less than \$15,000	261	17,972	109	61.9	53.9-69.9	152	38.1	30.1-46.1	
\$15,000- 24,999	486	37,092	244	68.3	63.2-73.4	242	31.7	26.6-36.8	
\$25,000- 34,999	373	26,494	215	68.4	63.1-73.7	158	31.6	26.3-36.9	
\$35,000- 49,999	434	36,578	316	82.2	78.5-85.9	118	17.8	14.1-21.5	
\$50,000- 74,999	432	39,272	370	91.1	88.7-93.5	62	8.9	06.5-11.3	
\$75,000+	520	51,390	479	95.7	94.3-97.1	41	4.3	02.9-05.7	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

TABLE 28: REPORTED HEIGHT IN INCHES (HTIN3).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5007	488,332	223	3.2	02.6-03.8	2256	38.1	36.3-39.9	2124	47.5	45.5-49.5	404	11.2	09.8-12.6
Male	2034	244,179	1	0.0	00.0-00.0	165	7.9	06.3-09.5	1469	70.1	67.4-72.8	399	22.0	19.5-24.5
Female	2973	244,153	222	6.3	05.1-07.5	2091	68.2	65.8-70.6	655	25.0	22.8-27.2	5	0.4	00.0-01.0
Native	129	21,779	8	7.2	00.0-16.4									
Non-Native	4840	463,307	210	3.0	02.4-03.6	2185	38.3	36.5-40.1	2050	47.5	45.5-49.5	395	11.3	09.9-12.7
18-24	161	78,738	3	2.5	00.0-05.6	59	34.2	26.4-42.0	76	48.6	40.2-57.0	23	14.8	08.5-21.1
25-34	504	77,737	9	1.3	00.3-02.3	184	31.3	27.2-35.4	247	51.7	47.0-56.4	64	15.7	12.0-19.4
35-44	696	75,887	12	1.6	00.6-02.6	272	36.8	33.1-40.5	336	49.1	45.2-53.0	76	12.4	09.7-15.1
45-54	1072	92,044	23	1.7	00.9-02.5	459	37.3	34.4-40.2	492	51.1	48.0-54.2	98	10.0	08.0-12.0
55-64	993	67,535	32	2.4	01.6-03.2	450	41.0	37.7-44.3	427	45.6	42.3-48.9	84	11.0	08.6-13.4
65+	1537	93,510	142	8.7	07.1-10.3	803	46.0	43.3-48.7	535	40.5	37.8-43.2	57	4.8	03.4-06.2
Less Than H.S.	380	36,276	33	7.6	01.9-13.3	183	41.4	33.8-49.0	143	44.7	36.9-52.5	21	6.3	03.4-09.2
H.S. or G.E.D.	1520	143,918	86	3.8	02.8-04.8	684	36.2	33.1-39.3	639	48.6	45.1-52.1	111	11.4	08.5-14.3
Some Post-H.S.	1552	159,172	60	2.8	01.8-03.8	759	42.7	39.2-46.2	622	44.2	40.7-47.7	111	10.3	07.8-12.8
College Graduate	1547	148,129	44	2.0	01.4-02.6	624	34.1	31.4-36.8	718	50.7	47.8-53.6	161	13.3	11.1-15.5
Less than \$15,000	374	29,987	34	8.2	03.3-13.1	201	41.8	33.6-50.0	124	38.4	29.6-47.2	15	11.6	02.4-20.8
\$15,000- 24,999	741	68,025	48	5.0	01.9-08.1	383	43.7	38.2-49.2	270	42.9	37.4-48.4	40	8.3	05.2-11.4
\$25,000- 34,999	603	54,224	26	3.1	01.7-04.5	289	40.7	35.2-46.2	245	45.7	39.8-51.6	43	10.5	06.4-14.6
\$35,000- 49,999	821	79,971	25	2.5	01.3-03.7	340	38.8	34.1-43.5	387	48.5	43.8-53.2	69	10.1	07.2-13.0
\$50,000- 74,999	845	89,404	14	1.2	00.6-01.8	344	34.9	31.2-38.6	404	50.5	46.4-54.6	83	13.4	10.1-16.7
\$75,000+	1012	111,488	19	1.2	00.6-01.8	361	30.6	27.3-33.9	505	53.4	49.7-57.1	127	14.8	11.9-17.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

TABLE 29: REPORTED HEIGHT IN INCHES (HTIN3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2034	244,179	1	0.0	00.0-00.0	165	7.9	06.3-09.5	1469	70.1	67.4-72.8	399	22.0	19.5-24.5
Non-Native	1976	233,583	1	0.0	00.0-00.0	161	8.0	06.4-09.6	1424	70.0	67.3-72.7	390	21.9	19.4-24.4
18-24	79	41,232				6	8.4	01.9-14.9						
25-34	214	41,398				12	5.8	02.5-09.1	138	64.7	57.8-71.6	64	29.5	23.0-36.0
35-44	316	38,947				22	7.4	04.3-10.5	220	69.0	63.5-74.5	74	23.7	18.6-28.8
45-54	465	46,147				33	6.3	04.1-08.5	335	74.0	69.9-78.1	97	19.8	16.1-23.5
55-64	437	35,633				37	9.3	06.4-12.2	317	70.0	65.3-74.7	83	20.7	16.6-24.8
65+	514	39,889	1	0.3	00.0-00.9	53	10.4	07.5-13.3	403	78.0	74.1-81.9	57	11.3	08.4-14.2
Less Than H.S.	162	18,535	1	0.6	00.0-01.8	22	15.4	07.0-23.8	118	71.7	62.1-81.3	21	12.3	06.4-18.2
H.S. or G.E.D.	649	79,108				56	7.7	05.3-10.1	483	71.8	66.5-77.1	110	20.5	15.4-25.6
Some Post-H.S.	560	70,506				50	9.4	05.9-12.9	401	68.4	62.9-73.9	109	22.2	17.3-27.1
College Graduate	661	75,392				37	5.0	03.2-06.8	465	69.2	65.1-73.3	159	25.8	21.9-29.7
Less than \$15,000	109	11,856	1	0.9	00.0-02.7	14	8.6	03.1-14.1						
\$15,000- 24,999	255	30,973				29	12.0	06.3-17.7	186	69.7	61.7-77.7	40	18.3	11.6-25.0
\$25,000- 34,999	229	27,724				21	10.2	04.7-15.7	165	69.2	60.6-77.8	43	20.6	13.0-28.2
\$35,000- 49,999	383	43,137				35	10.3	06.0-14.6	280	71.1	65.2-77.0	68	18.6	13.5-23.7
\$50,000- 74,999	415	50,266				33	7.2	04.5-09.9	299	69.0	63.3-74.7	83	23.8	18.3-29.3
\$75,000+	490	59,975				21	4.6	01.9-07.3	346	69.4	64.5-74.3	123	26.0	21.3-30.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

TABLE 30: REPORTED HEIGHT IN INCHES (HTIN3).

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2973	244,153	222	6.3	05.1-07.5	2091	68.2	65.8-70.6	655	25.0	22.8-27.2	5	0.4	00.0-01.0
Non-Native	2864	229,724	209	5.9	04.9-06.9	2024	69.0	66.6-71.4	626	24.6	22.4-26.8	5	0.4	00.0-01.0
18-24	82	37,506	3	5.2	00.0-11.7							1	1.9	00.0-05.6
25-34	290	36,339	9	2.9	00.9-04.9	172	60.4	54.3-66.5	109	36.7	30.8-42.6			
35-44	380	36,940	12	3.3	01.3-05.3	250	67.9	63.0-72.8	116	28.3	23.6-33.0	2	0.5	00.0-01.3
45-54	607	45,896	23	3.3	01.9-04.7	426	68.5	64.6-72.4	157	28.1	24.2-32.0	1	0.1	00.0-00.3
55-64	556	31,902	32	5.2	03.4-07.0	413	76.4	72.7-80.1	110	18.3	15.0-21.6	1	0.2	00.0-00.6
65+	1023	53,622	141	14.9	12.5-17.3	750	72.4	69.5-75.3	132	12.7	10.5-14.9			
Less Than H.S.	218	17,740							25	16.4	06.8-26.0			
H.S. or G.E.D.	871	64,811	86	8.4	06.4-10.4	628	71.1	67.0-75.2	156	20.4	16.5-24.3	1	0.2	00.0-00.6
Some Post-H.S.	992	88,665	60	5.0	03.0-07.0	709	69.2	64.9-73.5	221	24.9	21.0-28.8	2	0.9	00.0-02.5
College Graduate	886	72,737	44	4.0	02.6-05.4	587	64.3	60.4-68.2	253	31.4	27.7-35.1	2	0.2	00.0-00.6
Less than \$15,000	265	18,132	33	12.9	05.3-20.5				45	23.5	13.7-33.3			
\$15,000- 24,999	486	37,052	48	9.2	03.7-14.7	354	70.2	63.1-77.3	84	20.6	14.9-26.3			
\$25,000- 34,999	374	26,499	26	6.3	03.8-08.8	268	72.7	67.2-78.2	80	21.0	15.9-26.1			
\$35,000- 49,999	438	36,834	25	5.5	03.1-07.9	305	72.3	66.8-77.8	107	22.0	17.1-26.9	1	0.2	00.0-00.6
\$50,000- 74,999	430	39,138	14	2.7	01.1-04.3	311	70.6	65.3-75.9	105	26.7	21.6-31.8			
\$75,000+	522	51,513	19	2.6	01.4-03.8	340	60.9	55.4-66.4	159	34.7	29.2-40.2	4	1.9	00.0-04.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

TABLE 31: REPORTED HEIGHT IN METERS (HTM3).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5007	488,332	223	3.2	02.6-03.8	2256	38.1	36.3-39.9	2124	47.5	45.5-49.5	404	11.2	09.8-12.6
Male	2034	244,179	1	0.0	00.0-00.0	165	7.9	06.3-09.5	1469	70.1	67.4-72.8	399	22.0	19.5-24.5
Female	2973	244,153	222	6.3	05.1-07.5	2091	68.2	65.8-70.6	655	25.0	22.8-27.2	5	0.4	00.0-01.0
Native	129	21,779	8	7.2	00.0-16.4									
Non-Native	4840	463,307	210	3.0	02.4-03.6	2185	38.3	36.5-40.1	2050	47.5	45.5-49.5	395	11.3	09.9-12.7
18-24	161	78,738	3	2.5	00.0-05.6	59	34.2	26.4-42.0	76	48.6	40.2-57.0	23	14.8	08.5-21.1
25-34	504	77,737	9	1.3	00.3-02.3	184	31.3	27.2-35.4	247	51.7	47.0-56.4	64	15.7	12.0-19.4
35-44	696	75,887	12	1.6	00.6-02.6	272	36.8	33.1-40.5	336	49.1	45.2-53.0	76	12.4	09.7-15.1
45-54	1072	92,044	23	1.7	00.9-02.5	459	37.3	34.4-40.2	492	51.1	48.0-54.2	98	10.0	08.0-12.0
55-64	993	67,535	32	2.4	01.6-03.2	450	41.0	37.7-44.3	427	45.6	42.3-48.9	84	11.0	08.6-13.4
65+	1537	93,510	142	8.7	07.1-10.3	803	46.0	43.3-48.7	535	40.5	37.8-43.2	57	4.8	03.4-06.2
Less Than H.S.	380	36,276	33	7.6	01.9-13.3	183	41.4	33.8-49.0	143	44.7	36.9-52.5	21	6.3	03.4-09.2
H.S. or G.E.D.	1520	143,918	86	3.8	02.8-04.8	684	36.2	33.1-39.3	639	48.6	45.1-52.1	111	11.4	08.5-14.3
Some Post-H.S.	1552	159,172	60	2.8	01.8-03.8	759	42.7	39.2-46.2	622	44.2	40.7-47.7	111	10.3	07.8-12.8
College Graduate	1547	148,129	44	2.0	01.4-02.6	624	34.1	31.4-36.8	718	50.7	47.8-53.6	161	13.3	11.1-15.5
Less than \$15,000	374	29,987	34	8.2	03.3-13.1	201	41.8	33.6-50.0	124	38.4	29.6-47.2	15	11.6	02.4-20.8
\$15,000- 24,999	741	68,025	48	5.0	01.9-08.1	383	43.7	38.2-49.2	270	42.9	37.4-48.4	40	8.3	05.2-11.4
\$25,000- 34,999	603	54,224	26	3.1	01.7-04.5	289	40.7	35.2-46.2	245	45.7	39.8-51.6	43	10.5	06.4-14.6
\$35,000- 49,999	821	79,971	25	2.5	01.3-03.7	340	38.8	34.1-43.5	387	48.5	43.8-53.2	69	10.1	07.2-13.0
\$50,000- 74,999	845	89,404	14	1.2	00.6-01.8	344	34.9	31.2-38.6	404	50.5	46.4-54.6	83	13.4	10.1-16.7
\$75,000+	1012	111,488	19	1.2	00.6-01.8	361	30.6	27.3-33.9	505	53.4	49.7-57.1	127	14.8	11.9-17.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

TABLE 32: REPORTED HEIGHT IN METERS (HTM3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2034	244,179	1	0.0	00.0-00.0	165	7.9	06.3-09.5	1469	70.1	67.4-72.8	399	22.0	19.5-24.5
Non-Native	1976	233,583	1	0.0	00.0-00.0	161	8.0	06.4-09.6	1424	70.0	67.3-72.7	390	21.9	19.4-24.4
18-24	79	41,232				6	8.4	01.9-14.9						
25-34	214	41,398				12	5.8	02.5-09.1	138	64.7	57.8-71.6	64	29.5	23.0-36.0
35-44	316	38,947				22	7.4	04.3-10.5	220	69.0	63.5-74.5	74	23.7	18.6-28.8
45-54	465	46,147				33	6.3	04.1-08.5	335	74.0	69.9-78.1	97	19.8	16.1-23.5
55-64	437	35,633				37	9.3	06.4-12.2	317	70.0	65.3-74.7	83	20.7	16.6-24.8
65+	514	39,889	1	0.3	00.0-00.9	53	10.4	07.5-13.3	403	78.0	74.1-81.9	57	11.3	08.4-14.2
Less Than H.S.	162	18,535	1	0.6	00.0-01.8	22	15.4	07.0-23.8	118	71.7	62.1-81.3	21	12.3	06.4-18.2
H.S. or G.E.D.	649	79,108				56	7.7	05.3-10.1	483	71.8	66.5-77.1	110	20.5	15.4-25.6
Some Post-H.S.	560	70,506				50	9.4	05.9-12.9	401	68.4	62.9-73.9	109	22.2	17.3-27.1
College Graduate	661	75,392				37	5.0	03.2-06.8	465	69.2	65.1-73.3	159	25.8	21.9-29.7
Less than \$15,000	109	11,856	1	0.9	00.0-02.7	14	8.6	03.1-14.1						
\$15,000- 24,999	255	30,973				29	12.0	06.3-17.7	186	69.7	61.7-77.7	40	18.3	11.6-25.0
\$25,000- 34,999	229	27,724				21	10.2	04.7-15.7	165	69.2	60.6-77.8	43	20.6	13.0-28.2
\$35,000- 49,999	383	43,137				35	10.3	06.0-14.6	280	71.1	65.2-77.0	68	18.6	13.5-23.7
\$50,000- 74,999	415	50,266				33	7.2	04.5-09.9	299	69.0	63.3-74.7	83	23.8	18.3-29.3
\$75,000+	490	59,975				21	4.6	01.9-07.3	346	69.4	64.5-74.3	123	26.0	21.3-30.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

TABLE 33: REPORTED HEIGHT IN METERS (HTM3).

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2973	244,153	222	6.3	05.1-07.5	2091	68.2	65.8-70.6	655	25.0	22.8-27.2	5	0.4	00.0-01.0
Non-Native	2864	229,724	209	5.9	04.9-06.9	2024	69.0	66.6-71.4	626	24.6	22.4-26.8	5	0.4	00.0-01.0
18-24	82	37,506	3	5.2	00.0-11.7							1	1.9	00.0-05.6
25-34	290	36,339	9	2.9	00.9-04.9	172	60.4	54.3-66.5	109	36.7	30.8-42.6			
35-44	380	36,940	12	3.3	01.3-05.3	250	67.9	63.0-72.8	116	28.3	23.6-33.0	2	0.5	00.0-01.3
45-54	607	45,896	23	3.3	01.9-04.7	426	68.5	64.6-72.4	157	28.1	24.2-32.0	1	0.1	00.0-00.3
55-64	556	31,902	32	5.2	03.4-07.0	413	76.4	72.7-80.1	110	18.3	15.0-21.6	1	0.2	00.0-00.6
65+	1023	53,622	141	14.9	12.5-17.3	750	72.4	69.5-75.3	132	12.7	10.5-14.9			
Less Than H.S.	218	17,740							25	16.4	06.8-26.0			
H.S. or G.E.D.	871	64,811	86	8.4	06.4-10.4	628	71.1	67.0-75.2	156	20.4	16.5-24.3	1	0.2	00.0-00.6
Some Post-H.S.	992	88,665	60	5.0	03.0-07.0	709	69.2	64.9-73.5	221	24.9	21.0-28.8	2	0.9	00.0-02.5
College Graduate	886	72,737	44	4.0	02.6-05.4	587	64.3	60.4-68.2	253	31.4	27.7-35.1	2	0.2	00.0-00.6
Less than \$15,000	265	18,132	33	12.9	05.3-20.5				45	23.5	13.7-33.3			
\$15,000- 24,999	486	37,052	48	9.2	03.7-14.7	354	70.2	63.1-77.3	84	20.6	14.9-26.3			
\$25,000- 34,999	374	26,499	26	6.3	03.8-08.8	268	72.7	67.2-78.2	80	21.0	15.9-26.1			
\$35,000- 49,999	438	36,834	25	5.5	03.1-07.9	305	72.3	66.8-77.8	107	22.0	17.1-26.9	1	0.2	00.0-00.6
\$50,000- 74,999	430	39,138	14	2.7	01.1-04.3	311	70.6	65.3-75.9	105	26.7	21.6-31.8			
\$75,000+	522	51,513	19	2.6	01.4-03.8	340	60.9	55.4-66.4	159	34.7	29.2-40.2	4	1.9	00.0-04.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

**TABLE 34: REPORTED WEIGHT IN KILOGRAMS (WTKG2).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4792	470,768	47	0.9	00.5-01.3	1403	27.3	25.5-29.1	2276	46.5	44.5-48.5	859	20.0	18.4-21.6	172	4.6	03.6-05.6	35	0.8	00.6-01.0
Male	2021	243,132	2	0.3	00.0-00.7	148	7.2	05.6-08.8	1046	51.8	48.9-54.7	656	32.0	29.3-34.7	141	7.5	05.9-09.1	28	1.3	00.7-01.9
Female	2771	227,636	45	1.5	00.9-02.1	1255	48.8	46.3-51.3	1230	40.9	38.5-43.3	203	7.1	05.9-08.3	31	1.6	00.8-02.4	7	0.2	00.0-00.4
Native	121	19,288	2	1.9	00.0-04.6										11	11.4	02.4-20.4	1	1.0	00.0-03.0
Non-Native	4634	448,159	44	0.8	00.4-01.2	1368	27.7	25.9-29.5	2201	46.7	44.7-48.7	827	19.6	18.0-21.2	160	4.3	03.3-05.3	34	0.7	00.5-00.9
18-24	158	77,001	4	1.7	00.0-03.5	63	38.8	30.6-47.0	57	37.0	28.8-45.2	24	16.2	09.7-22.7	10	6.3	02.0-10.6			
25-34	487	75,034	2	0.4	00.0-01.0	142	24.1	20.4-27.8	223	47.5	42.6-52.4	91	20.9	16.8-25.0	25	6.2	03.8-08.6	4	1.0	00.0-02.0
35-44	667	73,010	4	0.5	00.0-01.1	155	21.7	18.4-25.0	311	45.8	41.7-49.9	152	24.8	21.1-28.5	38	6.0	04.0-08.0	7	1.2	00.2-02.2
45-54	1016	88,207	8	0.7	00.3-01.1	270	23.8	21.1-26.5	469	47.5	44.2-50.8	224	23.3	20.4-26.2	34	3.6	02.2-05.0	11	1.1	00.3-01.9
55-64	942	64,513	6	0.5	00.1-00.9	221	19.9	17.4-22.4	478	51.2	47.7-54.7	186	22.2	19.3-25.1	41	4.9	03.3-06.5	10	1.2	00.4-02.0
65+	1494	91,013	23	1.3	00.7-01.9	538	33.0	30.5-35.5	726	50.0	47.3-52.7	181	14.0	12.0-16.0	23	1.5	00.9-02.1	3	0.2	00.0-00.4
Less Than H.S.	372	35,605	2	0.2	00.0-00.6	113	32.1	23.9-40.3	186	48.3	40.5-56.1	63	17.0	12.1-21.9	7	1.9	00.5-03.3	1	0.4	00.0-01.2
H.S. or G.E.D.	1432	137,858	22	1.5	00.5-02.5	404	25.5	22.4-28.6	684	45.4	41.7-49.1	251	20.7	17.4-24.0	61	6.3	04.1-08.5	10	0.6	00.2-01.0
Some Post-H.S.	1479	152,299	15	0.8	00.4-01.2	453	29.4	25.9-32.9	676	45.5	42.0-49.0	265	19.1	16.4-21.8	55	4.3	02.7-05.9	15	0.9	00.3-01.5
College Graduate	1503	144,233	8	0.6	00.0-01.2	430	25.7	23.2-28.2	729	48.4	45.5-51.3	278	20.5	18.0-23.0	49	4.0	02.6-05.4	9	0.9	00.3-01.5
Less than \$15,000	355	28,580	6	1.9	00.0-03.9	129	29.1	21.7-36.5	162	41.8	32.8-50.8	47	19.4	10.0-28.8	9	7.5	00.8-14.2	2	0.4	00.0-01.0
\$15,000- 24,999	706	63,806	13	1.9	00.5-03.3	235	30.7	25.4-36.0	327	45.0	39.5-50.5	107	19.1	14.2-24.0	20	2.7	01.3-04.1	4	0.5	00.0-01.1
\$25,000- 34,999	575	51,913	3	0.5	00.0-01.1	162	25.3	20.6-30.0	282	49.7	43.8-55.6	87	15.5	11.2-19.8	33	7.4	03.7-11.1	8	1.5	00.3-02.7
\$35,000- 49,999	792	77,870	6	0.6	00.0-01.2	188	26.6	21.7-31.5	398	47.0	42.3-51.7	165	20.6	17.3-23.9	31	4.7	02.5-06.9	4	0.4	00.0-00.8
\$50,000- 74,999	822	87,102	6	0.5	00.1-00.9	212	23.5	20.0-27.0	386	45.7	41.6-49.8	180	24.1	20.4-27.8	30	4.9	02.7-07.1	8	1.3	00.3-02.3
\$75,000+	993	109,890	6	0.4	00.0-00.8	242	22.9	19.8-26.0	489	49.6	45.7-53.5	213	22.5	19.4-25.6	37	4.0	02.6-05.4	6	0.6	00.0-01.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

TABLE 35: REPORTED WEIGHT IN KILOGRAMS (WTKG2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2021	243,132	2	0.3	00.0-00.7	148	7.2	05.6-08.8	1046	51.8	48.9-54.7	656	32.0	29.3-34.7	141	7.5	05.9-09.1	28	1.3	00.7-01.9
Non-Native	1963	232,321	1	0.2	00.0-00.6	145	7.5	05.9-09.1	1024	52.4	49.5-55.3	631	31.2	28.7-33.7	135	7.4	05.8-09.0	27	1.3	00.7-01.9
18-24	80	41,872	1	1.3	00.0-03.8	11	12.4	05.3-19.5						7	8.5	01.8-15.2				
25-34	210	40,726				7	3.2	00.8-05.6	111	53.3	46.0-60.6	67	31.6	24.9-38.3	21	10.0	05.9-14.1	4	1.9	00.0-03.9
35-44	315	38,883	1	0.5	00.0-01.5	13	3.9	01.7-06.1	145	44.8	38.9-50.7	120	39.5	33.6-45.4	31	9.3	06.0-12.6	5	2.0	00.2-03.8
45-54	460	45,681				29	5.3	03.1-07.5	224	50.4	45.5-55.3	166	35.9	31.2-40.6	32	6.8	04.4-09.2	9	1.7	00.5-02.9
55-64	435	35,455				29	5.3	03.1-07.5	218	50.8	45.9-55.7	145	34.2	29.5-38.9	35	7.8	05.3-10.3	8	2.0	00.6-03.4
65+	513	39,738				58	12.7	09.4-16.0	301	58.6	54.1-63.1	137	25.8	21.9-29.7	15	2.6	01.2-04.0	2	0.3	00.0-00.7
Less Than H.S.	161	18,753				21	14.4	06.2-22.6				50	27.9	19.5-36.3	6	3.1	00.6-05.6	1	0.8	00.0-02.4
H.S. or G.E.D.	644	78,816	2	0.9	00.0-02.3	47	7.0	04.5-09.5	329	49.3	43.8-54.8	202	31.8	26.5-37.1	56	10.2	06.7-13.7	8	0.8	00.2-01.4
Some Post-H.S.	558	70,307				41	8.3	05.0-11.6	270	51.4	45.9-56.9	196	32.0	27.1-36.9	40	6.8	04.3-09.3	11	1.6	00.6-02.6
College Graduate	656	74,619				39	4.6	03.0-06.2	364	54.7	50.2-59.2	206	32.6	28.3-36.9	39	6.5	04.0-09.0	8	1.6	00.4-02.8
Less than \$15,000	108	11,760				22	14.2	06.2-22.2						7	10.4	00.4-20.4	1	0.4	00.0-01.2	
\$15,000- 24,999	251	30,474	1	0.6	00.0-01.8	32	13.8	07.3-20.3	131	49.4	40.6-58.2	69	30.8	22.2-39.4	15	4.4	01.9-06.9	3	0.9	00.0-02.1
\$25,000- 34,999	226	27,454				21	8.1	04.2-12.0	116	56.2	47.0-65.4	62	23.5	16.2-30.8	21	9.7	03.4-16.0	6	2.5	00.3-04.7
\$35,000- 49,999	380	42,848				31	9.3	05.2-13.4	195	51.3	45.0-57.6	125	31.3	25.8-36.8	27	7.8	04.1-11.5	2	0.4	00.0-01.0
\$50,000- 74,999	414	49,992				16	3.4	01.4-05.4	216	50.0	44.1-55.9	146	36.3	30.6-42.0	28	7.9	04.2-11.6	8	2.3	00.5-04.1
\$75,000+	488	59,730				15	2.3	01.1-03.5	252	53.5	48.2-58.8	182	36.3	31.4-41.2	33	6.8	04.4-09.2	6	1.1	00.1-02.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

TABLE 36: REPORTED WEIGHT IN KILOGRAMS (WTKG2).

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2771	227,636	45	1.5	00.9-02.1	1255	48.8	46.3-51.3	1230	40.9	38.5-43.3	203	7.1	05.9-08.3	31	1.6	00.8-02.4	7	0.2	00.0-00.4
Native	80	10,318	1	1.7	00.0-05.0							7	7.5	01.2-13.8						
Non-Native	2671	215,838	43	1.5	00.9-02.1	1223	49.6	47.1-52.1	1177	40.6	38.2-43.0	196	7.1	05.9-08.3	25	1.0	00.4-01.6	7	0.2	00.0-00.4
18-24	78	35,129	3	2.3	00.0-04.8				16	18.8	09.8-27.8	4	5.0	00.1-09.9	3	3.8	00.0-08.7			
25-34	277	34,308	2	0.8	00.0-02.0	135	48.9	42.6-55.2	112	40.5	34.4-46.6	24	8.2	04.9-11.5	4	1.6	00.0-03.2			
35-44	352	34,127	3	0.6	00.0-01.4	142	41.9	36.4-47.4	166	46.9	41.2-52.6	32	8.2	05.3-11.1	7	2.2	00.4-04.0	2	0.3	00.0-00.7
45-54	556	42,526	8	1.4	00.4-02.4	241	43.8	39.5-48.1	245	44.4	40.1-48.7	58	9.7	07.2-12.2	2	0.3	00.0-00.7	2	0.4	00.0-01.0
55-64	507	29,058	6	1.2	00.2-02.2	192	37.7	33.2-42.2	260	51.7	47.0-56.4	41	7.7	05.3-10.1	6	1.3	00.1-02.5	2	0.4	00.0-01.0
65+	981	51,274	23	2.4	01.4-03.4	480	48.7	45.4-52.0	425	43.3	40.0-46.6	44	4.8	03.2-06.4	8	0.7	00.3-01.1	1	0.1	00.0-00.3
Less Than H.S.	211	16,852	2	0.5	00.0-01.3							13	4.9	02.0-07.8	1	0.6	00.0-01.8			
H.S. or G.E.D.	788	59,042	20	2.3	01.1-03.5	357	50.2	45.5-54.9	355	40.2	35.7-44.7	49	6.0	04.0-08.0	5	1.0	00.0-02.2	2	0.3	00.0-00.7
Some Post-H.S.	921	81,992	15	1.4	00.6-02.2	412	47.4	42.7-52.1	406	40.6	36.1-45.1	69	8.1	05.6-10.6	15	2.2	00.2-04.2	4	0.2	00.0-00.4
College Graduate	847	69,614	8	1.2	00.0-02.4	391	48.3	44.4-52.2	365	41.5	37.6-45.4	72	7.4	05.6-09.2	10	1.4	00.4-02.4	1	0.1	00.0-00.3
Less than \$15,000	247	16,821	6	3.2	00.0-06.5	107	39.4	29.6-49.2	111	38.6	29.6-47.6	20	13.0	05.4-20.6	2	5.4	00.0-14.2	1	0.3	00.0-00.9
\$15,000- 24,999	455	33,331	12	3.1	00.6-05.6	203	46.1	39.0-53.2	196	41.0	34.3-47.7	38	8.4	05.1-11.7	5	1.2	00.0-02.4	1	0.1	00.0-00.3
\$25,000- 34,999	349	24,460	3	1.0	00.0-02.2	141	44.7	37.8-51.6	166	42.5	36.0-49.0	25	6.6	03.1-10.1	12	4.8	01.3-08.3	2	0.5	00.0-01.1
\$35,000- 49,999	412	35,022	6	1.3	00.1-02.5	157	47.8	40.5-55.1	203	41.8	35.3-48.3	40	7.6	05.1-10.1	4	0.9	00.0-01.9	2	0.5	00.0-01.3
\$50,000- 74,999	408	37,110	6	1.2	00.2-02.2	196	50.5	44.6-56.4	170	39.7	34.2-45.2	34	7.7	05.0-10.4	2	0.8	00.0-02.0			
\$75,000+	505	50,159	6	0.9	00.1-01.7	227	47.4	41.9-52.9	237	45.0	39.5-50.5	31	6.0	03.3-08.7	4	0.7	00.0-01.5			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

**TABLE 37: BODY MASS INDEX (kilograms per meter-squared) (_BMI4).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4783	469,271	37	0.6	00.4-00.8	1451	32.0	30.0-34.0	1918	39.7	37.7-41.7	945	18.7	17.3-20.1	432	9.0	07.8-10.2
Male	2018	242,163	6	0.2	00.0-00.4	422	22.2	19.7-24.7	938	46.4	43.5-49.3	455	21.8	19.4-24.2	197	9.5	07.9-11.1
Female	2765	227,108	31	1.1	00.5-01.7	1029	42.4	39.7-45.1	980	32.5	30.1-34.9	490	15.4	13.8-17.0	235	8.6	07.0-10.2
Native	120	18,923	3	1.9	00.0-04.3										21	15.8	06.2-25.4
Non-Native	4627	447,198	34	0.6	00.4-00.8	1417	32.7	30.7-34.7	1863	39.6	37.6-41.6	906	18.4	17.0-19.8	407	8.8	07.8-09.8
18-24	156	76,086	2	0.8	00.0-02.0	81	49.3	40.9-57.7	45	31.5	23.3-39.7	15	10.3	05.0-15.6	13	8.1	03.6-12.6
25-34	487	75,034	3	0.6	00.0-01.2	177	33.3	28.8-37.8	177	38.8	34.1-43.5	83	18.0	14.3-21.7	47	9.4	06.7-12.1
35-44	665	72,813	4	0.7	00.1-01.3	185	26.5	23.0-30.0	265	40.2	36.3-44.1	140	22.1	18.6-25.6	71	10.6	08.1-13.1
45-54	1016	88,207	5	0.4	00.0-00.8	290	27.2	24.3-30.1	400	41.2	37.9-44.5	218	21.5	18.8-24.2	103	9.8	07.8-11.8
55-64	942	64,513	6	0.6	00.2-01.0	234	22.5	19.8-25.2	392	43.2	39.9-46.5	211	22.8	19.9-25.7	99	10.9	08.7-13.1
65+	1489	90,627	16	0.9	00.5-01.3	474	32.1	29.6-34.6	626	42.6	39.9-45.3	275	18.1	15.9-20.3	98	6.3	04.9-07.7
Less Than H.S.	369	35,142	5	0.6	00.0-01.2	102	33.1	25.1-41.1	149	41.7	33.7-49.7	76	16.2	11.9-20.5	37	8.4	05.5-11.3
H.S. or G.E.D.	1428	137,031	14	0.8	00.2-01.4	392	28.9	25.6-32.2	585	40.0	36.3-43.7	297	20.3	17.4-23.2	140	10.0	07.8-12.2
Some Post-H.S.	1478	152,241	11	0.6	00.2-01.0	459	33.4	29.7-37.1	570	37.7	34.4-41.0	295	18.4	15.9-20.9	143	9.9	07.7-12.1
College Graduate	1502	144,085	7	0.5	00.0-01.1	496	33.1	30.2-36.0	612	41.2	38.3-44.1	275	17.7	15.3-20.1	112	7.5	05.7-09.3
Less than \$15,000	355	28,580	7	2.0	00.0-04.0	113	29.5	21.9-37.1	121	33.9	24.1-43.7	78	21.5	14.8-28.2	36	13.0	06.3-19.7
\$15,000- 24,999	704	63,714	11	1.6	00.2-03.0	207	30.7	25.6-35.8	272	37.7	32.2-43.2	146	21.0	16.5-25.5	68	9.0	06.3-11.7
\$25,000- 34,999	574	51,855	5	0.6	00.0-01.2	179	33.6	27.9-39.3	214	36.6	30.9-42.3	103	18.2	13.3-23.1	73	11.1	08.0-14.2
\$35,000- 49,999	792	77,870	2	0.1	00.0-00.3	206	30.9	25.8-36.0	336	39.7	35.4-44.0	171	19.7	16.4-23.0	77	9.6	07.1-12.1
\$50,000- 74,999	822	87,102	6	0.6	00.0-01.2	238	28.5	24.6-32.4	339	43.0	38.9-47.1	166	18.4	15.5-21.3	73	9.4	06.9-11.9
\$75,000+	992	109,742	5	0.4	00.0-00.8	298	30.9	27.2-34.6	434	43.1	39.4-46.8	187	18.1	15.2-21.0	68	7.5	05.3-09.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

TABLE 38: BODY MASS INDEX (kilograms per meter-squared) (_BMI4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2018	242,163	6	0.2	00.0-00.4	422	22.2	19.7-24.7	938	46.4	43.5-49.3	455	21.8	19.4-24.2	197	9.5	07.9-11.1
Non-Native	1961	231,717	4	0.1	00.0-00.3	411	22.4	19.9-24.9	921	46.7	43.8-49.6	439	21.5	19.1-23.9	186	9.3	07.7-10.9
18-24	78	40,957										12	16.5	07.5-25.5	5	6.3	00.6-12.0
25-34	210	40,726				50	23.3	17.2-29.4	93	45.5	38.2-52.8	45	20.7	15.0-26.4	22	10.5	06.2-14.8
35-44	315	38,883	2	0.7	00.0-01.7	56	16.5	12.4-20.6	141	45.4	39.5-51.3	76	24.5	19.4-29.6	40	12.8	08.7-16.9
45-54	460	45,681	1	0.1	00.0-00.3	78	16.1	12.4-19.8	214	47.5	42.6-52.4	120	26.6	22.3-30.9	47	9.8	06.9-12.7
55-64	435	35,455	1	0.1	00.0-00.3	77	16.4	12.9-19.9	203	47.6	42.7-52.5	101	23.2	19.1-27.3	53	12.7	09.4-16.0
65+	512	39,683	2	0.3	00.0-00.7	130	26.9	22.6-31.2	251	48.7	44.0-53.4	99	18.7	15.2-22.2	30	5.4	03.4-07.4
Less Than H.S.	159	18,332	1	0.3	00.0-00.9							32	17.1	10.4-23.8	14	8.1	03.8-12.4
H.S. or G.E.D.	643	78,267	3	0.4	00.0-01.0	127	19.9	15.8-24.0	278	43.9	38.4-49.4	157	23.5	19.0-28.0	78	12.3	09.0-15.6
Some Post-H.S.	558	70,307				110	24.0	18.5-29.5	256	45.4	39.9-50.9	134	21.9	17.8-26.0	58	8.7	06.2-11.2
College Graduate	656	74,619	2	0.1	00.0-00.3	143	21.3	17.6-25.0	334	50.6	46.1-55.1	130	20.3	16.6-24.0	47	7.6	04.9-10.3
Less than \$15,000	108	11,760	2	1.3	00.0-03.3										11	9.2	02.9-15.5
\$15,000- 24,999	251	30,474	2	0.8	00.0-02.0	65	28.0	20.2-35.8	110	40.2	31.6-48.8	52	22.8	15.0-30.6	22	8.3	03.8-12.8
\$25,000- 34,999	226	27,454	1	0.2	00.0-00.6	61	30.1	21.3-38.9	87	38.5	29.5-47.5	52	23.3	14.9-31.7	25	7.9	04.6-11.2
\$35,000- 49,999	380	42,848				77	23.6	17.3-29.9	178	43.8	37.7-49.9	85	21.7	17.0-26.4	40	11.0	06.9-15.1
\$50,000- 74,999	414	49,992				70	17.5	12.8-22.2	212	51.3	45.4-57.2	89	20.0	15.7-24.3	43	11.2	07.1-15.3
\$75,000+	488	59,730	1	0.1	00.0-00.3	78	16.2	12.1-20.3	249	51.8	46.5-57.1	124	24.5	20.0-29.0	36	7.4	04.9-09.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

TABLE 39: BODY MASS INDEX (kilograms per meter-squared) (_BMI4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2765	227,108	31	1.1	00.5-01.7	1029	42.4	39.7-45.1	980	32.5	30.1-34.9	490	15.4	13.8-17.0	235	8.6	07.0-10.2
Native	80	10,318	1	1.2	00.0-03.6												
Non-Native	2666	215,481	30	1.1	00.5-01.7	1006	43.7	41.0-46.4	942	31.9	29.7-34.1	467	15.0	13.4-16.6	221	8.2	06.8-09.6
18-24	78	35,129	2	1.8	00.0-04.3				13	17.3	07.9-26.7	3	3.0	00.0-06.7	8	10.3	03.0-17.6
25-34	277	34,308	3	1.3	00.0-02.7	127	45.0	38.9-51.1	84	30.9	25.2-36.6	38	14.8	10.1-19.5	25	8.1	05.0-11.2
35-44	350	33,929	2	0.6	00.0-01.4	129	38.0	32.5-43.5	124	34.2	28.9-39.5	64	19.3	14.6-24.0	31	8.0	05.1-10.9
45-54	556	42,526	4	0.6	00.0-01.2	212	39.1	34.8-43.4	186	34.5	30.2-38.8	98	15.9	12.8-19.0	56	9.9	07.2-12.6
55-64	507	29,058	5	1.1	00.1-02.1	157	30.0	25.7-34.3	189	37.8	33.3-42.3	110	22.4	18.5-26.3	46	8.7	06.2-11.2
65+	977	50,944	14	1.4	00.6-02.2	344	36.1	32.8-39.4	375	37.7	34.4-41.0	176	17.7	15.2-20.2	68	7.1	05.3-08.9
Less Than H.S.	210	16,809	4	1.0	00.0-02.0							44	15.2	09.9-20.5	23	8.7	04.6-12.8
H.S. or G.E.D.	785	58,763	11	1.4	00.4-02.4	265	40.8	35.9-45.7	307	34.7	30.4-39.0	140	16.1	13.0-19.2	62	6.9	04.7-09.1
Some Post-H.S.	920	81,934	11	1.1	00.3-01.9	349	41.5	36.6-46.4	314	31.1	27.2-35.0	161	15.5	12.8-18.2	85	10.8	07.5-14.1
College Graduate	846	69,466	5	0.9	00.0-02.1	353	45.8	41.7-49.9	278	31.0	27.5-34.5	145	14.8	12.3-17.3	65	7.4	05.4-09.4
Less than \$15,000	247	16,821	5	2.6	00.0-05.7	78	32.5	22.7-42.3	84	26.9	19.6-34.2	55	22.4	14.8-30.0			
\$15,000- 24,999	453	33,239	9	2.3	00.0-04.7	142	33.2	26.5-39.9	162	35.5	28.4-42.6	94	19.3	14.2-24.4	46	9.7	06.4-13.0
\$25,000- 34,999	348	24,401	4	1.0	00.0-02.0	118	37.4	30.7-44.1	127	34.4	28.1-40.7	51	12.4	08.7-16.1	48	14.8	09.7-19.9
\$35,000- 49,999	412	35,022	2	0.3	00.0-00.7	129	39.9	32.3-47.5	158	34.6	28.5-40.7	86	17.3	13.2-21.4	37	7.9	05.2-10.6
\$50,000- 74,999	408	37,110	6	1.5	00.1-02.9	168	43.4	37.3-49.5	127	31.9	26.4-37.4	77	16.3	12.6-20.0	30	6.9	04.4-09.4
\$75,000+	504	50,011	4	0.8	00.0-01.6	220	48.4	42.9-53.9	185	32.7	27.8-37.6	63	10.6	07.9-13.3	32	7.6	04.3-10.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

**TABLE 40: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Overweight or Obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4783	469,271	1488	32.6	30.6-34.6	1916	39.6	37.6-41.6	1379	27.8	26.0-29.6
Male	2018	242,163	428	22.4	19.9-24.9	938	46.4	43.5-49.3	652	31.2	28.7-33.7
Female	2765	227,108	1060	43.5	41.0-46.0	978	32.4	30.0-34.8	727	24.1	22.1-26.1
Non-Native	4627	447,198	1451	33.3	31.3-35.3	1861	39.6	37.6-41.6	1315	27.2	25.6-28.8
18-24	156	76,086	83	50.1	41.7-58.5	45	31.5	23.3-39.7	28	18.4	11.7-25.1
25-34	487	75,034	180	33.8	29.3-38.3	177	38.8	34.1-43.5	130	27.4	23.1-31.7
35-44	665	72,813	189	27.2	23.7-30.7	263	39.9	36.0-43.8	213	32.9	29.0-36.8
45-54	1016	88,207	295	27.5	24.6-30.4	400	41.2	37.9-44.5	321	31.3	28.2-34.4
55-64	942	64,513	240	23.1	20.4-25.8	392	43.2	39.9-46.5	310	33.7	30.4-37.0
65+	1489	90,627	490	33.0	30.5-35.5	626	42.6	39.9-45.3	373	24.5	22.1-26.9
Less Than H.S.	369	35,142	107	33.7	25.9-41.5	149	41.7	33.7-49.7	113	24.6	19.3-29.9
H.S. or G.E.D.	1428	137,031	406	29.7	26.4-33.0	583	39.8	36.1-43.5	439	30.5	27.2-33.8
Some Post-H.S.	1478	152,241	470	34.0	30.3-37.7	570	37.7	34.4-41.0	438	28.3	25.2-31.4
College Graduate	1502	144,085	503	33.7	30.8-36.6	612	41.2	38.3-44.1	387	25.2	22.5-27.9
Less than \$15,000	355	28,580	120	31.5	23.7-39.3	121	33.9	24.1-43.7	114	34.5	25.9-43.1
\$15,000- 24,999	704	63,714	218	32.3	27.0-37.6	271	37.6	32.1-43.1	215	30.1	25.0-35.2
\$25,000- 34,999	574	51,855	184	34.1	28.4-39.8	214	36.6	30.9-42.3	176	29.3	24.0-34.6
\$35,000- 49,999	792	77,870	208	31.0	25.9-36.1	336	39.7	35.4-44.0	248	29.3	25.4-33.2
\$50,000- 74,999	822	87,102	244	29.2	25.3-33.1	338	42.9	38.8-47.0	240	27.9	24.4-31.4
\$75,000+	992	109,742	303	31.3	27.6-35.0	434	43.1	39.4-46.8	255	25.6	22.3-28.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

TABLE 41: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Overweight or Obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2018	242,163	428	22.4	19.9-24.9	938	46.4	43.5-49.3	652	31.2	28.7-33.7
Non-Native	1961	231,717	415	22.5	20.0-25.0	921	46.7	43.8-49.6	625	30.8	28.3-33.3
18-24	78	40,957							17	22.8	12.8-32.8
25-34	210	40,726	50	23.3	17.2-29.4	93	45.5	38.2-52.8	67	31.2	24.7-37.7
35-44	315	38,883	58	17.3	13.0-21.6	141	45.4	39.5-51.3	116	37.3	31.6-43.0
45-54	460	45,681	79	16.2	12.5-19.9	214	47.5	42.6-52.4	167	36.4	31.7-41.1
55-64	435	35,455	78	16.5	13.0-20.0	203	47.6	42.7-52.5	154	35.9	31.2-40.6
65+	512	39,683	132	27.2	22.9-31.5	251	48.7	44.0-53.4	129	24.1	20.2-28.0
Less Than H.S.	159	18,332							46	25.3	17.5-33.1
H.S. or G.E.D.	643	78,267	130	20.4	16.3-24.5	278	43.9	38.4-49.4	235	35.8	30.7-40.9
Some Post-H.S.	558	70,307	110	24.0	18.5-29.5	256	45.4	39.9-50.9	192	30.6	25.9-35.3
College Graduate	656	74,619	145	21.5	17.8-25.2	334	50.6	46.1-55.1	177	27.9	23.6-32.2
\$15,000- 24,999	251	30,474	67	28.8	20.8-36.8	110	40.2	31.6-48.8	74	31.1	22.7-39.5
\$25,000- 34,999	226	27,454	62	30.3	21.5-39.1	87	38.5	29.5-47.5	77	31.2	22.6-39.8
\$35,000- 49,999	380	42,848	77	23.6	17.3-29.9	178	43.8	37.7-49.9	125	32.7	27.0-38.4
\$50,000- 74,999	414	49,992	70	17.5	12.8-22.2	212	51.3	45.4-57.2	132	31.2	25.9-36.5
\$75,000+	488	59,730	79	16.3	12.2-20.4	249	51.8	46.5-57.1	160	31.9	27.0-36.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

TABLE 42: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Overweight or Obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2765	227,108	1060	43.5	41.0-46.0	978	32.4	30.0-34.8	727	24.1	22.1-26.1
Non-Native	2666	215,481	1036	44.8	42.1-47.5	940	31.9	29.7-34.1	690	23.3	21.3-25.3
18-24	78	35,129				13	17.3	07.9-26.7	11	13.3	05.5-21.1
25-34	277	34,308	130	46.3	40.0-52.6	84	30.9	25.2-36.6	63	22.9	17.6-28.2
35-44	350	33,929	131	38.5	33.0-44.0	122	33.6	28.3-38.9	97	27.9	22.8-33.0
45-54	556	42,526	216	39.7	35.4-44.0	186	34.5	30.2-38.8	154	25.8	22.1-29.5
55-64	507	29,058	162	31.1	26.8-35.4	189	37.8	33.3-42.3	156	31.1	26.8-35.4
65+	977	50,944	358	37.5	34.2-40.8	375	37.7	34.4-41.0	244	24.8	21.9-27.7
Less Than H.S.	210	16,809							67	23.9	16.6-31.2
H.S. or G.E.D.	785	58,763	276	42.2	37.3-47.1	305	34.4	30.3-38.5	204	23.4	19.7-27.1
Some Post-H.S.	920	81,934	360	42.7	37.8-47.6	314	31.1	27.2-35.0	246	26.3	22.2-30.4
College Graduate	846	69,466	358	46.8	42.7-50.9	278	31.0	27.5-34.5	210	22.2	19.1-25.3
Less than \$15,000	247	16,821	83	35.1	25.3-44.9	84	26.9	19.6-34.2			
\$15,000- 24,999	453	33,239	151	35.5	28.6-42.4	161	35.2	28.1-42.3	141	29.3	23.4-35.2
\$25,000- 34,999	348	24,401	122	38.4	31.7-45.1	127	34.4	28.1-40.7	99	27.2	21.3-33.1
\$35,000- 49,999	412	35,022	131	40.2	32.6-47.8	158	34.6	28.5-40.7	123	25.2	20.1-30.3
\$50,000- 74,999	408	37,110	174	44.9	38.8-51.0	126	31.6	26.1-37.1	108	23.5	19.0-28.0
\$75,000+	504	50,011	224	49.1	43.6-54.6	185	32.7	27.8-37.6	95	18.1	14.0-22.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

TABLE 43: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4783	469,271	1488	32.6	30.6-34.6	3295	67.4	65.4-69.4
Male	2018	242,163	428	22.4	19.9-24.9	1590	77.6	75.1-80.1
Female	2765	227,108	1060	43.5	41.0-46.0	1705	56.5	54.0-59.0
Non-Native	4627	447,198	1451	33.3	31.3-35.3	3176	66.7	64.7-68.7
18-24	156	76,086	83	50.1	41.7-58.5	73	49.9	41.5-58.3
25-34	487	75,034	180	33.8	29.3-38.3	307	66.2	61.7-70.7
35-44	665	72,813	189	27.2	23.7-30.7	476	72.8	69.3-76.3
45-54	1016	88,207	295	27.5	24.6-30.4	721	72.5	69.6-75.4
55-64	942	64,513	240	23.1	20.4-25.8	702	76.9	74.2-79.6
65+	1489	90,627	490	33.0	30.5-35.5	999	67.0	64.5-69.5
Less Than H.S.	369	35,142	107	33.7	25.9-41.5	262	66.3	58.5-74.1
H.S. or G.E.D.	1428	137,031	406	29.7	26.4-33.0	1022	70.3	67.0-73.6
Some Post-H.S.	1478	152,241	470	34.0	30.3-37.7	1008	66.0	62.3-69.7
College Graduate	1502	144,085	503	33.7	30.8-36.6	999	66.3	63.4-69.2
Less than \$15,000	355	28,580	120	31.5	23.7-39.3	235	68.5	60.7-76.3
\$15,000- 24,999	704	63,714	218	32.3	27.0-37.6	486	67.7	62.4-73.0
\$25,000- 34,999	574	51,855	184	34.1	28.4-39.8	390	65.9	60.2-71.6
\$35,000- 49,999	792	77,870	208	31.0	25.9-36.1	584	69.0	63.9-74.1
\$50,000- 74,999	822	87,102	244	29.2	25.3-33.1	578	70.8	66.9-74.7
\$75,000+	992	109,742	303	31.3	27.6-35.0	689	68.7	65.0-72.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2018	242,163	428	22.4	19.9-24.9	1590	77.6	75.1-80.1
Non-Native	1961	231,717	415	22.5	20.0-25.0	1546	77.5	75.0-80.0
25-34	210	40,726	50	23.3	17.2-29.4	160	76.7	70.6-82.8
35-44	315	38,883	58	17.3	13.0-21.6	257	82.7	78.4-87.0
45-54	460	45,681	79	16.2	12.5-19.9	381	83.8	80.1-87.5
55-64	435	35,455	78	16.5	13.0-20.0	357	83.5	80.0-87.0
65+	512	39,683	132	27.2	22.9-31.5	380	72.8	68.5-77.1
H.S. or G.E.D.	643	78,267	130	20.4	16.3-24.5	513	79.6	75.5-83.7
Some Post-H.S.	558	70,307	110	24.0	18.5-29.5	448	76.0	70.5-81.5
College Graduate	656	74,619	145	21.5	17.8-25.2	511	78.5	74.8-82.2
\$15,000- 24,999	251	30,474	67	28.8	20.8-36.8	184	71.2	63.2-79.2
\$25,000- 34,999	226	27,454	62	30.3	21.5-39.1	164	69.7	60.9-78.5
\$35,000- 49,999	380	42,848	77	23.6	17.3-29.9	303	76.4	70.1-82.7
\$50,000- 74,999	414	49,992	70	17.5	12.8-22.2	344	82.5	77.8-87.2
\$75,000+	488	59,730	79	16.3	12.2-20.4	409	83.7	79.6-87.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 12: DEMOGRAPHICS**

TABLE 45: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2765	227,108	1060	43.5	41.0-46.0	1705	56.5	54.0-59.0	
Non-Native	2666	215,481	1036	44.8	42.1-47.5	1630	55.2	52.5-57.9	
25-34	277	34,308	130	46.3	40.0-52.6	147	53.7	47.4-60.0	
35-44	350	33,929	131	38.5	33.0-44.0	219	61.5	56.0-67.0	
45-54	556	42,526	216	39.7	35.4-44.0	340	60.3	56.0-64.6	
55-64	507	29,058	162	31.1	26.8-35.4	345	68.9	64.6-73.2	
65+	977	50,944	358	37.5	34.2-40.8	619	62.5	59.2-65.8	
H.S. or G.E.D.	785	58,763	276	42.2	37.3-47.1	509	57.8	52.9-62.7	
Some Post-H.S.	920	81,934	360	42.7	37.8-47.6	560	57.3	52.4-62.2	
College Graduate	846	69,466	358	46.8	42.7-50.9	488	53.2	49.1-57.3	
Less than \$15,000	247	16,821	83	35.1	25.3-44.9	164	64.9	55.1-74.7	
\$15,000- 24,999	453	33,239	151	35.5	28.6-42.4	302	64.5	57.6-71.4	
\$25,000- 34,999	348	24,401	122	38.4	31.7-45.1	226	61.6	54.9-68.3	
\$35,000- 49,999	412	35,022	131	40.2	32.6-47.8	281	59.8	52.2-67.4	
\$50,000- 74,999	408	37,110	174	44.9	38.8-51.0	234	55.1	49.0-61.2	
\$75,000+	504	50,011	224	49.1	43.6-54.6	280	50.9	45.4-56.4	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008**

SECTION 13: ALCOHOL CONSUMPTION CONTENTS

*** NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
DRINK-OCCASIONS-PER-DAY (DROCDY2_)	
1 MALES AND FEMALES	87
2 MALES ONLY	88
3 FEMALES ONLY	89
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)	
4 MALES AND FEMALES	90
5 MALES ONLY	91
6 FEMALES ONLY	92
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)	
7 MALES AND FEMALES	93
8 MALES ONLY	94
9 FEMALES ONLY	95
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)	
10 MALES AND FEMALES	96
11 MALES ONLY	97
12 FEMALES ONLY	98
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)	
13 MALES AND FEMALES	99
14 MALES ONLY	100
15 FEMALES ONLY	101

SECTION 13: ALCOHOL CONSUMPTION CONTENTS

*** NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
ADULT MEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN3)	
16 MALES ONLY	102

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008

SECTION 13: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
17	ADULT WOMEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM3) FEMALES ONLY	103

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 1: DRINK-OCCASIONS-PER-DAY (DROCDY2_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4945	482,707	1805	37.5	35.7-39.3	563	12.7	11.5-13.9	148	3.4	02.6-04.2	197	3.5	02.9-04.1	2232	42.9	40.9-44.9
Male	1995	240,486	753	37.1	34.4-39.8	314	16.7	14.5-18.9	97	5.2	03.8-06.6	135	5.5	04.3-06.7	696	35.6	32.7-38.5
Female	2950	242,220	1052	37.8	35.4-40.2	249	8.7	07.5-09.9	51	1.6	01.0-02.2	62	1.6	01.0-02.2	1536	50.3	47.8-52.8
Native	127	21,831				5	2.9	00.2-05.6	1	0.4	00.0-01.2	3	1.6	00.0-03.6			
Non-Native	4778	457,446	1753	37.8	36.0-39.6	556	13.2	11.8-14.6	146	3.5	02.7-04.3	193	3.6	03.0-04.2	2130	41.8	39.8-43.8
18-24	160	78,392	52	30.2	22.8-37.6	19	10.6	05.7-15.5	9	5.6	01.9-09.3	1	0.7	00.0-02.1	79	52.9	44.5-61.3
25-34	499	76,867	248	48.7	44.0-53.4	71	15.2	11.7-18.7	7	1.1	00.3-01.9	12	3.1	01.1-05.1	161	31.8	27.3-36.3
35-44	686	74,820	304	43.8	39.9-47.7	109	17.1	14.0-20.2	13	1.8	00.8-02.8	23	3.1	01.7-04.5	237	34.2	30.3-38.1
45-54	1058	90,927	473	44.0	40.9-47.1	156	16.0	13.6-18.4	39	4.1	02.7-05.5	27	2.6	01.6-03.6	363	33.2	30.1-36.3
55-64	977	66,445	374	38.0	34.7-41.3	99	10.4	08.2-12.6	37	4.2	02.8-05.6	53	6.1	04.3-07.9	414	41.3	38.0-44.6
65+	1517	92,165	342	22.6	20.2-25.0	104	7.1	05.7-08.5	41	3.2	02.2-04.2	79	5.6	04.2-07.0	951	61.4	58.7-64.1
Less Than H.S.	374	35,845	75	17.6	12.7-22.5	19	5.3	02.6-08.0	7	1.7	00.3-03.1	14	2.8	01.2-04.4	259	72.5	66.4-78.6
H.S. or G.E.D.	1491	141,542	487	33.0	29.7-36.3	147	10.0	08.0-12.0	47	3.9	02.3-05.5	61	3.5	02.5-04.5	749	49.6	45.9-53.3
Some Post-H.S.	1536	157,610	600	40.4	36.9-43.9	170	13.6	11.1-16.1	43	2.6	01.6-03.6	53	2.9	01.9-03.9	670	40.5	37.0-44.0
College Graduate	1535	146,809	642	43.7	40.8-46.6	226	16.1	13.9-18.3	51	4.1	02.5-05.7	69	4.5	03.3-05.7	547	31.7	29.0-34.4
Less than \$15,000	368	29,592	82	22.0	15.7-28.3	21	5.9	02.8-09.0	8	2.4	00.0-04.9	9	1.5	00.3-02.7	248	68.2	60.8-75.6
\$15,000- 24,999	733	67,071	219	33.6	28.1-39.1	46	5.5	03.3-07.7	20	4.9	01.8-08.0	20	2.1	01.1-03.1	428	53.9	48.2-59.6
\$25,000- 34,999	592	53,147	208	36.4	30.7-42.1	57	11.4	07.9-14.9	21	3.3	01.7-04.9	22	3.6	01.4-05.8	284	45.3	39.4-51.2
\$35,000- 49,999	814	79,475	323	38.1	33.8-42.4	94	11.7	09.0-14.4	24	3.2	01.4-05.0	27	3.6	01.8-05.4	346	43.4	38.7-48.1
\$50,000- 74,999	839	88,816	358	43.7	39.6-47.8	122	17.2	13.7-20.7	26	3.3	01.5-05.1	48	4.7	03.1-06.3	285	31.1	27.4-34.8
\$75,000+	1001	110,071	449	44.3	40.6-48.0	183	19.4	16.3-22.5	41	3.8	02.6-05.0	50	4.3	02.9-05.7	278	28.3	24.6-32.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 2: DRINK-OCCASIONS-PER-DAY (DROCDY2_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1995	240,486	753	37.1	34.4-39.8	314	16.7	14.5-18.9	97	5.2	03.8-06.6	135	5.5	04.3-06.7	696	35.6	32.7-38.5
Non-Native	1939	229,819	732	37.5	34.8-40.2	309	17.2	15.0-19.4	95	5.3	03.9-06.7	132	5.6	04.4-06.8	671	34.4	31.7-37.1
18-24	79	41,415	21	23.2	13.6-32.8	12	14.6	06.4-22.8	8	9.7	03.0-16.4	1	1.3	00.0-03.8			
25-34	211	40,774	107	50.6	43.3-57.9	45	20.8	15.1-26.5	5	1.5	00.1-02.9	8	4.1	01.0-07.2	46	23.0	16.7-29.3
35-44	311	38,374	133	42.6	36.9-48.3	71	23.8	18.7-28.9	11	2.8	01.0-04.6	18	5.3	02.8-07.8	78	25.5	20.2-30.8
45-54	455	45,370	192	42.3	37.4-47.2	89	19.8	15.9-23.7	21	5.0	02.8-07.2	18	3.9	02.1-05.7	135	28.9	24.4-33.4
55-64	425	34,607	167	38.3	33.4-43.2	49	11.9	08.6-15.2	23	5.8	03.3-08.3	40	9.6	06.7-12.5	146	34.4	29.5-39.3
65+	505	39,014	133	25.9	21.8-30.0	47	8.7	06.2-11.2	27	5.8	03.4-08.2	48	9.2	06.5-11.9	250	50.4	45.7-55.1
Less Than H.S.	159	18,264	37	18.6	11.9-25.3	12	7.5	02.6-12.4	6	3.0	00.5-05.5	11	4.6	01.7-07.5	93	66.3	57.3-75.3
H.S. or G.E.D.	633	78,088	228	34.8	29.9-39.7	90	12.1	09.4-14.8	36	6.1	03.4-08.8	45	5.0	03.4-06.6	234	42.1	36.4-47.8
Some Post-H.S.	549	69,185	213	37.8	32.5-43.1	93	21.2	16.1-26.3	23	3.8	01.8-05.8	37	5.5	03.3-07.7	183	31.8	26.5-37.1
College Graduate	652	74,312	274	43.5	39.0-48.0	119	19.9	16.2-23.6	32	6.1	03.2-09.0	42	6.3	04.1-08.5	185	24.2	20.5-27.9
Less than \$15,000	105	11,521				11	9.6	02.3-16.9	6	5.5	00.0-12.0	5	2.7	00.2-05.2			
\$15,000- 24,999	249	30,282	78	30.8	22.8-38.8	21	7.1	03.0-11.2	12	9.7	02.8-16.6	15	3.8	01.6-06.0	123	48.7	39.9-57.5
\$25,000- 34,999	220	26,746	74	34.5	25.7-43.3	31	14.3	08.2-20.4	13	3.8	01.3-06.3	14	5.5	01.6-09.4	88	41.9	32.3-51.5
\$35,000- 49,999	378	42,697	155	41.8	35.5-48.1	55	13.1	09.4-16.8	15	4.7	01.6-07.8	19	5.6	02.3-08.9	134	34.7	28.6-40.8
\$50,000- 74,999	411	49,892	164	41.3	35.6-47.0	79	23.6	18.1-29.1	19	4.8	01.7-07.9	34	5.8	03.6-08.0	115	24.5	20.0-29.0
\$75,000+	484	58,985	211	43.6	38.3-48.9	99	22.8	17.9-27.7	27	5.2	03.2-07.2	37	6.6	04.4-08.8	110	21.8	17.1-26.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 13: ALCOHOL CONSUMPTION
TABLE 3: DRINK-OCCASIONS-PER-DAY (DROCDY2_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2950	242,220	1052	37.8	35.4-40.2	249	8.7	07.5-09.9	51	1.6	01.0-02.2	62	1.6	01.0-02.2	1536	50.3	47.8-52.8
Native	87	12,901				2	1.1	00.0-02.7				1	0.6	00.0-01.8			
Non-Native	2839	227,626	1021	38.2	35.8-40.6	247	9.2	07.8-10.6	51	1.7	01.1-02.3	61	1.7	01.1-02.3	1459	49.3	46.8-51.8
18-24	81	36,978				7	6.2	01.5-10.9	1	1.0	00.0-03.0						
25-34	288	36,093	141	46.5	40.4-52.6	26	9.0	05.5-12.5	2	0.7	00.0-01.7	4	2.0	00.0-04.4	115	41.8	35.7-47.9
35-44	375	36,446	171	45.1	39.8-50.4	38	10.1	07.0-13.2	2	0.7	00.0-01.7	5	0.9	00.1-01.7	159	43.3	37.8-48.8
45-54	603	45,557	281	45.7	41.4-50.0	67	12.3	09.4-15.2	18	3.3	01.7-04.9	9	1.4	00.4-02.4	228	37.4	33.3-41.5
55-64	552	31,838	207	37.7	33.4-42.0	50	8.9	06.5-11.3	14	2.5	01.1-03.9	13	2.2	01.0-03.4	268	48.7	44.2-53.2
65+	1012	53,152	209	20.2	17.7-22.7	57	5.9	04.3-07.5	14	1.4	00.6-02.2	31	3.0	01.8-04.2	701	69.6	66.5-72.7
Less Than H.S.	215	17,581	38	16.7	09.4-24.0	7	3.0	00.5-05.5	1	0.5	00.0-01.5	3	0.9	00.0-02.1	166	79.0	71.2-86.8
H.S. or G.E.D.	858	63,455	259	30.8	26.7-34.9	57	7.4	04.9-09.9	11	1.3	00.5-02.1	16	1.6	00.8-02.4	515	58.8	54.5-63.1
Some Post-H.S.	987	88,424	387	42.4	37.9-46.9	77	7.7	05.7-09.7	20	1.7	00.7-02.7	16	0.9	00.3-01.5	487	47.3	42.6-52.0
College Graduate	883	72,497	368	43.8	39.9-47.7	107	12.2	09.8-14.6	19	1.9	00.9-02.9	27	2.7	01.3-04.1	362	39.4	35.7-43.1
Less than \$15,000	263	18,070	49	19.3	12.0-26.6	10	3.6	00.9-06.3	2	0.4	00.0-01.0	4	0.8	00.0-01.6	198	75.9	68.3-83.5
\$15,000- 24,999	484	36,789	141	36.0	28.6-43.4	25	4.1	01.9-06.3	8	1.0	00.2-01.8	5	0.8	00.0-01.6	305	58.1	50.8-65.4
\$25,000- 34,999	372	26,401	134	38.3	31.4-45.2	26	8.4	04.5-12.3	8	2.9	00.9-04.9	8	1.8	00.4-03.2	196	48.7	42.0-55.4
\$35,000- 49,999	436	36,778	168	33.8	28.1-39.5	39	10.0	06.3-13.7	9	1.5	00.5-02.5	8	1.3	00.3-02.3	212	53.3	46.6-60.0
\$50,000- 74,999	428	38,924	194	46.8	41.1-52.5	43	9.1	06.0-12.2	7	1.3	00.3-02.3	14	3.2	01.0-05.4	170	39.4	33.7-45.1
\$75,000+	517	51,085	238	45.1	39.8-50.4	84	15.4	11.7-19.1	14	2.2	01.0-03.4	13	1.6	00.6-02.6	168	35.6	30.1-41.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 4: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4931	480,467	4148	78.4	76.6-80.2	783	21.6	19.8-23.4
Male	1981	238,885	1508	70.8	68.1-73.5	473	29.2	26.5-31.9
Female	2950	241,582	2640	85.9	83.9-87.9	310	14.1	12.1-16.1
Non-Native	4762	454,966	4011	78.4	76.6-80.2	751	21.6	19.8-23.4
18-24	157	77,133	102	66.4	58.6-74.2	55	33.6	25.8-41.4
25-34	494	76,277	335	66.1	61.6-70.6	159	33.9	29.4-38.4
35-44	686	74,757	489	70.6	66.9-74.3	197	29.4	25.7-33.1
45-54	1048	90,121	852	80.2	77.5-82.9	196	19.8	17.1-22.5
55-64	973	66,196	866	88.2	85.8-90.6	107	11.8	09.4-14.2
65+	1525	92,894	1458	95.5	94.3-96.7	67	4.5	03.3-05.7
Less Than H.S.	371	35,272	345	93.0	89.9-96.1	26	7.0	03.9-10.1
H.S. or G.E.D.	1485	140,532	1251	79.6	76.7-82.5	234	20.4	17.5-23.3
Some Post-H.S.	1533	156,966	1262	74.6	71.1-78.1	271	25.4	21.9-28.9
College Graduate	1533	146,796	1281	77.7	74.8-80.6	252	22.3	19.4-25.2
Less than \$15,000	368	29,565	323	84.2	78.1-90.3	45	15.8	09.7-21.9
\$15,000- 24,999	723	65,844	632	78.5	72.8-84.2	91	21.5	15.8-27.2
\$25,000- 34,999	592	52,974	506	80.2	75.1-85.3	86	19.8	14.7-24.9
\$35,000- 49,999	811	78,943	670	78.0	73.9-82.1	141	22.0	17.9-26.1
\$50,000- 74,999	838	88,837	661	72.0	67.7-76.3	177	28.0	23.7-32.3
\$75,000+	998	109,802	797	76.3	73.0-79.6	201	23.7	20.4-27.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 5: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1981	238,885	1508	70.8	68.1-73.5	473	29.2	26.5-31.9
Non-Native	1924	228,095	1467	70.6	67.9-73.3	457	29.4	26.7-32.1
25-34	207	40,246	115	56.8	49.7-63.9	92	43.2	36.1-50.3
35-44	311	38,311	196	62.6	56.9-68.3	115	37.4	31.7-43.1
45-54	449	44,865	331	73.2	68.7-77.7	118	26.8	22.3-31.3
55-64	421	34,406	346	82.0	78.1-85.9	75	18.0	14.1-21.9
65+	507	39,441	470	93.2	90.8-95.6	37	6.8	04.4-09.2
Less Than H.S.	156	17,696	141	90.8	85.5-96.1	15	9.2	03.9-14.5
H.S. or G.E.D.	626	77,076	473	73.3	68.6-78.0	153	26.7	22.0-31.4
Some Post-H.S.	546	69,054	392	64.0	58.3-69.7	154	36.0	30.3-41.7
College Graduate	651	74,421	500	69.4	64.7-74.1	151	30.6	25.9-35.3
\$15,000- 24,999	241	29,136	199	72.3	63.3-81.3	42	27.7	18.7-36.7
\$25,000- 34,999	221	26,699	171	72.3	63.5-81.1	50	27.7	18.9-36.5
\$35,000- 49,999	376	42,368	283	69.4	62.9-75.9	93	30.6	24.1-37.1
\$50,000- 74,999	410	49,902	298	65.3	59.2-71.4	112	34.7	28.6-40.8
\$75,000+	481	58,767	351	68.7	63.6-73.8	130	31.3	26.2-36.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 6: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2950	241,582	2640	85.9	83.9-87.9	310	14.1	12.1-16.1
Non-Native	2838	226,870	2544	86.3	84.3-88.3	294	13.7	11.7-15.7
25-34	287	36,031	220	76.4	71.1-81.7	67	23.6	18.3-28.9
35-44	375	36,446	293	78.9	74.6-83.2	82	21.1	16.8-25.4
45-54	599	45,256	521	87.1	84.2-90.0	78	12.9	10.0-15.8
55-64	552	31,790	520	95.0	93.2-96.8	32	5.0	03.2-06.8
65+	1018	53,452	988	97.2	96.2-98.2	30	2.8	01.8-03.8
Less Than H.S.	215	17,575	204	95.3	92.0-98.6	11	4.7	01.4-08.0
H.S. or G.E.D.	859	63,456	778	87.2	83.7-90.7	81	12.8	09.3-16.3
Some Post-H.S.	987	87,912	870	82.9	78.8-87.0	117	17.1	13.0-21.2
College Graduate	882	72,375	781	86.2	83.3-89.1	101	13.8	10.9-16.7
Less than \$15,000	264	18,100	242	88.0	81.1-94.9	22	12.0	05.1-18.9
\$15,000- 24,999	482	36,709	433	83.5	76.6-90.4	49	16.5	09.6-23.4
\$25,000- 34,999	371	26,275	335	88.2	83.9-92.5	36	11.8	07.5-16.1
\$35,000- 49,999	435	36,575	387	87.9	84.0-91.8	48	12.1	08.2-16.0
\$50,000- 74,999	428	38,935	363	80.7	75.4-86.0	65	19.3	14.0-24.6
\$75,000+	517	51,035	446	85.0	81.1-88.9	71	15.0	11.1-18.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 7: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4907	479,285	2297	46.9	44.9-48.9	253	6.1	05.1-07.1	100	3.2	02.2-04.2	20	0.5	00.1-00.9	5	0.1	00.0-00.3	2232	43.2	41.2-45.2
Male	1975	239,148	995	47.6	44.7-50.5	173	9.6	07.8-11.4	87	5.9	04.1-07.7	19	1.0	00.4-01.6	5	0.2	00.0-00.4	696	35.8	32.9-38.7
Female	2932	240,137	1302	46.2	43.7-48.7	80	2.6	01.8-03.4	13	0.5	00.1-00.9	1	0.1	00.0-00.3				1536	50.7	48.2-53.2
Native	126	21,786				1	0.2	00.0-00.6	2	0.9	00.0-02.3	3	1.9	00.0-04.3	1	0.6	00.0-01.8			
Non-Native	4741	454,068	2241	47.7	45.7-49.7	251	6.3	05.3-07.3	98	3.3	02.3-04.3	17	0.5	00.1-00.9	4	0.1	00.0-00.3	2130	42.1	40.1-44.1
18-24	158	77,336	52	30.0	22.6-37.4	12	6.5	02.6-10.4	14	9.2	04.3-14.1	1	0.7	00.0-02.1				79	53.6	45.2-62.0
25-34	495	76,517	281	56.2	51.5-60.9	40	9.0	06.1-11.9	9	2.1	00.7-03.5	2	0.4	00.0-01.0	2	0.4	00.0-01.0	161	31.9	27.4-36.4
35-44	684	74,574	380	56.1	52.2-60.0	40	5.7	03.7-07.7	19	2.7	01.3-04.1	6	1.0	00.2-01.8	2	0.3	00.0-00.7	237	34.3	30.4-38.2
45-54	1047	90,119	592	57.0	53.7-60.3	64	6.9	05.1-08.7	24	2.4	01.4-03.4	3	0.2	00.0-00.4	1	0.1	00.0-00.3	363	33.5	30.4-36.6
55-64	966	65,865	472	48.8	45.5-52.1	56	6.6	04.8-08.4	17	2.0	01.0-03.0	7	0.9	00.1-01.7				414	41.6	38.3-44.9
65+	1509	91,785	502	34.5	32.0-37.0	38	2.4	01.6-03.2	17	1.3	00.7-01.9	1	0.2	00.0-00.6				951	61.7	59.0-64.4
Less Than H.S.	372	35,740	93	22.5	17.0-28.0	12	2.6	01.0-04.2	7	1.8	00.2-03.4				1	0.4	00.0-01.2	259	72.7	66.6-78.8
H.S. or G.E.D.	1476	140,184	609	41.0	37.5-44.5	65	4.4	03.2-05.6	40	3.4	02.0-04.8	9	0.9	00.1-01.7	4	0.3	00.0-00.7	749	50.1	46.4-53.8
Some Post-H.S.	1525	156,381	725	47.3	43.8-50.8	83	6.4	04.8-08.0	38	4.9	02.7-07.1	9	0.6	00.2-01.0				670	40.8	37.3-44.3
College Graduate	1525	146,078	868	58.1	55.2-61.0	93	8.2	06.0-10.4	15	1.6	00.6-02.6	2	0.2	00.0-00.4				547	31.9	29.2-34.6
Less than \$15,000	365	29,439	87	23.4	16.9-29.9	14	3.4	00.7-06.1	13	3.6	01.1-06.1	2	0.9	00.0-02.3	1	0.2	00.0-00.6	248	68.5	61.1-75.9
\$15,000- 24,999	723	65,940	250	35.3	30.0-40.6	29	4.6	02.1-07.1	12	4.1	01.2-07.0	3	1.0	00.0-02.6	1	0.2	00.0-00.6	428	54.8	49.1-60.5
\$25,000- 34,999	588	52,869	259	42.5	36.8-48.2	31	9.1	04.8-13.4	12	2.4	00.8-04.0	1	0.1	00.0-00.3	1	0.4	00.0-01.2	284	45.5	39.6-51.4
\$35,000- 49,999	806	78,829	399	47.8	43.1-52.5	38	4.4	02.8-06.0	20	3.7	01.5-05.9	2	0.2	00.0-00.6	1	0.1	00.0-00.3	346	43.7	39.0-48.4
\$50,000- 74,999	836	88,630	462	55.8	51.7-59.9	64	8.7	06.2-11.2	17	3.6	01.1-06.1	7	0.7	00.1-01.3	1	0.1	00.0-00.3	285	31.1	27.4-34.8
\$75,000+	998	109,801	633	61.5	57.6-65.4	64	7.1	05.1-09.1	20	2.8	01.0-04.6	3	0.3	00.0-00.7				278	28.3	24.6-32.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 8: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1975	239,148	995	47.6	44.7-50.5	173	9.6	07.8-11.4	87	5.9	04.1-07.7	19	1.0	00.4-01.6	5	0.2	00.0-00.4	696	35.8	32.9-38.7
Non-Native	1920	228,526	970	48.2	45.3-51.1	173	10.0	08.2-11.8	86	6.1	04.3-07.9	16	0.8	00.2-01.4	4	0.2	00.0-00.4	671	34.6	31.9-37.3
18-24	79	41,415	18	20.8	11.6-30.0	10	10.4	03.7-17.1	13	16.3	07.7-24.9	1	1.3	00.0-03.8						
25-34	208	40,486	120	57.5	50.2-64.8	29	14.0	08.9-19.1	9	3.9	01.4-06.4	2	0.7	00.0-01.7	2	0.7	00.0-01.7	46	23.1	16.8-29.4
35-44	311	38,374	187	60.1	54.2-66.0	26	8.4	05.1-11.7	13	4.0	01.6-06.4	5	1.5	00.1-02.9	2	0.5	00.0-01.3	78	25.5	20.2-30.8
45-54	448	44,826	244	55.5	50.6-60.4	44	10.3	07.4-13.2	21	4.3	02.3-06.3	3	0.5	00.0-01.1	1	0.1	00.0-00.3	135	29.3	24.8-33.8
55-64	418	34,250	208	49.4	44.3-54.5	40	10.2	07.1-13.3	17	3.9	01.9-05.9	7	1.7	00.3-03.1				146	34.8	29.9-39.7
65+	502	38,864	215	42.8	38.1-47.5	22	3.6	02.0-05.2	14	2.6	01.0-04.2	1	0.4	00.0-01.2				250	50.6	45.9-55.3
Less Than H.S.	157	18,159	48	25.4	17.4-33.4	8	3.7	00.8-06.6	7	3.5	00.6-06.4				1	0.7	00.0-02.1	93	66.7	57.7-75.7
H.S. or G.E.D.	625	77,577	299	43.7	38.4-49.0	48	6.5	04.3-08.7	31	5.3	02.8-07.8	9	1.6	00.0-03.2	4	0.5	00.0-01.1	234	42.4	36.7-48.1
Some Post-H.S.	545	68,955	263	45.8	40.3-51.3	57	10.8	07.7-13.9	34	10.3	05.6-15.0	8	1.2	00.4-02.0				183	31.9	26.6-37.2
College Graduate	646	73,819	384	59.0	54.3-63.7	60	13.2	09.3-17.1	15	3.1	01.1-05.1	2	0.4	00.0-01.0				185	24.4	20.7-28.1
Less than \$15,000	102	11,369				7	5.5	00.0-12.0	8	6.8	00.7-12.9	2	2.4	00.0-05.9	1	0.5	00.0-01.5			
\$15,000- 24,999	243	29,834	90	32.7	24.9-40.5	17	7.0	02.3-11.7	9	8.3	01.8-14.8	3	2.3	00.0-05.8	1	0.4	00.0-01.2	123	49.4	40.4-58.4
\$25,000- 34,999	219	26,709	95	36.9	28.5-45.3	23	15.9	08.1-23.7	11	4.4	01.5-07.3	1	0.2	00.0-00.6	1	0.7	00.0-02.1	88	42.0	32.4-51.6
\$35,000- 49,999	374	42,367	192	51.4	44.9-57.9	25	6.1	03.4-08.8	20	6.9	03.0-10.8	2	0.4	00.0-01.0	1	0.2	00.0-00.6	134	35.0	28.9-41.1
\$50,000- 74,999	408	49,707	219	54.2	48.3-60.1	52	13.9	09.6-18.2	15	6.1	01.8-10.4	6	1.0	00.2-01.8	1	0.2	00.0-00.6	115	24.6	20.1-29.1
\$75,000+	483	58,889	307	62.4	57.1-67.7	44	10.1	07.0-13.2	19	5.0	01.9-08.1	3	0.6	00.0-01.2				110	21.9	17.2-26.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 9: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1		>1, <=2		>2, <=5		>5, <=10		None						
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	2932	240,137	1302	46.2	43.7-48.7	80	2.6	01.8-03.4	13	0.5	00.1-00.9	1	0.1	00.0-00.3	1536	50.7	48.2-53.2
Native	87	12,901				1	0.3	00.0-00.9	1	0.8	00.0-02.4						
Non-Native	2821	225,543	1271	47.2	44.7-49.7	78	2.6	02.0-03.2	12	0.5	00.1-00.9	1	0.1	00.0-00.3	1459	49.7	47.2-52.2
18-24	79	35,921				2	2.0	00.0-04.7	1	1.0	00.0-03.0						
25-34	287	36,031	161	54.7	48.6-60.8	11	3.4	01.2-05.6							115	41.8	35.7-47.9
35-44	373	36,199	193	51.9	46.4-57.4	14	2.8	01.2-04.4	6	1.4	00.2-02.6	1	0.4	00.0-01.2	159	43.6	38.1-49.1
45-54	599	45,294	348	58.5	54.4-62.6	20	3.5	01.9-05.1	3	0.5	00.0-01.1				228	37.6	33.5-41.7
55-64	548	31,614	264	48.2	43.7-52.7	16	2.7	01.3-04.1							268	49.1	44.6-53.6
65+	1007	52,920	287	28.4	25.5-31.3	16	1.5	00.7-02.3	3	0.2	00.0-00.4				701	69.9	66.8-73.0
Less Than H.S.	215	17,581	45	19.6	12.0-27.2	4	1.4	00.0-03.0							166	79.0	71.2-86.8
H.S. or G.E.D.	851	62,608	310	37.6	33.3-41.9	17	1.7	00.9-02.5	9	1.0	00.2-01.8				515	59.6	55.3-63.9
Some Post-H.S.	980	87,426	462	48.4	43.7-53.1	26	2.9	01.5-04.3	4	0.6	00.0-01.4	1	0.2	00.0-00.6	487	47.8	43.1-52.5
College Graduate	879	72,259	484	57.3	53.4-61.2	33	3.2	02.0-04.4							362	39.5	35.8-43.2
Less than \$15,000	263	18,070	53	20.5	13.1-27.9	7	2.1	00.3-03.9	5	1.5	00.0-03.1				198	75.9	68.3-83.5
\$15,000- 24,999	480	36,106	160	37.5	30.2-44.8	12	2.7	00.5-04.9	3	0.6	00.0-01.4				305	59.2	51.9-66.5
\$25,000- 34,999	369	26,160	164	48.3	41.4-55.2	8	2.2	00.6-03.8	1	0.4	00.0-01.2				196	49.1	42.4-55.8
\$35,000- 49,999	432	36,462	207	43.7	37.2-50.2	13	2.5	00.9-04.1							212	53.8	47.1-60.5
\$50,000- 74,999	428	38,924	243	57.8	52.1-63.5	12	2.0	00.8-03.2	2	0.3	00.0-00.7	1	0.4	00.0-01.2	170	39.4	33.7-45.1
\$75,000+	515	50,911	326	60.4	54.9-65.9	20	3.6	01.8-05.4	1	0.2	00.0-00.6				168	35.8	30.3-41.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4907	479,285	1082	20.4	19.0-21.8	680	14.6	13.2-16.0	535	11.9	10.7-13.1	253	6.1	05.1-07.1	125	3.8	02.8-04.8	2232	43.2	41.2-45.2
Male	1975	239,148	388	17.3	15.3-19.3	297	15.2	13.2-17.2	310	15.1	13.1-17.1	173	9.6	07.8-11.4	111	7.1	05.3-08.9	696	35.8	32.9-38.7
Female	2932	240,137	694	23.4	21.4-25.4	383	14.0	12.4-15.6	225	8.8	07.2-10.4	80	2.6	01.8-03.4	14	0.6	00.2-01.0	1536	50.7	48.2-53.2
Native	126	21,786	19	8.6	03.9-13.3	14	13.3	04.1-22.5	14	11.4	01.8-21.0	1	0.2	00.0-00.6	6	3.4	00.5-06.3			
Non-Native	4741	454,068	1059	21.0	19.6-22.4	665	14.7	13.3-16.1	517	12.0	10.8-13.2	251	6.3	05.3-07.3	119	3.9	02.9-04.9	2130	42.1	40.1-44.1
18-24	158	77,336	20	11.0	06.1-15.9	17	10.2	05.3-15.1	15	8.8	04.1-13.5	12	6.5	02.6-10.4	15	9.9	04.8-15.0	79	53.6	45.2-62.0
25-34	495	76,517	108	20.8	17.1-24.5	106	20.9	17.2-24.6	67	14.5	11.2-17.8	40	9.0	06.1-11.9	13	2.8	01.2-04.4	161	31.9	27.4-36.4
35-44	684	74,574	147	21.7	18.4-25.0	127	18.1	15.2-21.0	106	16.4	13.5-19.3	40	5.7	03.7-07.7	27	3.9	02.3-05.5	237	34.3	30.4-38.2
45-54	1047	90,119	278	26.0	23.1-28.9	189	18.0	15.5-20.5	125	12.9	10.5-15.3	64	6.9	05.1-08.7	28	2.7	01.7-03.7	363	33.5	30.4-36.6
55-64	966	65,865	245	24.9	22.0-27.8	131	13.6	11.2-16.0	96	10.3	08.1-12.5	56	6.6	04.8-08.4	24	2.9	01.7-04.1	414	41.6	38.3-44.9
65+	1509	91,785	274	18.0	15.8-20.2	105	7.4	05.8-09.0	123	9.1	07.5-10.7	38	2.4	01.6-03.2	18	1.4	00.6-02.2	951	61.7	59.0-64.4
Less Than H.S.	372	35,740	48	11.1	07.0-15.2	19	5.0	02.5-07.5	26	6.5	03.6-09.4	12	2.6	01.0-04.2	8	2.1	00.5-03.7	259	72.7	66.6-78.8
H.S. or G.E.D.	1476	140,184	270	16.1	13.7-18.5	184	13.3	10.9-15.7	155	11.6	09.4-13.8	65	4.4	03.2-05.6	53	4.6	03.0-06.2	749	50.1	46.4-53.8
Some Post-H.S.	1525	156,381	365	20.9	18.4-23.4	204	15.0	12.5-17.5	156	11.3	08.8-13.8	83	6.4	04.8-08.0	47	5.5	03.3-07.7	670	40.8	37.3-44.3
College Graduate	1525	146,078	398	26.2	23.5-28.9	272	17.7	15.5-19.9	198	14.3	12.1-16.5	93	8.2	06.0-10.4	17	1.8	00.8-02.8	547	31.9	29.2-34.6
Less than \$15,000	365	29,439	47	10.2	06.5-13.9	23	8.3	03.6-13.0	17	4.9	02.2-07.6	14	3.4	00.7-06.1	16	4.7	01.8-07.6	248	68.5	61.1-75.9
\$15,000- 24,999	723	65,940	133	18.3	14.2-22.4	70	9.1	06.4-11.8	47	7.9	04.0-11.8	29	4.6	02.1-07.1	16	5.3	02.0-08.6	428	54.8	49.1-60.5
\$25,000- 34,999	588	52,869	131	20.3	16.0-24.6	69	13.7	09.4-18.0	59	8.5	06.1-10.9	31	9.1	04.8-13.4	14	2.8	01.0-04.6	284	45.5	39.6-51.4
\$35,000- 49,999	806	78,829	190	20.0	16.9-23.1	118	15.1	11.8-18.4	91	12.7	09.8-15.6	38	4.4	02.8-06.0	23	4.0	01.8-06.2	346	43.7	39.0-48.4
\$50,000- 74,999	836	88,630	199	21.5	18.4-24.6	149	18.5	15.2-21.8	114	15.7	12.6-18.8	64	8.7	06.2-11.2	25	4.4	01.9-06.9	285	31.1	27.4-34.8
\$75,000+	998	109,801	267	25.8	22.5-29.1	203	19.3	16.6-22.0	163	16.4	13.7-19.1	64	7.1	05.1-09.1	23	3.1	01.3-04.9	278	28.3	24.6-32.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1975	239,148	388	17.3	15.3-19.3	297	15.2	13.2-17.2	310	15.1	13.1-17.1	173	9.6	07.8-11.4	111	7.1	05.3-08.9	696	35.8	32.9-38.7
Non-Native	1920	228,526	379	17.8	15.8-19.8	292	15.3	13.3-17.3	299	15.2	13.2-17.2	173	10.0	08.2-11.8	106	7.2	05.2-09.2	671	34.6	31.9-37.3
18-24	79	41,415	4	4.4	00.0-09.1	8	9.7	03.0-16.4	6	6.6	01.1-12.1	10	10.4	03.7-17.1	14	17.7	08.9-26.5			
25-34	208	40,486	37	18.0	12.3-23.7	44	21.5	15.6-27.4	39	18.0	12.7-23.3	29	14.0	08.9-19.1	13	5.3	02.4-08.2	46	23.1	16.8-29.4
35-44	311	38,374	60	19.7	15.2-24.2	58	18.2	13.7-22.7	69	22.2	17.3-27.1	26	8.4	05.1-11.7	20	6.0	03.3-08.7	78	25.5	20.2-30.8
45-54	448	44,826	93	21.2	17.1-25.3	83	18.3	14.4-22.2	68	16.0	12.3-19.7	44	10.3	07.4-13.2	25	4.9	02.9-06.9	135	29.3	24.8-33.8
55-64	418	34,250	103	24.2	19.9-28.5	50	12.0	08.7-15.3	55	13.2	09.9-16.5	40	10.2	07.1-13.3	24	5.6	03.2-08.0	146	34.8	29.9-39.7
65+	502	38,864	91	18.0	14.5-21.5	53	10.6	07.7-13.5	71	14.3	11.0-17.6	22	3.6	02.0-05.2	15	3.0	01.4-04.6	250	50.6	45.9-55.3
Less Than H.S.	157	18,159	23	10.4	05.7-15.1	11	7.0	02.3-11.7	14	7.9	03.0-12.8	8	3.7	00.8-06.6	8	4.2	01.1-07.3	93	66.7	57.7-75.7
H.S. or G.E.D.	625	77,577	110	15.5	12.0-19.0	91	13.9	10.6-17.2	98	14.2	11.1-17.3	48	6.5	04.3-08.7	44	7.5	04.6-10.4	234	42.4	36.7-48.1
Some Post-H.S.	545	68,955	103	15.6	12.3-18.9	83	16.0	11.9-20.1	77	14.2	10.3-18.1	57	10.8	07.7-13.9	42	11.5	06.8-16.2	183	31.9	26.6-37.2
College Graduate	646	73,819	151	22.6	19.1-26.1	112	17.8	14.5-21.1	121	18.6	15.3-21.9	60	13.2	09.3-17.1	17	3.5	01.5-05.5	185	24.4	20.7-28.1
Less than \$15,000	102	11,369	15	11.6	04.0-19.2	11	10.1	02.8-17.4	8	6.2	01.1-11.3	7	5.5	00.0-12.0	11	9.7	02.4-17.0			
\$15,000- 24,999	243	29,834	46	17.1	11.0-23.2	24	9.0	04.1-13.9	20	6.6	03.1-10.1	17	7.0	02.3-11.7	13	11.0	03.7-18.3	123	49.4	40.4-58.4
\$25,000- 34,999	219	26,709	38	15.2	09.5-20.9	28	13.2	07.1-19.3	29	8.4	04.9-11.9	23	15.9	08.1-23.7	13	5.2	02.1-08.3	88	42.0	32.4-51.6
\$35,000- 49,999	374	42,367	74	17.4	13.3-21.5	60	17.3	12.0-22.6	58	16.7	12.0-21.4	25	6.1	03.4-08.8	23	7.5	03.4-11.6	134	35.0	28.9-41.1
\$50,000- 74,999	408	49,707	85	18.6	14.5-22.7	66	17.1	12.8-21.4	68	18.5	13.8-23.2	52	13.9	09.6-18.2	22	7.3	02.8-11.8	115	24.6	20.1-29.1
\$75,000+	483	58,889	108	21.2	16.9-25.5	98	20.3	16.2-24.4	101	20.9	16.6-25.2	44	10.1	07.0-13.2	22	5.6	02.5-08.7	110	21.9	17.2-26.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2932	240,137	694	23.4	21.4-25.4	383	14.0	12.4-15.6	225	8.8	07.2-10.4	80	2.6	01.8-03.4	14	0.6	00.2-01.0	1536	50.7	48.2-53.2
Native	87	12,901	13	9.8	03.3-16.3	10	12.6	03.0-22.2				1	0.3	00.0-00.9	1	0.8	00.0-02.4			
Non-Native	2821	225,543	680	24.3	22.1-26.5	373	14.2	12.4-16.0	218	8.7	07.3-10.1	78	2.6	02.0-03.2	13	0.5	00.1-00.9	1459	49.7	47.2-52.2
18-24	79	35,921	16	18.6	09.8-27.4	9	10.8	03.7-17.9	9	11.3	03.5-19.1	2	2.0	00.0-04.7	1	1.0	00.0-03.0			
25-34	287	36,031	71	23.8	18.7-28.9	62	20.3	15.6-25.0	28	10.6	06.5-14.7	11	3.4	01.2-05.6				115	41.8	35.7-47.9
35-44	373	36,199	87	23.8	19.3-28.3	69	17.9	13.8-22.0	37	10.2	06.9-13.5	14	2.8	01.2-04.4	7	1.8	00.4-03.2	159	43.6	38.1-49.1
45-54	599	45,294	185	30.8	26.9-34.7	106	17.8	14.5-21.1	57	9.9	07.4-12.4	20	3.5	01.9-05.1	3	0.5	00.0-01.1	228	37.6	33.5-41.7
55-64	548	31,614	142	25.7	21.8-29.6	81	15.3	12.0-18.6	41	7.2	05.0-09.4	16	2.7	01.3-04.1				268	49.1	44.6-53.6
65+	1007	52,920	183	18.0	15.5-20.5	52	5.1	03.5-06.7	52	5.2	03.6-06.8	16	1.5	00.7-02.3	3	0.2	00.0-00.4	701	69.9	66.8-73.0
Less Than H.S.	215	17,581	25	11.8	05.1-18.5	8	2.8	00.6-05.0	12	5.0	01.7-08.3	4	1.4	00.0-03.0				166	79.0	71.2-86.8
H.S. or G.E.D.	851	62,608	160	16.8	13.9-19.7	93	12.5	09.4-15.6	57	8.4	05.7-11.1	17	1.7	00.9-02.5	9	1.0	00.2-01.8	515	59.6	55.3-63.9
Some Post-H.S.	980	87,426	262	25.1	21.6-28.6	121	14.3	11.2-17.4	79	9.1	06.0-12.2	26	2.9	01.5-04.3	5	0.8	00.0-01.8	487	47.8	43.1-52.5
College Graduate	879	72,259	247	29.9	26.2-33.6	160	17.6	14.9-20.3	77	9.8	07.4-12.2	33	3.2	02.0-04.4				362	39.5	35.8-43.2
Less than \$15,000	263	18,070	32	9.2	05.5-12.9	12	7.2	01.1-13.3	9	4.0	00.7-07.3	7	2.1	00.3-03.9	5	1.5	00.0-03.1	198	75.9	68.3-83.5
\$15,000- 24,999	480	36,106	87	19.3	13.8-24.8	46	9.1	06.0-12.2	27	9.0	02.7-15.3	12	2.7	00.5-04.9	3	0.6	00.0-01.4	305	59.2	51.9-66.5
\$25,000- 34,999	369	26,160	93	25.6	19.3-31.9	41	14.1	08.2-20.0	30	8.6	05.3-11.9	8	2.2	00.6-03.8	1	0.4	00.0-01.2	196	49.1	42.4-55.8
\$35,000- 49,999	432	36,462	116	23.1	18.4-27.8	58	12.5	08.8-16.2	33	8.1	04.8-11.4	13	2.5	00.9-04.1				212	53.8	47.1-60.5
\$50,000- 74,999	428	38,924	114	25.3	20.6-30.0	83	20.3	15.4-25.2	46	12.1	08.2-16.0	12	2.0	00.8-03.2	3	0.7	00.0-01.5	170	39.4	33.7-45.1
\$75,000+	515	50,911	159	31.2	26.1-36.3	105	18.1	14.6-21.6	62	11.1	08.0-14.2	20	3.6	01.8-05.4	1	0.2	00.0-00.6	168	35.8	30.3-41.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4907	479,285	4702	94.9	93.9-95.9	205	5.1	04.1-06.1
Male	1975	239,148	1864	92.9	91.1-94.7	111	7.1	05.3-08.9
Female	2932	240,137	2838	96.9	96.1-97.7	94	3.1	02.3-03.9
Native	126	21,786	119	96.4	93.5-99.3	7	3.6	00.7-06.5
Non-Native	4741	454,068	4544	94.8	93.8-95.8	197	5.2	04.2-06.2
18-24	158	77,336	141	89.2	84.1-94.3	17	10.8	05.7-15.9
25-34	495	76,517	471	95.6	93.6-97.6	24	4.4	02.4-06.4
35-44	684	74,574	643	94.7	92.9-96.5	41	5.3	03.5-07.1
45-54	1047	90,119	999	95.6	94.2-97.0	48	4.4	03.0-05.8
55-64	966	65,865	926	95.8	94.4-97.2	40	4.2	02.8-05.6
65+	1509	91,785	1475	97.7	96.9-98.5	34	2.3	01.5-03.1
Less Than H.S.	372	35,740	360	97.2	95.4-99.0	12	2.8	01.0-04.6
H.S. or G.E.D.	1476	140,184	1406	94.7	92.9-96.5	70	5.3	03.5-07.1
Some Post-H.S.	1525	156,381	1452	92.8	90.4-95.2	73	7.2	04.8-09.6
College Graduate	1525	146,078	1475	96.7	95.5-97.9	50	3.3	02.1-04.5
Less than \$15,000	365	29,439	342	94.0	90.9-97.1	23	6.0	02.9-09.1
\$15,000- 24,999	723	65,940	695	93.2	89.7-96.7	28	6.8	03.3-10.3
\$25,000- 34,999	588	52,869	566	96.1	94.3-97.9	22	3.9	02.1-05.7
\$35,000- 49,999	806	78,829	770	94.8	92.4-97.2	36	5.2	02.8-07.6
\$50,000- 74,999	836	88,630	799	94.7	92.2-97.2	37	5.3	02.8-07.8
\$75,000+	998	109,801	955	95.2	93.2-97.2	43	4.8	02.8-06.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1975	239,148	1864	92.9	91.1-94.7	111	7.1	05.3-08.9
Non-Native	1920	228,526	1814	92.8	90.8-94.8	106	7.2	05.2-09.2
18-24	79	41,415	65	82.3	73.5-91.1	14	17.7	08.9-26.5
25-34	208	40,486	195	94.7	91.8-97.6	13	5.3	02.4-08.2
35-44	311	38,374	291	94.0	91.3-96.7	20	6.0	03.3-08.7
45-54	448	44,826	423	95.1	93.1-97.1	25	4.9	02.9-06.9
55-64	418	34,250	394	94.4	92.0-96.8	24	5.6	03.2-08.0
65+	502	38,864	487	97.0	95.4-98.6	15	3.0	01.4-04.6
Less Than H.S.	157	18,159	149	95.8	92.7-98.9	8	4.2	01.1-07.3
H.S. or G.E.D.	625	77,577	581	92.5	89.6-95.4	44	7.5	04.6-10.4
Some Post-H.S.	545	68,955	503	88.5	83.8-93.2	42	11.5	06.8-16.2
College Graduate	646	73,819	629	96.5	94.5-98.5	17	3.5	01.5-05.5
Less than \$15,000	102	11,369	91	90.3	83.0-97.6	11	9.7	02.4-17.0
\$15,000- 24,999	243	29,834	230	89.0	81.7-96.3	13	11.0	03.7-18.3
\$25,000- 34,999	219	26,709	206	94.8	91.7-97.9	13	5.2	02.1-08.3
\$35,000- 49,999	374	42,367	351	92.5	88.4-96.6	23	7.5	03.4-11.6
\$50,000- 74,999	408	49,707	386	92.7	88.2-97.2	22	7.3	02.8-11.8
\$75,000+	483	58,889	461	94.4	91.3-97.5	22	5.6	02.5-08.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	No			Yes		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
Female	2932	240,137	2838	96.9	96.1-97.7	94	3.1	02.3-03.9	
Native	87	12,901	85	98.9	97.3-0100	2	1.1	00.0-02.7	
Non-Native	2821	225,543	2730	96.9	96.1-97.7	91	3.1	02.3-03.9	
18-24	79	35,921	76	97.1	93.8-0100	3	2.9	00.0-06.2	
25-34	287	36,031	276	96.6	94.4-98.8	11	3.4	01.2-05.6	
35-44	373	36,199	352	95.4	93.4-97.4	21	4.6	02.6-06.6	
45-54	599	45,294	576	96.1	94.5-97.7	23	3.9	02.3-05.5	
55-64	548	31,614	532	97.3	95.9-98.7	16	2.7	01.3-04.1	
65+	1007	52,920	988	98.2	97.4-99.0	19	1.8	01.0-02.6	
Less Than H.S.	215	17,581	211	98.6	97.0-0100	4	1.4	00.0-03.0	
H.S. or G.E.D.	851	62,608	825	97.3	96.1-98.5	26	2.7	01.5-03.9	
Some Post-H.S.	980	87,426	949	96.2	94.4-98.0	31	3.8	02.0-05.6	
College Graduate	879	72,259	846	96.8	95.6-98.0	33	3.2	02.0-04.4	
Less than \$15,000	263	18,070	251	96.4	94.0-98.8	12	3.6	01.2-06.0	
\$15,000- 24,999	480	36,106	465	96.7	94.3-99.1	15	3.3	00.9-05.7	
\$25,000- 34,999	369	26,160	360	97.4	95.6-99.2	9	2.6	00.8-04.4	
\$35,000- 49,999	432	36,462	419	97.5	95.9-99.1	13	2.5	00.9-04.1	
\$50,000- 74,999	428	38,924	413	97.2	95.6-98.8	15	2.8	01.2-04.4	
\$75,000+	515	50,911	494	96.2	94.4-98.0	21	3.8	02.0-05.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 16: ADULT MEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1975	239,148	1864	92.9	91.1-94.7	111	7.1	05.3-08.9
Non-Native	1920	228,526	1814	92.8	90.8-94.8	106	7.2	05.2-09.2
18-24	79	41,415	65	82.3	73.5-91.1	14	17.7	08.9-26.5
25-34	208	40,486	195	94.7	91.8-97.6	13	5.3	02.4-08.2
35-44	311	38,374	291	94.0	91.3-96.7	20	6.0	03.3-08.7
45-54	448	44,826	423	95.1	93.1-97.1	25	4.9	02.9-06.9
55-64	418	34,250	394	94.4	92.0-96.8	24	5.6	03.2-08.0
65+	502	38,864	487	97.0	95.4-98.6	15	3.0	01.4-04.6
Less Than H.S.	157	18,159	149	95.8	92.7-98.9	8	4.2	01.1-07.3
H.S. or G.E.D.	625	77,577	581	92.5	89.6-95.4	44	7.5	04.6-10.4
Some Post-H.S.	545	68,955	503	88.5	83.8-93.2	42	11.5	06.8-16.2
College Graduate	646	73,819	629	96.5	94.5-98.5	17	3.5	01.5-05.5
Less than \$15,000	102	11,369	91	90.3	83.0-97.6	11	9.7	02.4-17.0
\$15,000- 24,999	243	29,834	230	89.0	81.7-96.3	13	11.0	03.7-18.3
\$25,000- 34,999	219	26,709	206	94.8	91.7-97.9	13	5.2	02.1-08.3
\$35,000- 49,999	374	42,367	351	92.5	88.4-96.6	23	7.5	03.4-11.6
\$50,000- 74,999	408	49,707	386	92.7	88.2-97.2	22	7.3	02.8-11.8
\$75,000+	483	58,889	461	94.4	91.3-97.5	22	5.6	02.5-08.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 17: ADULT WOMEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2932	240,137	2838	96.9	96.1-97.7	94	3.1	02.3-03.9	
Native	87	12,901	85	98.9	97.3-0100	2	1.1	00.0-02.7	
Non-Native	2821	225,543	2730	96.9	96.1-97.7	91	3.1	02.3-03.9	
18-24	79	35,921	76	97.1	93.8-0100	3	2.9	00.0-06.2	
25-34	287	36,031	276	96.6	94.4-98.8	11	3.4	01.2-05.6	
35-44	373	36,199	352	95.4	93.4-97.4	21	4.6	02.6-06.6	
45-54	599	45,294	576	96.1	94.5-97.7	23	3.9	02.3-05.5	
55-64	548	31,614	532	97.3	95.9-98.7	16	2.7	01.3-04.1	
65+	1007	52,920	988	98.2	97.4-99.0	19	1.8	01.0-02.6	
Less Than H.S.	215	17,581	211	98.6	97.0-0100	4	1.4	00.0-03.0	
H.S. or G.E.D.	851	62,608	825	97.3	96.1-98.5	26	2.7	01.5-03.9	
Some Post-H.S.	980	87,426	949	96.2	94.4-98.0	31	3.8	02.0-05.6	
College Graduate	879	72,259	846	96.8	95.6-98.0	33	3.2	02.0-04.4	
Less than \$15,000	263	18,070	251	96.4	94.0-98.8	12	3.6	01.2-06.0	
\$15,000- 24,999	480	36,106	465	96.7	94.3-99.1	15	3.3	00.9-05.7	
\$25,000- 34,999	369	26,160	360	97.4	95.6-99.2	9	2.6	00.8-04.4	
\$35,000- 49,999	432	36,462	419	97.5	95.9-99.1	13	2.5	00.9-04.1	
\$50,000- 74,999	428	38,924	413	97.2	95.6-98.8	15	2.8	01.2-04.4	
\$75,000+	515	50,911	494	96.2	94.4-98.0	21	3.8	02.0-05.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008

SECTION 14: IMMUNIZATION CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT3)	
1	MALES AND FEMALES	105
2	MALES ONLY	106
3	FEMALES ONLY	107
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)	
4	MALES AND FEMALES	108
5	MALES ONLY	109
6	FEMALES ONLY	110

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 14: IMMUNIZATION**

TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT3)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1531	93,368	1103	73.2	70.8-75.6	428	26.8	24.4-29.2
Male	514	39,833	351	70.4	66.3-74.5	163	29.6	25.5-33.7
Female	1017	53,535	752	75.2	72.5-77.9	265	24.8	22.1-27.5
Non-Native	1493	90,940	1076	73.1	70.7-75.5	417	26.9	24.5-29.3
65+	1531	93,368	1103	73.2	70.8-75.6	428	26.8	24.4-29.2
Less Than H.S.	251	15,977	176	70.6	64.5-76.7	75	29.4	23.3-35.5
H.S. or G.E.D.	581	34,737	412	72.3	68.4-76.2	169	27.7	23.8-31.6
Some Post-H.S.	388	22,923	290	75.7	71.2-80.2	98	24.3	19.8-28.8
College Graduate	309	19,660	224	73.8	68.5-79.1	85	26.2	20.9-31.5
Less than \$15,000	189	9,311	121	64.9	57.5-72.3	68	35.1	27.7-42.5
\$15,000- 24,999	341	19,453	248	72.5	67.0-78.0	93	27.5	22.0-33.0
\$25,000- 34,999	239	14,625	180	76.2	70.3-82.1	59	23.8	17.9-29.7
\$35,000- 49,999	216	14,779	162	76.4	70.3-82.5	54	23.6	17.5-29.7
\$50,000- 74,999	136	9,523	97	72.0	64.2-79.8	39	28.0	20.2-35.8
\$75,000+	104	6,797	75	75.6	67.4-83.8	29	24.4	16.2-32.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 14: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	514	39,833	351	70.4	66.3-74.5	163	29.6	25.5-33.7
Non-Native	500	38,733	342	70.4	66.1-74.7	158	29.6	25.3-33.9
65+	514	39,833	351	70.4	66.3-74.5	163	29.6	25.5-33.7
Less Than H.S.	99	7,916	67	68.2	58.2-78.2	32	31.8	21.8-41.8
H.S. or G.E.D.	174	12,996	116	69.2	61.9-76.5	58	30.8	23.5-38.1
Some Post-H.S.	104	8,051	73	72.6	63.6-81.6	31	27.4	18.4-36.4
College Graduate	137	10,870	95	71.6	63.6-79.6	42	28.4	20.4-36.4
\$35,000- 49,999	98	8,268	72	75.6	66.8-84.4	26	24.4	15.6-33.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 14: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1017	53,535	752	75.2	72.5-77.9	265	24.8	22.1-27.5
Non-Native	993	52,207	734	75.2	72.5-77.9	259	24.8	22.1-27.5
65+	1017	53,535	752	75.2	72.5-77.9	265	24.8	22.1-27.5
Less Than H.S.	152	8,061	109	73.1	65.7-80.5	43	26.9	19.5-34.3
H.S. or G.E.D.	407	21,741	296	74.1	69.6-78.6	111	25.9	21.4-30.4
Some Post-H.S.	284	14,872	217	77.4	72.3-82.5	67	22.6	17.5-27.7
College Graduate	172	8,789	129	76.4	69.7-83.1	43	23.6	16.9-30.3
Less than \$15,000	152	6,847	99	64.9	56.9-72.9	53	35.1	27.1-43.1
\$15,000- 24,999	240	11,676	178	75.0	69.1-80.9	62	25.0	19.1-30.9
\$25,000- 34,999	156	8,284	125	80.7	74.0-87.4	31	19.3	12.6-26.0
\$35,000- 49,999	118	6,511	90	77.3	69.5-85.1	28	22.7	14.9-30.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 14: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1492	90,763	1022	68.4	65.9-70.9	470	31.6	29.1-34.1
Male	492	38,121	299	61.7	57.2-66.2	193	38.3	33.8-42.8
Female	1000	52,642	723	73.3	70.4-76.2	277	26.7	23.8-29.6
Non-Native	1455	88,377	1001	68.6	66.1-71.1	454	31.4	28.9-33.9
65+	1492	90,763	1022	68.4	65.9-70.9	470	31.6	29.1-34.1
Less Than H.S.	240	15,346	156	66.0	59.5-72.5	84	34.0	27.5-40.5
H.S. or G.E.D.	570	34,006	397	69.0	64.9-73.1	173	31.0	26.9-35.1
Some Post-H.S.	378	22,392	269	70.8	65.7-75.9	109	29.2	24.1-34.3
College Graduate	302	18,947	199	66.5	60.6-72.4	103	33.5	27.6-39.4
Less than \$15,000	185	9,146	127	69.5	62.2-76.8	58	30.5	23.2-37.8
\$15,000- 24,999	326	18,485	238	72.3	66.8-77.8	88	27.7	22.2-33.2
\$25,000- 34,999	230	14,031	163	69.7	63.2-76.2	67	30.3	23.8-36.8
\$35,000- 49,999	214	14,608	146	66.4	59.3-73.5	68	33.6	26.5-40.7
\$50,000- 74,999	136	9,491	86	66.3	58.1-74.5	50	33.7	25.5-41.9
\$75,000+	103	6,705	63	65.4	56.0-74.8	40	34.6	25.2-44.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 14: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	492	38,121	299	61.7	57.2-66.2	193	38.3	33.8-42.8
Non-Native	478	37,020	292	61.8	57.1-66.5	186	38.2	33.5-42.9
65+	492	38,121	299	61.7	57.2-66.2	193	38.3	33.8-42.8
H.S. or G.E.D.	170	12,680	106	61.1	53.3-68.9	64	38.9	31.1-46.7
Some Post-H.S.	101	7,883	65	66.4	56.6-76.2	36	33.6	23.8-43.4
College Graduate	128	10,086	77	61.9	52.9-70.9	51	38.1	29.1-47.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 14: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1000	52,642	723	73.3	70.4-76.2	277	26.7	23.8-29.6
Non-Native	977	51,356	709	73.4	70.5-76.3	268	26.6	23.7-29.5
65+	1000	52,642	723	73.3	70.4-76.2	277	26.7	23.8-29.6
Less Than H.S.	147	7,875	105	73.9	66.6-81.2	42	26.1	18.8-33.4
H.S. or G.E.D.	400	21,326	291	73.8	69.3-78.3	109	26.2	21.7-30.7
Some Post-H.S.	277	14,508	204	73.2	67.5-78.9	73	26.8	21.1-32.5
College Graduate	174	8,861	122	71.8	64.7-78.9	52	28.2	21.1-35.3
Less than \$15,000	148	6,682	106	73.5	66.1-80.9	42	26.5	19.1-33.9
\$15,000- 24,999	234	11,392	181	79.0	73.7-84.3	53	21.0	15.7-26.3
\$25,000- 34,999	152	8,046	117	76.8	69.5-84.1	35	23.2	15.9-30.5
\$35,000- 49,999	117	6,453	85	72.0	63.2-80.8	32	28.0	19.2-36.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008

SECTION 16: SEATBELT USE CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	112
2	MALES ONLY	113
3	FEMALES ONLY	114
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	115
5	MALES ONLY	116
6	FEMALES ONLY	117

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 16: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Not At Risk		At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4995	487,895	4306	83.4	81.8-85.0	689	16.6	15.0-18.2
Male	2020	243,629	1570	76.1	73.6-78.6	450	23.9	21.4-26.4
Female	2975	244,266	2736	90.6	88.8-92.4	239	9.4	07.6-11.2
Non-Native	4824	462,211	4157	83.4	81.8-85.0	667	16.6	15.0-18.2
18-24	163	79,652	117	72.5	65.1-79.9	46	27.5	20.1-34.9
25-34	501	77,364	415	82.4	78.9-85.9	86	17.6	14.1-21.1
35-44	693	75,583	588	84.5	81.6-87.4	105	15.5	12.6-18.4
45-54	1064	91,311	901	83.5	81.0-86.0	163	16.5	14.0-19.0
55-64	992	67,402	865	87.0	84.6-89.4	127	13.0	10.6-15.4
65+	1531	93,262	1371	89.3	87.5-91.1	160	10.7	08.9-12.5
Less Than H.S.	376	36,212	298	79.0	72.9-85.1	78	21.0	14.9-27.1
H.S. or G.E.D.	1516	144,150	1254	78.8	75.7-81.9	262	21.2	18.1-24.3
Some Post-H.S.	1552	159,007	1332	81.9	78.8-85.0	220	18.1	15.0-21.2
College Graduate	1542	147,625	1413	90.3	88.3-92.3	129	9.7	07.7-11.7
Less than \$15,000	370	29,676	310	79.5	72.1-86.9	60	20.5	13.1-27.9
\$15,000- 24,999	739	67,671	620	81.6	77.3-85.9	119	18.4	14.1-22.7
\$25,000- 34,999	599	53,886	512	81.6	77.1-86.1	87	18.4	13.9-22.9
\$35,000- 49,999	819	79,814	690	78.7	74.0-83.4	129	21.3	16.6-26.0
\$50,000- 74,999	842	89,127	735	84.8	81.5-88.1	107	15.2	11.9-18.5
\$75,000+	1009	111,208	891	87.3	84.6-90.0	118	12.7	10.0-15.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 16: SEATBELT USE**

TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	2020	243,629	1570	76.1	73.6-78.6	450	23.9	21.4-26.4	
Non-Native	1961	232,668	1521	75.8	73.3-78.3	440	24.2	21.7-26.7	
25-34	213	41,302	157	75.6	69.7-81.5	56	24.4	18.5-30.3	
35-44	314	38,693	241	77.6	72.7-82.5	73	22.4	17.5-27.3	
45-54	459	45,603	344	75.1	70.8-79.4	115	24.9	20.6-29.2	
55-64	433	35,276	350	81.7	78.0-85.4	83	18.3	14.6-22.0	
65+	510	39,573	419	83.7	80.4-87.0	91	16.3	13.0-19.6	
H.S. or G.E.D.	643	79,166	457	70.4	65.5-75.3	186	29.6	24.7-34.5	
Some Post-H.S.	558	70,290	423	73.7	68.4-79.0	135	26.3	21.0-31.6	
College Graduate	657	74,990	575	85.9	82.6-89.2	82	14.1	10.8-17.4	
Less than \$15,000	108	11,700	78	82.7	74.5-90.9	30	17.3	09.1-25.5	
\$15,000- 24,999	253	30,814	189	75.4	67.6-83.2	64	24.6	16.8-32.4	
\$25,000- 34,999	227	27,580	168	72.2	64.2-80.2	59	27.8	19.8-35.8	
\$35,000- 49,999	380	42,932	291	71.5	65.0-78.0	89	28.5	22.0-35.0	
\$50,000- 74,999	412	49,992	334	78.5	73.2-83.8	78	21.5	16.2-26.8	
\$75,000+	489	59,848	394	79.4	74.7-84.1	95	20.6	15.9-25.3	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 16: SEATBELT USE**

TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2975	244,266	2736	90.6	88.8-92.4	239	9.4	07.6-11.2	
Non-Native	2863	229,544	2636	91.1	89.3-92.9	227	8.9	07.1-10.7	
18-24	82	37,506	67	82.2	72.6-91.8	15	17.8	08.2-27.4	
25-34	288	36,062	258	90.3	86.8-93.8	30	9.7	06.2-13.2	
35-44	379	36,890	347	91.6	88.5-94.7	32	8.4	05.3-11.5	
45-54	605	45,708	557	91.9	89.5-94.3	48	8.1	05.7-10.5	
55-64	559	32,126	515	92.8	90.6-95.0	44	7.2	05.0-09.4	
65+	1021	53,689	952	93.4	91.8-95.0	69	6.6	05.0-08.2	
Less Than H.S.	216	17,666	185	89.7	85.2-94.2	31	10.3	05.8-14.8	
H.S. or G.E.D.	873	64,984	797	89.1	85.8-92.4	76	10.9	07.6-14.2	
Some Post-H.S.	994	88,717	909	88.5	84.6-92.4	85	11.5	07.6-15.4	
College Graduate	885	72,635	838	94.8	93.2-96.4	47	5.2	03.6-06.8	
\$15,000- 24,999	486	36,857	431	86.7	82.2-91.2	55	13.3	08.8-17.8	
\$25,000- 34,999	372	26,306	344	91.5	87.8-95.2	28	8.5	04.8-12.2	
\$35,000- 49,999	439	36,882	399	87.0	79.7-94.3	40	13.0	05.7-20.3	
\$50,000- 74,999	430	39,135	401	93.0	90.1-95.9	29	7.0	04.1-09.9	
\$75,000+	520	51,360	497	96.5	94.9-98.1	23	3.5	01.9-05.1	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 16: SEATBELT USE**

**TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4995	487,895	3223	59.2	57.2-61.2	1772	40.8	38.8-42.8
Male	2020	243,629	1026	48.6	45.7-51.5	994	51.4	48.5-54.3
Female	2975	244,266	2197	69.8	67.3-72.3	778	30.2	27.7-32.7
Non-Native	4824	462,211	3114	59.4	57.4-61.4	1710	40.6	38.6-42.6
18-24	163	79,652	70	42.3	34.1-50.5	93	57.7	49.5-65.9
25-34	501	77,364	305	59.3	54.6-64.0	196	40.7	36.0-45.4
35-44	693	75,583	428	60.7	56.8-64.6	265	39.3	35.4-43.2
45-54	1064	91,311	650	59.0	55.9-62.1	414	41.0	37.9-44.1
55-64	992	67,402	659	64.8	61.5-68.1	333	35.2	31.9-38.5
65+	1531	93,262	1075	68.4	65.9-70.9	456	31.6	29.1-34.1
Less Than H.S.	376	36,212	219	50.9	43.1-58.7	157	49.1	41.3-56.9
H.S. or G.E.D.	1516	144,150	913	53.2	49.5-56.9	603	46.8	43.1-50.5
Some Post-H.S.	1552	159,007	982	57.9	54.2-61.6	570	42.1	38.4-45.8
College Graduate	1542	147,625	1101	68.4	65.5-71.3	441	31.6	28.7-34.5
Less than \$15,000	370	29,676	250	56.6	47.0-66.2	120	43.4	33.8-53.0
\$15,000- 24,999	739	67,671	484	58.9	53.2-64.6	255	41.1	35.4-46.8
\$25,000- 34,999	599	53,886	372	52.6	46.7-58.5	227	47.4	41.5-53.3
\$35,000- 49,999	819	79,814	498	56.1	51.4-60.8	321	43.9	39.2-48.6
\$50,000- 74,999	842	89,127	532	58.6	54.5-62.7	310	41.4	37.3-45.5
\$75,000+	1009	111,208	646	62.6	58.9-66.3	363	37.4	33.7-41.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 16: SEATBELT USE**

TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2020	243,629	1026	48.6	45.7-51.5	994	51.4	48.5-54.3
Non-Native	1961	232,668	995	48.9	46.0-51.8	966	51.1	48.2-54.0
25-34	213	41,302	104	50.6	43.5-57.7	109	49.4	42.3-56.5
35-44	314	38,693	154	50.1	44.2-56.0	160	49.9	44.0-55.8
45-54	459	45,603	213	45.8	40.9-50.7	246	54.2	49.3-59.1
55-64	433	35,276	237	54.9	50.0-59.8	196	45.1	40.2-50.0
65+	510	39,573	283	56.4	51.7-61.1	227	43.6	38.9-48.3
Less Than H.S.	160	18,546	72	33.9	24.3-43.5	88	66.1	56.5-75.7
H.S. or G.E.D.	643	79,166	285	43.1	37.8-48.4	358	56.9	51.6-62.2
Some Post-H.S.	558	70,290	258	45.3	39.8-50.8	300	54.7	49.2-60.2
College Graduate	657	74,990	410	60.8	56.3-65.3	247	39.2	34.7-43.7
\$15,000- 24,999	253	30,814	130	49.6	40.8-58.4	123	50.4	41.6-59.2
\$25,000- 34,999	227	27,580	105	40.0	31.2-48.8	122	60.0	51.2-68.8
\$35,000- 49,999	380	42,932	183	46.8	40.5-53.1	197	53.2	46.9-59.5
\$50,000- 74,999	412	49,992	209	49.1	43.2-55.0	203	50.9	45.0-56.8
\$75,000+	489	59,848	257	51.5	46.2-56.8	232	48.5	43.2-53.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 16: SEATBELT USE**

TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2975	244,266	2197	69.8	67.3-72.3	778	30.2	27.7-32.7
Non-Native	2863	229,544	2119	70.1	67.6-72.6	744	29.9	27.4-32.4
25-34	288	36,062	201	69.3	63.6-75.0	87	30.7	25.0-36.4
35-44	379	36,890	274	71.8	66.9-76.7	105	28.2	23.3-33.1
45-54	605	45,708	437	72.3	68.6-76.0	168	27.7	24.0-31.4
55-64	559	32,126	422	75.7	72.0-79.4	137	24.3	20.6-28.0
65+	1021	53,689	792	77.2	74.5-79.9	229	22.8	20.1-25.5
Less Than H.S.	216	17,666	147	68.7	58.7-78.7	69	31.3	21.3-41.3
H.S. or G.E.D.	873	64,984	628	65.4	60.7-70.1	245	34.6	29.9-39.3
Some Post-H.S.	994	88,717	724	67.9	63.2-72.6	270	32.1	27.4-36.8
College Graduate	885	72,635	691	76.3	73.0-79.6	194	23.7	20.4-27.0
\$15,000- 24,999	486	36,857	354	66.6	59.7-73.5	132	33.4	26.5-40.3
\$25,000- 34,999	372	26,306	267	65.7	58.6-72.8	105	34.3	27.2-41.4
\$35,000- 49,999	439	36,882	315	66.9	59.5-74.3	124	33.1	25.7-40.5
\$50,000- 74,999	430	39,135	323	70.8	64.9-76.7	107	29.2	23.3-35.1
\$75,000+	520	51,360	389	75.7	71.2-80.2	131	24.3	19.8-28.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008

SECTION 18: WOMENS HEALTH CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
1	WOMEN RESPONDENTS AGED 40+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y) FEMALES ONLY	119
2	WOMEN RESPONDENTS AGED 50+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM502Y) FEMALES ONLY	120
3	WOMEN RESPONDENTS AGED 18+ THAT HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP32) FEMALES ONLY	121

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 18: WOMENS HEALTH**

TABLE 1: WOMEN RESPONDENTS AGED 40+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 40 years old
Denominator excludes: Respondents who are male

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2375	151,500	1856	76.9	74.9-78.9	519	23.1	21.1-25.1
Non-Native	2310	146,620	1812	77.4	75.4-79.4	498	22.6	20.6-24.6
40-44	208	20,950	123	56.3	48.9-63.7	85	43.7	36.3-51.1
45-54	604	45,632	456	75.7	72.0-79.4	148	24.3	20.6-28.0
55-64	555	31,998	463	84.3	81.0-87.6	92	15.7	12.4-19.0
65+	1008	52,920	814	81.5	79.0-84.0	194	18.5	16.0-21.0
Less Than H.S.	189	10,907	136	68.7	60.9-76.5	53	31.3	23.5-39.1
H.S. or G.E.D.	750	45,366	579	76.8	73.5-80.1	171	23.2	19.9-26.5
Some Post-H.S.	793	52,272	618	76.4	72.9-79.9	175	23.6	20.1-27.1
College Graduate	640	42,851	520	79.5	76.0-83.0	120	20.5	17.0-24.0
Less than \$15,000	216	11,042	145	64.8	56.6-73.0	71	35.2	27.0-43.4
\$15,000- 24,999	403	21,969	291	68.9	63.6-74.2	112	31.1	25.8-36.4
\$25,000- 34,999	306	17,323	246	79.4	74.3-84.5	60	20.6	15.5-25.7
\$35,000- 49,999	343	21,971	265	73.5	68.0-79.0	78	26.5	21.0-32.0
\$50,000- 74,999	314	22,852	265	81.8	76.9-86.7	49	18.2	13.3-23.1
\$75,000+	394	31,364	331	83.3	79.4-87.2	63	16.7	12.8-20.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 18: WOMENS HEALTH**

TABLE 2: WOMEN RESPONDENTS AGED 50+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM502Y)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 50 years old
Denominator excludes: Respondents who are male

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1896	109,368	1538	81.6	79.6-83.6	358	18.4	16.4-20.4
Non-Native	1854	106,911	1506	81.6	79.6-83.6	348	18.4	16.4-20.4
50-54	333	24,450	261	78.1	73.4-82.8	72	21.9	17.2-26.6
55-64	555	31,998	463	84.3	81.0-87.6	92	15.7	12.4-19.0
65+	1008	52,920	814	81.5	79.0-84.0	194	18.5	16.0-21.0
Less Than H.S.	172	9,519	133	77.0	70.1-83.9	39	23.0	16.1-29.9
H.S. or G.E.D.	650	36,777	520	81.2	78.1-84.3	130	18.8	15.7-21.9
Some Post-H.S.	601	35,076	486	81.2	77.9-84.5	115	18.8	15.5-22.1
College Graduate	470	27,892	396	84.0	80.3-87.7	74	16.0	12.3-19.7
Less than \$15,000	196	8,954	139	72.8	66.3-79.3	57	27.2	20.7-33.7
\$15,000- 24,999	341	17,406	261	76.1	71.0-81.2	80	23.9	18.8-29.0
\$25,000- 34,999	265	14,422	221	83.6	78.7-88.5	44	16.4	11.5-21.3
\$35,000- 49,999	268	15,359	217	80.1	74.8-85.4	51	19.9	14.6-25.2
\$50,000- 74,999	227	14,788	200	86.5	81.6-91.4	27	13.5	08.6-18.4
\$75,000+	234	16,311	205	87.9	83.4-92.4	29	12.1	07.6-16.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 18: WOMENS HEALTH**

TABLE 3: WOMEN RESPONDENTS AGED 18+ THAT HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP32)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2061	189,056	1704	82.8	80.3-85.3	357	17.2	14.7-19.7
Native	72	11,638	64	94.4	89.7-99.1	8	5.6	00.9-10.3
Non-Native	1977	176,508	1636	82.3	79.6-85.0	341	17.7	15.0-20.4
25-34	276	34,247	267	97.0	94.8-99.2	9	3.0	00.8-05.2
35-44	330	32,276	291	87.3	83.4-91.2	39	12.7	08.8-16.6
45-54	453	34,759	395	87.2	83.9-90.5	58	12.8	09.5-16.1
55-64	377	21,693	320	85.4	81.5-89.3	57	14.6	10.7-18.5
65+	543	28,576	372	69.5	65.4-73.6	171	30.5	26.4-34.6
H.S. or G.E.D.	545	45,861	422	78.9	73.8-84.0	123	21.1	16.0-26.2
Some Post-H.S.	694	70,016	586	83.4	78.9-87.9	108	16.6	12.1-21.1
College Graduate	688	60,133	614	90.0	87.3-92.7	74	10.0	07.3-12.7
\$15,000- 24,999	313	27,227	220	76.1	69.4-82.8	93	23.9	17.2-30.6
\$25,000- 34,999	252	19,601	207	85.4	80.1-90.7	45	14.6	09.3-19.9
\$35,000- 49,999	324	29,818	278	82.9	76.0-89.8	46	17.1	10.2-24.0
\$50,000- 74,999	328	32,118	297	89.6	84.7-94.5	31	10.4	05.5-15.3
\$75,000+	417	43,678	385	89.9	85.4-94.4	32	10.1	05.6-14.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008

SECTION 19: PROSTATE CANCER SCREENING CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
1 MALE RESPONDENTS AGED 40+ THAT HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA2Y) MALES ONLY	123

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 19: PROSTATE CANCER SCREENING**

TABLE 1: MALE RESPONDENTS AGED 40+ THAT HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA2Y)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 40 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1512	136,317	864	54.6	51.9-57.3	648	45.4	42.7-48.1
Non-Native	1475	132,502	846	54.9	52.2-57.6	629	45.1	42.4-47.8
40-44	171	21,250	30	18.6	11.9-25.3	141	81.4	74.7-88.1
45-54	438	43,401	165	39.1	34.2-44.0	273	60.9	56.0-65.8
55-64	417	34,049	285	69.8	65.1-74.5	132	30.2	25.5-34.9
65+	486	37,618	384	79.0	75.1-82.9	102	21.0	17.1-24.9
Less Than H.S.	128	10,550	74	58.5	49.3-67.7	54	41.5	32.3-50.7
H.S. or G.E.D.	498	44,921	266	49.5	44.8-54.2	232	50.5	45.8-55.2
Some Post-H.S.	415	37,746	233	54.7	49.4-60.0	182	45.3	40.0-50.6
College Graduate	470	43,012	291	58.9	54.0-63.8	179	41.1	36.2-46.0
\$15,000- 24,999	192	15,412	114	58.3	50.7-65.9	78	41.7	34.1-49.3
\$25,000- 34,999	169	13,654	103	59.1	50.9-67.3	66	40.9	32.7-49.1
\$35,000- 49,999	300	28,035	165	54.0	47.7-60.3	135	46.0	39.7-52.3
\$50,000- 74,999	303	28,683	178	53.4	47.3-59.5	125	46.6	40.5-52.7
\$75,000+	362	36,623	205	53.8	48.3-59.3	157	46.2	40.7-51.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008

SECTION 20: COLORECTAL CANCER CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFBLDS2).	
1	MALES AND FEMALES	125
2	MALES ONLY	126
3	FEMALES ONLY	127
	RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).	
4	MALES AND FEMALES	128
5	MALES ONLY	129
6	FEMALES ONLY	130

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 20: COLORECTAL CANCER**

TABLE 1: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFBLS2).

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3038	205,548	643	20.1	18.5-21.7	2395	79.9	78.3-81.5
Male	1176	97,936	218	18.0	15.6-20.4	958	82.0	79.6-84.4
Female	1862	107,612	425	22.1	20.1-24.1	1437	77.9	75.9-79.9
Non-Native	2974	201,257	633	20.2	18.6-21.8	2341	79.8	78.2-81.4
50-54	572	47,912	67	11.2	08.5-13.9	505	88.8	86.1-91.5
55-64	983	67,015	220	22.2	19.5-24.9	763	77.8	75.1-80.5
65+	1483	90,621	356	23.3	20.9-25.7	1127	76.7	74.3-79.1
Less Than H.S.	301	19,827	56	15.9	11.6-20.2	245	84.1	79.8-88.4
H.S. or G.E.D.	1019	67,657	226	21.5	18.8-24.2	793	78.5	75.8-81.2
Some Post-H.S.	882	59,321	185	20.4	17.5-23.3	697	79.6	76.7-82.5
College Graduate	832	58,550	175	19.8	16.9-22.7	657	80.2	77.3-83.1
Less than \$15,000	264	13,263	55	18.9	14.0-23.8	209	81.1	76.2-86.0
\$15,000- 24,999	498	29,543	111	19.6	15.9-23.3	387	80.4	76.7-84.1
\$25,000- 34,999	411	25,580	91	21.2	16.9-25.5	320	78.8	74.5-83.1
\$35,000- 49,999	486	34,263	96	20.5	16.6-24.4	390	79.5	75.6-83.4
\$50,000- 74,999	451	34,583	106	21.6	17.7-25.5	345	78.4	74.5-82.3
\$75,000+	481	39,295	93	18.2	14.7-21.7	388	81.8	78.3-85.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 20: COLORECTAL CANCER**

TABLE 2: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFBLS2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1176	97,936	218	18.0	15.6-20.4	958	82.0	79.6-84.4
Non-Native	1154	96,086	215	18.1	15.7-20.5	939	81.9	79.5-84.3
50-54	246	23,914	28	11.6	07.3-15.9	218	88.4	84.1-92.7
55-64	433	35,321	76	18.5	14.6-22.4	357	81.5	77.6-85.4
65+	497	38,702	114	21.4	17.7-25.1	383	78.6	74.9-82.3
Less Than H.S.	126	10,252	12	8.1	03.4-12.8	114	91.9	87.2-96.6
H.S. or G.E.D.	377	31,239	76	19.2	14.9-23.5	301	80.8	76.5-85.1
Some Post-H.S.	299	25,167	61	20.9	15.8-26.0	238	79.1	74.0-84.2
College Graduate	373	31,189	69	17.7	13.6-21.8	304	82.3	78.2-86.4
Less than \$15,000	69	4,413	9	10.6	03.9-17.3	60	89.4	82.7-96.1
\$15,000- 24,999	160	12,355	32	17.7	11.4-24.0	128	82.3	76.0-88.6
\$25,000- 34,999	148	11,118	31	20.0	13.1-26.9	117	80.0	73.1-86.9
\$35,000- 49,999	223	19,133	39	18.8	13.1-24.5	184	81.2	75.5-86.9
\$50,000- 74,999	229	20,138	45	18.3	13.2-23.4	184	81.7	76.6-86.8
\$75,000+	251	23,219	39	15.5	10.8-20.2	212	84.5	79.8-89.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 20: COLORECTAL CANCER**

TABLE 3: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFBLS2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1862	107,612	425	22.1	20.1-24.1	1437	77.9	75.9-79.9
Non-Native	1820	105,171	418	22.2	20.2-24.2	1402	77.8	75.8-79.8
50-54	326	23,998	39	10.9	07.4-14.4	287	89.1	85.6-92.6
55-64	550	31,694	144	26.3	22.4-30.2	406	73.7	69.8-77.6
65+	986	51,919	242	24.8	21.9-27.7	744	75.2	72.3-78.1
Less Than H.S.	175	9,574	44	24.4	17.5-31.3	131	75.6	68.7-82.5
H.S. or G.E.D.	642	36,419	150	23.4	19.9-26.9	492	76.6	73.1-80.1
Some Post-H.S.	583	34,154	124	20.0	16.7-23.3	459	80.0	76.7-83.3
College Graduate	459	27,361	106	22.1	18.2-26.0	353	77.9	74.0-81.8
Less than \$15,000	195	8,849	46	23.0	16.7-29.3	149	77.0	70.7-83.3
\$15,000- 24,999	338	17,188	79	20.9	16.4-25.4	259	79.1	74.6-83.6
\$25,000- 34,999	263	14,462	60	22.1	16.8-27.4	203	77.9	72.6-83.2
\$35,000- 49,999	263	15,130	57	22.7	17.2-28.2	206	77.3	71.8-82.8
\$50,000- 74,999	222	14,445	61	26.2	20.3-32.1	161	73.8	67.9-79.7
\$75,000+	230	16,076	54	22.0	16.5-27.5	176	78.0	72.5-83.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 20: COLORECTAL CANCER**

TABLE 4: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3087	207,923	1837	57.9	55.9-59.9	1250	42.1	40.1-44.1
Male	1183	98,212	668	56.4	53.5-59.3	515	43.6	40.7-46.5
Female	1904	109,711	1169	59.2	56.8-61.6	735	40.8	38.4-43.2
Non-Native	3021	203,531	1805	58.1	56.1-60.1	1216	41.9	39.9-43.9
50-54	577	48,293	207	36.3	32.0-40.6	370	63.7	59.4-68.0
55-64	991	67,363	573	57.6	54.3-60.9	418	42.4	39.1-45.7
65+	1519	92,267	1057	69.4	66.9-71.9	462	30.6	28.1-33.1
Less Than H.S.	301	19,818	167	56.3	50.2-62.4	134	43.7	37.6-49.8
H.S. or G.E.D.	1034	68,490	625	59.2	55.9-62.5	409	40.8	37.5-44.1
Some Post-H.S.	901	60,161	542	58.1	54.6-61.6	359	41.9	38.4-45.4
College Graduate	847	59,261	500	56.6	52.9-60.3	347	43.4	39.7-47.1
Less than \$15,000	268	13,543	141	52.1	45.4-58.8	127	47.9	41.2-54.6
\$15,000- 24,999	507	30,076	309	59.8	55.1-64.5	198	40.2	35.5-44.9
\$25,000- 34,999	415	25,722	252	59.7	54.6-64.8	163	40.3	35.2-45.4
\$35,000- 49,999	492	34,551	286	55.2	50.3-60.1	206	44.8	39.9-49.7
\$50,000- 74,999	455	34,701	273	59.4	54.5-64.3	182	40.6	35.7-45.5
\$75,000+	485	39,521	279	55.4	50.7-60.1	206	44.6	39.9-49.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 20: COLORECTAL CANCER**

**TABLE 5: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 50 years old**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1183	98,212	668	56.4	53.3-59.5	515	43.6	40.5-46.7
Non-Native	1160	96,324	653	56.2	53.1-59.3	507	43.8	40.7-46.9
50-54	247	24,069	84	36.3	29.8-42.8	163	63.7	57.2-70.2
55-64	434	35,365	244	56.4	51.5-61.3	190	43.6	38.7-48.5
65+	502	38,777	340	68.8	64.5-73.1	162	31.2	26.9-35.5
Less Than H.S.	126	10,145	63	51.8	42.4-61.2	63	48.2	38.8-57.6
H.S. or G.E.D.	379	31,394	216	56.7	51.4-62.0	163	43.3	38.0-48.6
Some Post-H.S.	301	25,187	165	55.6	49.5-61.7	136	44.4	38.3-50.5
College Graduate	376	31,396	223	58.1	52.6-63.6	153	41.9	36.4-47.4
\$15,000- 24,999	163	12,523	90	56.7	48.3-65.1	73	43.3	34.9-51.7
\$25,000- 34,999	149	11,172	84	56.1	47.7-64.5	65	43.9	35.5-52.3
\$35,000- 49,999	223	19,133	115	50.3	43.2-57.4	108	49.7	42.6-56.8
\$50,000- 74,999	230	20,117	145	63.4	56.9-69.9	85	36.6	30.1-43.1
\$75,000+	252	23,365	144	56.4	49.9-62.9	108	43.6	37.1-50.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 20: COLORECTAL CANCER**

**TABLE 6: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 50 years old**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1904	109,711	1169	59.2	56.8-61.6	735	40.8	38.4-43.2
Non-Native	1861	107,207	1152	59.8	57.4-62.2	709	40.2	37.8-42.6
50-54	330	24,224	123	36.2	30.7-41.7	207	63.8	58.3-69.3
55-64	557	31,998	329	59.0	54.7-63.3	228	41.0	36.7-45.3
65+	1017	53,490	717	69.8	66.7-72.9	300	30.2	27.1-33.3
Less Than H.S.	175	9,673	104	60.9	53.3-68.5	71	39.1	31.5-46.7
H.S. or G.E.D.	655	37,096	409	61.3	57.2-65.4	246	38.7	34.6-42.8
Some Post-H.S.	600	34,973	377	60.0	55.7-64.3	223	40.0	35.7-44.3
College Graduate	471	27,865	277	54.9	50.0-59.8	194	45.1	40.2-50.0
Less than \$15,000	198	9,037	112	57.3	49.9-64.7	86	42.7	35.3-50.1
\$15,000- 24,999	344	17,553	219	62.0	56.3-67.7	125	38.0	32.3-43.7
\$25,000- 34,999	266	14,550	168	62.5	56.0-69.0	98	37.5	31.0-44.0
\$35,000- 49,999	269	15,418	171	61.3	55.0-67.6	98	38.7	32.4-45.0
\$50,000- 74,999	225	14,584	128	53.8	46.9-60.7	97	46.2	39.3-53.1
\$75,000+	233	16,156	135	53.9	47.0-60.8	98	46.1	39.2-53.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008

SECTION 21: HIV/AIDS CONTENTS

* NOTE *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)	
1	MALES AND FEMALES	132
2	MALES ONLY	133
3	FEMALES ONLY	134

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 21: HIV/AIDS**

**TABLE 1: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3307	379,295	815	26.4	24.2-28.6	2492	73.6	71.4-75.8
Male	1450	195,865	327	23.0	20.3-25.7	1123	77.0	74.3-79.7
Female	1857	183,430	488	30.1	27.2-33.0	1369	69.9	67.0-72.8
Non-Native	3186	356,951	764	25.5	23.5-27.5	2422	74.5	72.5-76.5
18-24	159	77,295	33	21.5	14.2-28.8	126	78.5	71.2-85.8
25-34	486	74,789	234	45.1	40.4-49.8	252	54.9	50.2-59.6
35-44	668	73,197	233	34.2	30.3-38.1	435	65.8	61.9-69.7
45-54	1035	88,973	219	20.7	18.0-23.4	816	79.3	76.6-82.0
55-64	959	65,040	96	9.8	07.6-12.0	863	90.2	88.0-92.4
H.S. or G.E.D.	889	105,183	177	21.8	17.9-25.7	712	78.2	74.3-82.1
Some Post-H.S.	1109	129,757	299	30.0	26.1-33.9	810	70.0	66.1-73.9
College Graduate	1181	123,343	311	27.2	24.3-30.1	870	72.8	69.9-75.7
\$15,000- 24,999	378	46,211	116	32.2	25.1-39.3	262	67.8	60.7-74.9
\$25,000- 34,999	352	38,615	72	20.6	14.9-26.3	280	79.4	73.7-85.1
\$35,000- 49,999	581	62,916	130	25.5	20.2-30.8	451	74.5	69.2-79.8
\$50,000- 74,999	683	77,226	158	26.4	22.3-30.5	525	73.6	69.5-77.7
\$75,000+	869	100,136	225	25.9	22.6-29.2	644	74.1	70.8-77.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 21: HIV/AIDS**

TABLE 2: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1450	195,865	327	23.0	20.3-25.7	1123	77.0	74.3-79.7
Non-Native	1409	186,411	316	22.5	19.8-25.2	1093	77.5	74.8-80.2
18-24	78	40,318	10	14.5	05.5-23.5	68	85.5	76.5-94.5
25-34	207	39,958	73	34.5	27.6-41.4	134	65.5	58.6-72.4
35-44	306	37,738	90	30.2	24.7-35.7	216	69.8	64.3-75.3
45-54	446	44,282	103	22.3	18.2-26.4	343	77.7	73.6-81.8
55-64	413	33,570	51	12.4	08.9-15.9	362	87.6	84.1-91.1
Less Than H.S.	63	10,796	11	11.9	03.9-19.9	52	88.1	80.1-96.1
H.S. or G.E.D.	451	63,577	85	19.1	14.0-24.2	366	80.9	75.8-86.0
Some Post-H.S.	437	59,356	115	28.8	23.1-34.5	322	71.2	65.5-76.9
College Graduate	497	61,498	116	23.6	19.3-27.9	381	76.4	72.1-80.7
\$15,000- 24,999	146	21,904	44	26.0	17.2-34.8	102	74.0	65.2-82.8
\$25,000- 34,999	144	21,217	21	13.9	06.8-21.0	123	86.1	79.0-93.2
\$35,000- 49,999	274	33,417	54	22.0	15.3-28.7	220	78.0	71.3-84.7
\$50,000- 74,999	327	42,684	65	23.2	17.5-28.9	262	76.8	71.1-82.5
\$75,000+	404	52,221	102	26.1	21.0-31.2	302	73.9	68.8-79.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008
SECTION 21: HIV/AIDS**

TABLE 3: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1857	183,430	488	30.1	27.2-33.0	1369	69.9	67.0-72.8
Non-Native	1777	170,540	448	28.8	25.9-31.7	1329	71.2	68.3-74.1
25-34	279	34,831	161	57.2	50.9-63.5	118	42.8	36.5-49.1
35-44	362	35,459	143	38.5	33.2-43.8	219	61.5	56.2-66.8
45-54	589	44,691	116	19.2	15.9-22.5	473	80.8	77.5-84.1
55-64	546	31,471	45	7.2	05.0-09.4	501	92.8	90.6-95.0
H.S. or G.E.D.	438	41,607	92	25.9	20.0-31.8	346	74.1	68.2-80.0
Some Post-H.S.	672	70,400	184	31.0	25.7-36.3	488	69.0	63.7-74.3
College Graduate	684	61,845	195	30.7	26.8-34.6	489	69.3	65.4-73.2
\$25,000- 34,999	208	17,398	51	28.7	20.1-37.3	157	71.3	62.7-79.9
\$35,000- 49,999	307	29,499	76	29.4	21.0-37.8	231	70.6	62.2-79.0
\$50,000- 74,999	356	34,542	93	30.3	24.4-36.2	263	69.7	63.8-75.6
\$75,000+	465	47,915	123	25.6	21.3-29.9	342	74.4	70.1-78.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2008**

End of Calculated Variable Data Report